Image: State of the sectors OIL CONSERVATION DIVIS Image: State of the sectors OIL CONSERVATION DIVIS Image: State of the sectors P. O. BOX 2038 Santa FE Santa FE, NEW MEXICO 875	Form C-103
U.S.G.S. LAND OFFICE OFERATUR	Sa. Indicate Type of Leise State Fre X 5. State Oll & Gas Lease No.
SUNDRY NOTICES AND REPORTS ON WELLS 100 NOT USE THIS FORM FOR PROFOSALS TO DUILL OR TO DEEPEN OF PLUG SUCH FOR DOFPERCHT I USE "APPLICATION FOR PERMIT " (FORM C-101) FOR SUCH FOR POPOSALS.)	
OIL CAS OTHER-	7. Unit Agreement Name Eunice Monument South Ut
one of Operator Chevron U.S.A. Inc.	8. Farm or Lease Hume
P.O. Box 670, Hobbs, NM 88240	9. Weil No. 309
THE <u>East</u> LINE, SECTION <u>11</u> TOWNSHIP <u>21S</u> RANGE <u>36</u>	
15. Elevation (Show whether DF, RT, GR, etc.) 3553	12. County Lea
Check Appropriate Box To Indicate Nature of Notice NOTICE OF INTENTION TO:	, Report of Other Data SUBSEQUENT REPORT OF:
VORL REMEDIAL WORK PLUG AND ABAHDON REMEDIAL WORK POBARILY ABAHDON COMMENCE DRILLING COMMENCE DRILLING . OR ALTER CASING CHANGE PLANS CASING TEST AND CE THER OTHER TUIL	
Change out WH. Test to 650psi, ok. Drill out CIBP at 3096	
change out whit lest to boopst, ok. Dillt out CIBP at 3096	. Run 4 liner, set at 3910.

Cement w/75 sx Class C, tailed w/100sx Class C. Displace w/CKF. Plug did not bump. Plug down at 12pm. Run temperature survey TOC at 1200'. Cement down annulus and up annulus w/250sx Class C neat. Squeeze 70sx into formation. Run GR/CCL/CBL. Sep pkr at 3870. Test to 500psi, ok. Set CICR at 3872. Squeeze cement w/150sx Class C. Perforate 3700-3718,3732-3736, 3746-3752,3760-3768,3808-3820,3822-3846 (70 holes) 1 JHPF 0° phase. Spot 100 gallons across perfs, acidize w/3500 gallons 15% NEFE HCL. TIH w/2 1/16 prod tbg. set at 3857. Run pump and rods. Test pump to 500psi, ok. Work performed 9-24-87 through 9-29-87.

sereby certify that the information above is true and complete to the best of my knowledge and belief.

m.	E.	aprin	

Staff Drilling Engineer

Oct. 1, 1987

1987

DATE JUT 7

Eddie W. Seay Oil & Gas Inspector

ЭС	tor	* * *

STATE OF NEW MEXICO			~
NERGY AND MINERALS DEPARTMENT	OIL CONSERVA P. O. BO SANTA FE, NEW		Form C-103 Revised 10-1-7
U.S.O.S. LAND OFFICE OPERATUR			Sa. Indicate Type of Lesse State Fee X S. State Oil & Gas Lesse No.
SUNDRY N SUNDRY N SC "APPLICATION P	OTICES AND REPORTS ON	WELLS ACA TO A DIFFERENT RESERVOIR. H PROPOSALS.)	
01L XX CAS	0 T H E #**		7. Unit Agreement Name Eunice Monument South Un
Chevron U.S.A. Inc.			8. Farm or Lease Name
Address of Operator P.O. Box 670, Hobbs, NM	88240		9. Well No. 309
LOCALION OF WOLL UNIT LETTERH1980 THEEastLINE, SECTION	North		10. Field and Pool, or Wildcat Eunice Monument G/SA
	15. Elevation (Show whether 3553'	DF, RT, GR, etc.)	12. County Lea
Check App NOTICE OF INTER	opriate Box To Indicate N NTION TO:		OF Other Data
RFORM REMEDIAL WORK	PLUG AND ABANDON	REMEDIAL WORR [COMMENCE DRILLING OPNS. [CASING TEST AND CEMENT JOB [OTHER _ dpn, 10g, pe	ALTERING CASING PLUG AND ABANDONMENT rf, acdz
	ons (Clearly state all pertinent deta	ils, and give pertinent dotes in	luding estimated date of starting any proposed

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

POOH w/production equip, tag fill at 3788, wash from 3788 - 3844, Drill f/ 3844 to 3915 (new TD). Circ and spot 50bbls CKF. Log well, acidize w/ 3500 gallons 15% NEFE HCL. Flow well to test tank. Set 5 1/2" CIBP at 3100, isolate casing leak f/941 - 1534. Off report pending well and casing evaluation. Work performed 8-23-87 through 8-26-87

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

.<	N	わ.	E.	ah	m

Staff Drilling Engineer

Sept. 28, 1987

1987

.... OCT 2

Orig. Signed by
Paul Kautz
 Geologist

VOITIONS OF APPROVAL, IF ANY

TITLE

TITLE

NO. OF COPIES ACCEIVED	OIL CONSERVATION DIVISION	
DISTRIBUTION		Ser. 6 100
SANTA FE	P. O. BOX 2088	Form C-103 Revised 10-1-7
FILE.	SANTA FE, NEW MEXICO 87501	
U.S.G.S.		5a. Indicate Type of Leuse
LAND OFFICE		State Fee XX
OPERATUR		5. State Oll & Gas Lease No.
م عد برجد ان برجد ان برجد ان برجد برجم برجم برجم برجم برجم برجم برجم برجم		
SUNDRY DO NOT USE THIS FORM FOR PROP USE "APPLICATION	NOTICES AND REPORTS ON WELLS OSALS TO DAILL ON TO DEEPEN ON PLUG BACK TO A DIFFERENT RESERVOIR. N FOR PERMIT - (FORM C-101) FOR SUCH PROPOSALS.)	
		7. Unit Agreement Name
WELL X GAS WELL	07HE#-	Eunice Monument South Ut
Name of Operator		8. Farm or Lease Name
Chevron U.S.A. Inc.		
Address of Operator		9. Well No.
P.O. Box 670, Hobbs,	NM 88240	309
Location of Well		10. Field and Pool, or Wildcat
ч 1	980 North 660	10. There and Poor, of whided
UNIT LETTERI	980 FEET FROM THE NORTH LINE AND 660	FROM Eunice Monument G/SA
Faat	11 21C 36E	
THELASL LINE, SECTION	11 21S 36E 36E	имрм. {\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	15. Elevation (Show whether DF, RT, GR, etc.)	12. County
	3553	Lea ()))))))
· Check A	ppropriate Box To Indicate Nature of Notice, Report o	t Other Data
NOTICE OF INT		JENT REPORT OF:
		SEAT REPORT OF:
ERFORM REMEDIAL WORK	PLUG AND ABANDON REMEDIAL WORK]
		ALTERING CASING
JLL OR ALTER CASING	COMMENCE DRILLING OPNS.	PLUG AND ABANDONMENT
		J
run 4" liner, perf	, acdz, x	L
OTHER	. 1311	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposea work) SEE RULE 1103.

It is proposed to run a 4" casing in order to cover up 61' of exposed Lower Grayburg interval and a 593' casing leak in the salt section. The wellbore will then be perforated in zones 2 & 5, stimulated and placed on production until a lease line injection agreement is met.

TITLE ____

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

Staff Drilling Engineer

September 9, 1987

DATE _____ 5117

ORIGINAL SIGNED BY JERRY SEXTON DISTRICT I SUPERVISOR