

## NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## MISCELLANEOUS REPORTS ON WELL

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut-offs, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF <del>SEMI-ANNUAL</del> CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL		Acidize and replace packer	XXX

Hobbs, New Mexico December 2, 1940.

Place

Date

OIL CONSERVATION COMMISSION,  
Santa Fe, New Mexico.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the

Gulf Oil Corp - GYPSY PROD DIVN. - - R. R. Bell "B" Well No. 1 in the  
Company or Operator Lease  
C 33/4 of Sec. 15, T. 21, R. 36, N. M. P. M.,  
Field, County

The dates of this work were as follows:

Notice of intention to do the work was (was not) submitted on Form C-102 on 19  
and approval of the proposed plan was (was not) obtained. (Cross out incorrect words)

## DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

May 30, 1940 acidized with 1500 gallons of 15% and 1,000 gallons 7 - 1/8 acid thru  
Nov 2, 1940 ran tubing with 2" EUE x 4 1/4" actual OD x 40" Rubber Robinson  
3 in 1 HP gas packer set at 3832', tubing set on bottom. Pumped 4 sac  
aquagel and 1 bale #2 Fibretex on top of packer, packer set upside down.  
Nov 20, 1940 acidized below packer with 1,000 gallons Dowell acid.

Production before:- On state test Nov 8, 1940 flowed 45 bbls oil in 24 hrs thru 3/4" choke  
2 rounds open with 625,158 cu. ft. gas GOR 13,776.

Witnessed by \_\_\_\_\_ Name \_\_\_\_\_ Company \_\_\_\_\_ Title \_\_\_\_\_  
Production after:- Flowed 104 barrels oil and no water in 24 hours thru 3/4" choke wide open  
445,426 cu.ft. gas GOR 4.21 (Last 24 hours of state test)  
Subscribed and sworn to before me this \_\_\_\_\_ is true and correct.

2nd day of December, 19 40

Name *W. H. Dickey*

Position Chief clerk.

Representing Gulf Oil Corp - Gypsy Divn.  
Company or Operator

Address Box 1667 - Hobbs, New Mexico.

My Commission expires February 25-1942.

Remarks:

*Ray Yarbrough*  
Name  
OIL & GAS INSPECTOR  
Title

*Journal of Management Education* 36(7)>

\* *Journal of the American Medical Association*, 1990; 263: 1031-1034.

[illegible][illegible]