

N.


NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

OF

1936

DUPLICATE

AREA 640 ACRES
LOCATE WELL CORRECTLY

Gulf Oil Corporation Of Pennsylvania

R. A. Bell

Company or Operator

Well No.

of Sec.

Lease

15

Loc

County.

R. 300, N. M. P. M.

Well is 600 feet south of the North line and 600 feet west of the East line of

If State land the oil and gas lease is No. Assignment No.

If patented land the owner is Address

If Government land the permittee is Address

The Lessee is Gulf Oil Corporation Of Pennsylvania Address Tulsa, Oklahoma.

Drilling commenced 1-24-36 19 drilling was completed 3-15-36 19

Name of drilling contractor Carl B. [unclear] Address Dallas, Texas

Elevation above sea level at top of casing 3385

The information given is to be kept confidential until

OIL LANDS OR ZONES

No. 1, from 5755 to 3005 No. 2, from to

No. 3, from to No. 5, from to

No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from Rotary Hole to feet.

No. 2, from to feet.

No. 2, from to feet.

No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED FROM TO	PURPOSE
10-3/4	40	8	Lapw.	281'	?			
7-5/8	26.4	8	Lapw.	1480'	?			
5-1/2	17	10	Lapw.	3759'	?			

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
15-5/4	10-5/4	281'	250	Halliburton		
9-7/8	7-5/8	1480'	300	"		
6-5/4	5-1/2	3759'	300	"		

PLUGS AND ADAPTERS

Heaving plug—Material Length Depth Set

Adapters—Material Size

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from 0 feet to 3005 feet, and from feet to feet

Cable tools were used from feet to feet, and from feet to feet

PRODUCTION

Put to producing March 15th, 1936, 19

The production of the first 24 hours was 1584 barrels of fluid of which % was oil; %

emulsion; % water; and % sediment. Gravity, Be

If gas well, cu. ft. per 24 hours 1,862,000 Gallons gasoline per 1,000 cu. ft. of gas

Rock pressure, lbs. per sq. in. ?

EMPLOYEES

Driller Driller

Driller Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 19th

day of May, 1936

Notary Public.

Tulsa, Oklahoma

May 19th, 1936

Name

Position General Superintendent

Representing Gulf Oil Corp. Of Pa.

