


N.

NEW MEXICO OIL CONSERVATION COMMISSION

AREA 640 ACRES
LOCATE WELL CORRECTLY

Santa Fe, New Mexico

OF

MON

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper
agent not more than twenty days after completion of well. Follow instructions
in the Rules and Regulations of the Commission. Indicate questionable data
by following it with (Q). SUBMIT IN TRIPLICATE.

Gulf Oil Corporation Of Pa.

Company or Operator

R. E. Bell C

Lease

Well No. 15

of Sec. 15

R. 543, N. M. P. M.,

Tulise

Field

Lee

County.

Well is 600 feet south of the North line and 400 feet west of the East line of

If State land the oil and gas lease is No. B-250

Assignment No.

If patented land the owner is

Address

If Government land the permittee is

Address

The Lessee is Gulf Oil Corporation Of Pa.

Address

Tulise, Oklahoma.

Drilling commenced 3-19-36

19

Drilling was completed

4-12-36

19

Name of drilling contractor Carl E. ...

Address

Dallas, Texas

Elevation above sea level at top of casing 3500

The information given is to be kept confidential until

OIL SANDS OR ZONES

No. 1, from 5770 to 5800'

No. 4, from to

No. 2, from to

No. 5, from to

No. 3, from to

No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole

No. 1, from Rotary hole to feet.

No. 2, from to feet.

No. 2, from to feet.

No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED FROM TO	PURPOSE
10-5/4	32.75	8	Lapw.	512'	?			
7-5/8	26.4	8	Lapw.	1409'	?			
5-1/2	17	10	Lapw.	5776'	?			

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
10-5/4	10-5/4	512'	250	Halliburton		
7-5/8	7-5/8	1409'	300	"		
5-1/2	5-1/2	5776'	300	"		

PLUGS AND ADAPTERS

Heaving plug—Material Length Depth Set

Adapters—Material Size

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from 0 feet to 5800' feet, and from feet to feet

Cable tools were used from feet to feet, and from feet to feet

PRODUCTION

Put to producing April 20th, 1936, 19

The production of the first 24 hours was 1520 barrels of fluid of which % was oil; %

emulsion; % water; and % sediment. Gravity, Be

If gas well, cu. ft. per 24 hours 1,125,000 Gallons gasoline per 1,000 cu. ft. of gas

Rock pressure, lbs. per sq. in. ?

EMPLOYEES

?, Driller

, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 19th,

day of May, 1936

H. W. Evans

Notary Public.

Tulise, Oklahoma

Place

May 19th, 1936

Date

Name

Position General Superintendent

Representing Gulf Oil Corporation Of Pa.

