


N.

NEW MEXICO OIL CONSERVATION COMMISSION



AREA 640 ACRES
LOCATE WELL CORRECTLY

Santa Fe, New Mexico

OT

MOBY

WELL RECORD

DUPLICATE

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

Gulf Oil Corporation

J. F. Janda "C"

Company or Operator

Lease

Well No. 1 in NW SW of Sec. 15, T. 21S

R. 36E, N. M. P. M., Kanice Field, Lea County.

Well is 660 feet south of the North line and 660 feet west of the East line of NW SW

If State land the oil and gas lease is No. B-229 Assignment No.

If patented land the owner is Address

If Government land the permittee is Address

The Lessee is Gulf Oil Corporation Address Tulsa, Oklahoma

Drilling commenced 4-12-36 19 Drilling was completed 5-25-36 19

Name of drilling contractor Lee Drilling Company Address Tulsa, Oklahoma

Elevation above sea level at top of casing 3596 feet.

The information given is to be kept confidential until ? 19

OIL SANDS OR ZONES

No. 1, from 3780' to 3892' No. 4, from to

No. 2, from to No. 5, from to

No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from Rotary Hole to feet.

No. 2, from to feet.

No. 2, from to feet.

No. 4, from to feet.

CASING RECORD

| SIZE | WEIGHT PER FOOT | THREADS PER INCH | MAKE | AMOUNT | KIND OF SHOE | CUT & FILLED FROM | PERFORATED FROM TO | PURPOSE |
|---------|-----------------|------------------|-------|--------|--------------|-------------------|--------------------|---------|
| 15 1/2" | 70 | 8 | Lapw. | 35' | | | | |
| 7-5/8 | 26 | 8 | Lapw. | 1477 | | | | |
| 5 1/2" | 17 | 10 | Lapw. | 3786 | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

MUDDING AND CEMENTING RECORD

| SIZE OF HOLE | SIZE OF CASING | WHERE SET | NO. SACKS OF CEMENT | METHOD USED | MUD GRAVITY | AMOUNT OF MUD USED |
|--------------|----------------|-----------|---------------------|-------------|-------------|--------------------|
| 17-3/4 | 15 1/2" | 35' | 50 | Halliborton | | |
| 9-7/8 | 7-5/8 | 1477 | 550 | " | | |
| 6-3/4 | 5 1/2" | 3786 | 300 | " | | |
| | | | | | | |
| | | | | | | |

PLUGS AND ADAPTERS

Heaving plug—Material Length Depth Set

Adapters—Material Size

RECORD OF SHOOTING OR CHEMICAL TREATMENT

| SIZE | SHELL USED | EXPLOSIVE OR CHEMICAL USED | QUANTITY | DATE | DEPTH SHOT OR TREATED | DEPTH CLEANED OUT |
|------|------------|----------------------------|----------|------|-----------------------|-------------------|
| | | | | | | |
| | | | | | | |
| | | | | | | |

Results of shooting or chemical treatment

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from 0 feet to 3892 feet, and from feet to feet

Cable tools were used from feet to feet, and from feet to feet

PRODUCTION

Put to producing May 27 36 19

The production of the first 24 hours was 670 barrels of fluid of which % was oil; %

emulsion; % water; and % sediment. Gravity, Be.

If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas

Rock pressure, lbs. per sq. in.

EMPLOYEES

Driller Driller

Driller Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 27th Tulsa, Oklahoma July 27, 1936

day of July 1936 Name J. F. Janda

Position General Superintendent

Representing Gulf Oil Corporation

Company or Operator

Address Tulsa, Oklahoma

My Commission expires Jan 26, 1939

