

N M E L O OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Hobbs, New Mexico1/15/36

Place

Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico

Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as _____

Tide Water Oil Company State DWell No. 2 in SE 1

Company or Operator

Lease

of Sec. 16, T. 21, R. 36, N. M. P. M., Eunice Field, Lea County.

N.

The well is 1660' feet [N.] XX of the S line and 1950' feet

XX [W.] of the E line of Section 16

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. 5424

Assignment No. _____

If patented land the owner is _____


Address _____

If government land the permittee is _____

Address _____

The lessee is _____

Address _____



AREA 640 ACRES
LOCATE WELL CORRECTLY

We propose to drill well with drilling equipment as follows: Rotary

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: Tide Water carries blanket bond of \$10,000 with U.S. Fidelity & Guaranty Co. as Security

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
15"	10-3/4"	40#	SH	275'	Cemented	250
9-7/8"	7-5/8"	26.40#	New	1500'	"	450
6-3/4"	5 1/2"	17#	New	3750'	"	400

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 3800' feet.

Additional information:

10-3/4" Casing (Surface) will be set at about 270' and cemented to the top
7-5/8" Casing will be set at top of salt and 150% cement used to cement to top
5 1/2" OD Casing will be set at top of pay and 150% cement used to fill up to base of salt

Approved _____, 19____
except as follows:

Sincerely yours,

Tide Water Oil Company
Company or Operator

By F. Schneider - L. I.Position Prod. Sup't

Send communication regarding well to

Name F. SchneiderAddress Drawer "KK" Hobbs, New Mexico

OIL CONSERVATION COMMISSION,

By _____

Title _____

