


(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Meyer A-18 No. 6

Hobbs, New Mexico September 11, 1951

Well No. 6 is located 660 ft. from N line and 1980 ft. from E line of sec. 18

NE/4 Sec. 18 21-S 36-E N.M.P.M.

(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Rutice La New Mexico

(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 3643 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

The subject well is presently producing approximately 48 barrels of oil and 2900 barrels of water per day.

It is therefore proposed to set a cement retainer at 3758' and squeeze perforations from 3764 to 3769' and 3772 to 3775' with cement in an effort to shut off water production.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Continental Oil CompanyAddress Box CCHobbs, New MexicoBy J. L. ShaperTitle District Superintendent

