

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

NOV 10 1955

MISCELLANEOUS NOTICES

Submit this notice in TRIPLICATE to the District Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL		NOTICE OF INTENTION TO PLUG BACK		NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE	<input checked="" type="checkbox"/>	NOTICE OF INTENTION TO ACIDIZE		NOTICE OF INTENTION TO SHOOT (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE	<input checked="" type="checkbox"/>	NOTICE OF INTENTION (OTHER)		NOTICE OF INTENTION (OTHER)	

OIL CONSERVATION COMMISSION  
SANTA FE, NEW MEXICO

Hobbs, New Mexico  
(Place)

October 24, 1955  
(Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the.....

**Shell Oil Company** **Coleman** Well No. **1-A** in **"J"**  
(Company or Operator) (Unit)  
**NW**  $\frac{1}{4}$  **SE**  $\frac{1}{4}$  of Sec. **17**, T-**21-S**, R-**36-E**, NMPM, **Eumont** Pool  
(40-acre Subdivision)  
**Lea** County.

FULL DETAILS OF PROPOSED PLAN OF WORK  
(FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

WE PROPOSE TO PERFORM REMEDIAL WORK AS FOLLOWING:

- (1) Run Gamma-Ray/Casing Collar locator survey
- (2) Run tubing with retrievable retainer and set above all perforations
- (3) Inject 500 gallons mud cleanout agent, flush with water, and squeeze-cement all perforations. Do not exceed 3500 psi.
- (4) After WOC drill out to 3920'.
- (5) Perforate 5-1/2" casing with two projectile shots at 3881' and two shots at 3904'
- (6) After swab testing, treat via tubing with 10,000 gallons gelled lease crude containing one pound sand/gallon.

Approved....., 19.....  
Except as follows:

**Shell Oil Company**  
Company or Operator Original signed by  
**D. C. Meyers** D. C. Meyers  
By.....

Position..... **Division Mechanical Engineer**  
Send Communications regarding well to:

Approved  
OIL CONSERVATION COMMISSION

By.....

Name..... **Shell Oil Company**

Title.....

Address..... **Box 1957, Hobbs, New Mexico**