

N. MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or its agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF		NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL		NOTICE OF INTENTION TO PLUG WELL	
NOTICE OF INTENTION TO DEEPEN WELL			

Hobbs, New Mexico**2/7/37**

Place

Date

OIL CONSERVATION COMMISSION,

Santa Fe, New Mexico.

Gentlemen:

Following is a notice of intention to do certain work as described below at the _____

Tide Water Associated Oil Company, **O.L. Coleman** Well No. **4** in **NEt**
 Company or Operator Lease
 of Sec. **17**, T. **21**, R. **36**, N. M. P. M., **Eunice.** Field,
Lea County.

FULL DETAILS OF PROPOSED PLAN OF WORK

FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

2000 gallons
 It is our intention to treat this well with acid to increase the oil volume and reduce the oil and gas ratio.

EXHIBIT

Approved _____, 19____
 except as follows:

OIL CONSERVATION COMMISSION,

By _____

Title _____

Tide Water Associated Oil Company

Company or Operator

By _____

Position _____

Prod. Sup't.

Send communications regarding well to

Name _____

F. Schneider

Address _____

Drawer KK Hobbs, New Mexico.

[illegible]

Figure 1. The effect of the concentration of the H_2O_2 solution on the amount of the released H_2O from the H_2O_2 -loaded hydrogel. The amount of the released H_2O was measured by the weight difference of the hydrogel before and after the release. The concentration of the H_2O_2 solution was 0.1, 0.2, 0.3, 0.4, 0.5, 0.6, 0.7, 0.8, 0.9, and 1.0 M. The amount of the released H_2O was measured by the weight difference of the hydrogel before and after the release. The concentration of the H_2O_2 solution was 0.1, 0.2, 0.3, 0.4, 0.5, 0.6, 0.7, 0.8, 0.9, and 1.0 M.

257703 HUBBARD, C. A. 1991.

[illegible]

1. *Journal of the American Medical Association*, 1997; 277: 1039-1043.

1000

ASIAN AMERICAN STUDIES CENTER, UNIVERSITY OF CALIFORNIA, BERKELEY