

Submit 3 Copies  
to Appropriate  
District Office

State of New Mexico  
Energy, Minerals and Natural Resources Department

Form C-103  
Revised 1-1-89

DISTRICT I  
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II  
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III  
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION  
P.O. Box 2088  
Santa Fe, New Mexico 87504-2088

WELL API NO. 30-025-04714
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A  
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"  
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:  
OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. Name of Operator  
Chevron U.S.A. Inc.

3. Address of Operator  
P.O. Box 670, Hobbs, NM 88240

4. Well Location  
Unit Letter H : 335 Feet From The East Line and 2313 Feet From The North Line

Section 19 Township 21S Range 36E NMPM Lea County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
OTHER: <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
	CASING TEST AND CEMENT JOB <input type="checkbox"/>
	OTHER: <input type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

PULL OUT OF HOLE W/2 7/8" PROD TBG & SUB PUMP, SET CIRC @ 3650' & SQUEEZE OH 3700-4000 W/150 SXS, CAP CIRC W/35' CMT, PERFORATE 7" CSG @ 3036', SET CIRC @ 2936' SQUEEZE 9 5/8" SHOE AND 7" X 9 5/8" ANNULUS W/ 100 SXS, CAP CIRC W/35' CMT, PERF 7" & 9 5/8" CSG @ 1480, THIS IS 50' BELOW TOP OF RUSTLER ANHYDRITE, SET CIRC @ 1380, SQUEEZE 7" X 9 5/8" X 12 1/4" HOLE W/200 SXS, CAP CIRC W/35' CMT, PERF 7" X 9 5/8" CSG @ 325', NIPPLE UP SWAGE ON 7" CSG, CIRC CMT TO SURFACE VIA 7" X 9 5/8" AND 9 5/8" X 13 3/8" W/200 SXS AND LEAVE 7" CSG FULL, CUT OFF CASING & WH 3' BELOW GL INSTALL DRYHOLE MARKER, CHANGE STATUS TO P&A.

THE COMMISSION MUST BE NOTIFIED 24 HOURS PRIOR TO THE BEGINNING OF PLUGGING OPERATIONS FOR THE C-103 TO BE APPROVED.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE M. E. Akim TITLE Staff Drlg. Engr. DATE 12-05-89

TYPE OR PRINT NAME

TELEPHONE NO.

(This space for State Use)

Orig. Signed by  
Paul Kautz  
Geologist

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:

DEC 07 1989

RECEIVED

DEC 6 1999

OCD  
HCDOS OFFICE