

# NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## MISCELLANEOUS NOTICES

Submit this notice in TRIPLICATE to the District Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL		NOTICE OF INTENTION TO PLUG BACK		NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE		NOTICE OF INTENTION TO ACIDIZE		NOTICE OF INTENTION TO SHOOT (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE		NOTICE OF INTENTION (OTHER)		NOTICE OF INTENTION (OTHER) <u>Repair Casing</u>	<u>X</u>

OIL CONSERVATION COMMISSION  
SANTA FE, NEW MEXICO

Hobbs, New Mexico  
(Place)

April 29, 1955  
(Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the

Continental Oil Company

State G-20

Well No. 1 in 3  
(Unit)

(Company or Operator)

NW 1/4 NW 1/4 of Sec. 20, T. 21N, R. 34E, NMPM., Burise Pool

(40-acre Subdivision)

Lee

County.

### FULL DETAILS OF PROPOSED PLAN OF WORK (FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

The subject well is presently pumping 41 bbls. oil and 40 bbls. water per day. T.D. 3950'. 7" casing set at 3849'. Open hole section 3849-3950'.

During the recent Bradenhead check survey made by the NMOC, it was found communication existed between the 5 1/2" production casing and the 7 5/8" intermediate casing. Permission is requested to set bridge plug at casing seat, squeeze off leaks in casing with approximately 150 sacks cement, using plug method and circulating cement to surface thru 7 5/8" bradenhead. Drill out cement and test casing with 1,000 psi. If no pressure drop, drill out bridge plug and return well to production.

A subsequent report will be filed upon completion of the above work.

Approved....., 19.....  
Except as follows:

Approved  
OIL CONSERVATION COMMISSION

By S. G. Stanley  
Title.....

Continental Oil Company  
Company or Operator

By [Signature]

Position District Superintendent  
Send Communications regarding well to:

Name Continental Oil Company

Address Box 427, Hobbs, New Mexico