EXICO OIL CONSERVATION COM ISSION NEW

Santa Fe, New Mexico

MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or its agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations

	NOTICE OF INTENTION TO SHOOT OR
NOTICE OF INTENTION TO TEST CASING SHUT-OFF	CHEMICALLY TREAT WELL
NOTICE OF INTENTION TO CHANGE PLANS	NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING
NOTICE OF INTENTION TO REPAIR WELL	NOTICE OF INTENTION TO PLUG WELL
NOTICE OF INTENTION TO DEEPEN WELL	
	Hobba H.M. 11-6-55 Place Date
OIL CONSERVATION COMMISSION,	
anta Fe, New Mexico.	
Gentlemen:	
Collowing is a notice of intentiton to do certain work as	
Combany or Operator Lease	Well No. in NV4
f Sec	_, N. M. P. M., Eurice F
County.	
	ODOGED DI AN OF WORK
	OPOSED PLAN OF WORK
FOLLOW INSTRUCTIONS IN THE RULI	ES AND REGULATIONS OF THE COMMISSION
	es and regulations of the commission Anhydrife. On Novr 5th 7-5/8" O.D.
State C-20 # 6 Total depth 1656	Anhydrite. On Novr 5th 7-5/8" O.D
State C-20 # 6 Total depth 1656	Anhydrite. On Novr 5th 7-5/8" O.D set at 1652' and comen ted with 400
State C-20 # 6 Total depth 1656	Anhydrite. On Novr 5th 7-5/8" O.D set at 1652' and comen ted with 400
State C-20 # 6 Total depth 1656 26.40 # New Seamless casing was s sacks. On Novr 8th Casing will b	Anhydrite. On Novr 5th 7-5/8" O.D set at 1652' and comen ted with 400
State C-20 # 6 Total depth 1656 26.40 # New Seamless easing was a sacks. On Novr 8th Gasing will b before drilling plug for 30 Mins	Anhydrite. On Novr 5th 7-5/8" O.D ot at 1652' and semented with 400 tested with 600 Lbs. pressure and after drilling plug easing wi
State C-20 # 6 Total depth 1656 26.40 # New Seamless casing was s sacks. On Novr 8th Casing will b	Anhydrite. On Novr 5th 7-5/8" O.D ot at 1652' and semented with 400 tested with 600 Lbs. pressure and after drilling plug easing wi
State C-20 # 6 Total depth 1656 26.40 # New Seamless easing was a sacks. On Novr 8th Gasing will b before drilling plug for 30 Mins	Anhydrite. On Novr 5th 7-5/8" 0.D et at 1652' and cemented with 400 et acted with 800 Lbs. pressure and after drilling plug easing with 50 Mins.
State C-20 # 6 Total depth 1656 26.40 # New Seamless easing was a sacks. On Novr 8th Gasing will b before drilling plug for 30 Mins	Anhydrite. On Novr 5th 7-5/8" 0.D et at 1652' and cemented with 400 et acted with 800 Lbs. pressure and after drilling plug easing with 50 Mins.
State C-20 # 6 Total depth 1656 26.40 # New Seamless easing was a sacks. On Novr 8th Casing will b before drilling plug for 30 Mins	Anhydrite. On Novr 5th 7-5/8" 0.D et at 1652' and cemented with 400 et acted with 800 Lbs. pressure and after drilling plug easing with 50 Mins.
State C-20 # 6 Total depth 1656 26.40 # New Seamless easing was a sacks. On Novr 8th Casing will b before drilling plug for 30 Mins	Anhydrite. On Novr 5th 7-5/8" O.D ot at 1652' and semented with 400 tested with 600 Lbs. pressure and after drilling plug easing wi
State C-20 # 6 Total depth 1656 26.40 # New Seamless casing was a sacks. On Novr 8th Gasing will b before drilling plug for 30 Mins be tested with 600 # pressure for	Anhydrite. On Novr 5th 7-5/8" 0.D et at 1652' and cemented with 400 et acted with 800 Lbs. pressure and after drilling plug easing with 50 Mins.
State C-20 # 6 Total depth 1656 26.40 # New Seamless casing was a sacks. On Novr 8th Gasing will b before drilling plug for 30 Mins be tested with 600 # pressure for	Anhydrite. On Novr 5th 7-5/8" 0.D et at 1652' and cemented with 400 et acted with 800 Lbs. pressure and after drilling plug easing with 50 Mins.
State C-20 # 6 Total depth 1856 26.40 # New Seamless casing was seaks. On Novr 8th Gasing will before drilling plug for 30 Mins be tested with 600 # pressure for approved	Anhydrite. On Novr 5th 7-5/8" O.D et at 1652' and cemented with 400 et acted with 800 Lbs. pressure and after drilling plug easing with 50 Mins.
State C-20 # 6 Total depth 1856 26.40 # New Seamless casing was seaks. On Novr 8th Casing will before drilling plug for 30 Mins be tested with 600 # pressure for approved	Anhydrite. On Novr 5th 7-5/8" O.D. ot at 1652' and cemented with 400 o tested with 800 Lbs. pressure end after drilling plug easing wi 30 Mins. Centinental Oil Co. Company or Operator
State C-20 # 6 Total depth 1656 26.40 # New Seamless casing was a sacks. On Novr 8th Casing will be before drilling plug for 30 Mins be tested with 600 # pressure for except as follows: The regulations call	Anhydrite. On Novr 5th 7-5/8" O.D. ot at 1652' and cemented with 400 o tested with 800 Lbs. pressure end after drilling plug easing wi 30 Mins. Continental 011 Co. Company or Operator By
State C-20 # 6 Total depth 1656 26.40 # New Seamless casing was a seeks. On Novr 8th Casing will be before drilling plug for 30 Mins be tested with 600 # pressure for except as follows: The regulations call for this string of pipe	Anhydrite. On Novr 5th 7-5/8" O.D. ot at 1652' and comen ted with 400 e tested with 500 Lbs. pressure and after drilling plug easing wi 50 Mins. Company or Operator By Position District Supt.
State C-20 # 6 Total depth 1656 26.40 # New Seamless casing was a sacks. On Novr 8th Gasing will b before drilling plug for 30 Mins be tested with 600 # pressure for except as follows: The regulations call for this string of pipe to be tested with 1200	Anhydrite. On Novr 5th 7-5/8" O.D. ot at 1652' and cemented with 400 o tested with 800 Lbs. pressure end after drilling plug easing wi 30 Mins. Continental 011 Co. Company or Operator By
State C-20 # 6 Total depth 1656 26.40 # New Seamless casing was a seeks. On Novr 8th Casing will be before drilling plug for 30 Mins be tested with 600 # pressure for except as follows: The regulations call for this string of pipe to be tested with 1200 lbs before + ofter drilling plug	Anhydrite. On Novr 5th 7-5/8" O.D. ot at 1652' and comen ted with 400 e tested with 500 Lbs. pressure and after drilling plug easing wi 50 Mins. Company or Operator By Position District Supt.
State C-20 # 6 Total depth 1656 26.40 # New Seamless casing was a sacks. On Novr 8th Gasing will b before drilling plug for 30 Mins be tested with 600 # pressure for except as follows: The regulations call for this string of pipe to be tested with 1200	Anhydrite. On Novr 5th 7-5/8" O.D. ot at 1652' and cemented with 400 otested with 500 Lbs. pressure and after drilling plug easing wi 50 Mins. Continental Oil Co. Company or Operator By Position District Supt. Send communications regarding well to

TEA THEO HE CONSERVATION FOR HESSELLS SERVED SERVED

PERSONALISMENT NOTICES

este for all the control of the cont

bla, es ascriberar a la como de la madesta se espesso de exerción de la comita de la comita de la como del term La esta viente de la comita de la calenta de desarrolla de esta de la como de la comita de la comita de la comi Comita de la comita	$\gamma_i = \pm$
i stand spenderet optobeling og greature og til til	
The state of the s	 11 +
	1 547
The Mark Control of the Gentler and the Control of	£ -
	. + +127
en • de la companya	
The British of the model of the British of the Brit	5. ř. ř.:
tille en. Tille en state og tille en state en state en	
Cally of Alley on the Company of the Cally o	44.
range and the second se	
CUULL PLP ARES OF PROPOSED M ANNAS AND SU been deed thouses value ordes en endead and endead and endead	
· · · · · · · · · · · · · · · · · · ·	d Se
CONTRACTOR OF THE THE TEN 1800 TO SEE STORE STORE OF THE CONTRACTOR	Č.
PI TO THE SOUTH OF THE BOLL OF ME IN WILLIAM THE STORE OF THE SOUTH OF THE STORE OF THE SOUTH OF	et u
o tradition will be the equivalent to the second of the second of the second terms are obtained to the second of t	D.C
. இது	& (E)
• Top of the constitution	

The state of the s

n <u>ngast</u> makkitik sa malakat sesar

in and the second secon

。 - Property of State (American Text) - Property of State (American Text)

. . . .