

NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. B-229
7. Unit Agreement Name
8. Farm or Lease Name Arnott-Ramsay (ACT-C)
9. Well No. 2
10. Field and Pool, or Wildcat Funice-Monument
12. County Lea

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT-" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- <input type="checkbox"/>
2. Name of Operator Gulf Oil Corporation
3. Address of Operator Box 670, Hobbs, New Mexico 88240
4. Location of Well UNIT LETTER <u>D</u> <u>660</u> FEET FROM THE <u>North</u> LINE AND <u>660</u> FEET FROM THE <u>West</u> LINE, SECTION <u>21</u> TOWNSHIP <u>21 N</u> RANGE <u>16 E</u> NMPH.
15. Elevation (Show whether DF, RT, GR, etc.) 3627' GL

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOB <input type="checkbox"/>	
OTHER <input type="checkbox"/>	

Acidized

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1703.

3924' TD.

Pulled producing equipment. Cleaned out from 3915' to 3924' with sand pump. Ran 2-3/8" tubing and set at 3918'. Pumped 1000 gallons of 15% FE acid down tubing over open hole interval 3794' to 3924'. Flushed with 25 barrels of oil down tubing and 25 barrels of oil down casing. Swabbed and cleaned up. Ran rods and pump and returned well to production.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED B. J. Barbash TITLE Area Engineer DATE August 20, 1974
APPROVED BY Joe D. Ramsey TITLE Dist. 1, Supv. DATE AUG 21 1974
CONDITIONS OF APPROVAL, IF ANY: