

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

MISCELLANEOUS NOTICES

HOBBS OFFICE OCC

1956 APR 19

9:38

Submit this notice in TRIPlicate to the District Office, Oil Conservation Commission, before the work specified is begun. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL		NOTICE OF INTENTION TO PLUG BACK		NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE		NOTICE OF INTENTION TO ACIDIZE	X	NOTICE OF INTENTION TO SHOOT (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE	X	NOTICE OF INTENTION (OTHER) No fracture	X	NOTICE OF INTENTION (OTHER) No incomplete	X

OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

Hubbs, New Mexico

April 17, 1956

(Place)

(Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the

New Mexico State 0

Humble Oil & Refining Company

(Company or Operator)

Well No. 5 in 8 (Unit)

SW 1/4 NW 1/4 of Sec. 20, T. 21-S, R. 36-E, NMPM, **Hubbs** Pool
Lea County.

FULL DETAILS OF PROPOSED PLAN OF WORK

(FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

To re-complete 4-5 as follows: (1) Move in rotary rig. (2) Drill out old plugs & clean well to TD running rat hole (4-3/4") from 3586 to 3630. (3) Run additional logs as necessary. (4) Run and set 3-1/2" casing on bottom. (5) Drill out cement and run gummi ray and collar locator. (6) Perforate well from 3740 to 3785 feet. (7) Wash perforations with 500 gallons acid. (8) Free well with 10,000 gallons refined oil and 10,000 pounds of sand. (9) Shab and test well. (10) If weak gas well obtained, perforate from 3650 to 3720, acid wash with 500 gallons acid, free with 10,000 gallons oil and 10,000 pounds sand. (11) If oil well obtained from lowest set of perforations, doubly complete by perforating section from 3560 to 3630, wash with 500 gallons acid, free with 10,000 gallons refined oil and 10,000 pounds of sand, shab and test and complete as dual oil and gas well.

Approved....., 19.....
Except as follows:

Approved
OIL CONSERVATION COMMISSION

By.....

Title.....

Humble Oil & Refining Company

Company or Operator

By.....

Position.....

Send Communications regarding well to:

Name..... **H. H. Rogers**

Address..... **Box 2347, Hubbs, New Mexico**
opj