WELLBORE SKETCH AND WELL HISTORY NEW MEXICO "G" STATE ≢ 13

WELLBORE SKETCH AND WELL HISTORY NEW MEXICO "G" STATE # 13



	10: 3,890 ft.																											AFTER	AFTER				
< CIBP set at 3,775 ft. with 35 sack class C cement plug set from top of CIBP up to 3,375 ft.																35 sack plug set from 1,200 to 1.600 ft. covering across top of salt section.							15 sack plug set from 196 to 3/0 ft. covering across surface casing shoe						5 sack plug set from surface to			3,561 ft., 11 ft., Above_CHF	
slass € cerment plug																		0 ft. covering					ft. covering ecross						DATE: 10 / 12 / 1990	LOCATION 660 FT.	umont	LEASE & WELL: Ne	
														6/71 Shu	12/59 Pu		and 22,50	frac'd wi		3/58 D&C'd.				5.		8 5/8"	SIZE			990 BY:	fn], 1,050 ft	COUNTY	New Mexico "G" State #
														Shut-in due to	Put well on pump	:	and 22,500 pounds of sand	frac'd with 15,000 gals. of refined oil	21		WELL		IUBING	11.5	PRODUCT I	24	WEIGHT	SURFACE CASING	CASING	J L. Ga	PML.	Y: Lea	" State / 13
														low production	ump.		sand.	als of ref	Acidized with 500 gals.	Perforated from 3.825 to	HISTORY		ING	J-55	PRODUCTION CASING	55-L	GRADE	CASING	CASING RECORD	Gardner	Sec.26, 1	STATE:	3
														tion.				ined oil	ls. and	.825 to				3,890 ft.		314 ft.	SET AT				T215, R36E	¥	