

DISTRICT I

P.O. Box 1980, Hobbs, NM 88240

DISTRICT II

P.O. Box Drawer DD, Artesia, NM 88210

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

WELL API NO.	30-025-04801
5. Indicate Type of Lease	STATE ☒ FEE ☐
6. State Oil / Gas Lease No.	
7. Lease Name or Unit Agreement Name	W. A. RAMSEY (NCT-A)
8. Well No.	44
9. Pool Name or Wildcat	EUMONT YATES 7 RVRS QUEEN
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3555' GL	

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT (FORM C-101) FOR SUCH PROPOSALS.

1. Type of Well:	OIL WELL ☐ GAS WELL ☒ OTHER ☐
2. Name of Operator	CHEVRON USA INC
3. Address of Operator	15 SMITH ROAD, MIDLAND, TX 79705
4. Well Location	Unit Letter <u>D</u> : <u>660</u> Feet From The <u>NORTH</u> Line and <u>660</u> Feet From The <u>WEST</u> Line Section <u>27</u> Township <u>21-S</u> Range <u>36-E</u> NMPM <u>LEA</u> COUNTY
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3555' GL	

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK ☒	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPERATION ☐	PLUG AND ABANDONMENT ☐
PULL OR ALTER CASING ☐		CASING TEST AND CEMENT JOB ☐	
OTHER: CLEANOUT WELLBORE & ACIDIZE ☒		OTHER: ☐	

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

CHEVRON U.S.A. INTENDS TO CLEANOUT & ACIDIZE THE SUBJECT WELL & RETURN TO PRODUCTION.

- 1) MIRU PU. PMP 2% KCL WATER CONTAINING 2 GPT BJ INFLO 150 FLUOROSURFACTANT.
- 2) POH W/TBG STRING.
- 3) TIH W/BIT. CLEANOUT FILL TO CIBP @ 3700. DRILL OUT CIBP @ 3700. PUSH TO BTM @ 3896. ACIDIZE PERFS 3018-3888 W/2000 GALS 15% NEFE ACID. SPOT ACID ACR PERFS. PUH W/END OF TBG @ 2500'. DISPL ACID INTO PERFS @ 3 BPM.
- 4) CHECK FOR FILL IN CSG. CIRC CLN FR 3896' USING FOAMED 2% KCL WTR.
- 5) TIH W/BP, MA, PERF SUB, SN, & 124 JTS 2 3/8" TBG. HANG TBG W/EOT SUSPENDED @ 3865, & SN @ 3829.
- 6) REMOVE BOP. INSTL WH. TIH W/RDS & PMP. RELEASE PU.
- 7) TURN WELL OVER TO PRODUCTION. REPORT PRODUCING RATES & FLUID LEVELS.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Denise Leake TITLE Regulatory Specialist DATE 6/25/2002
TYPE OR PRINT NAME Denise Leake Telephone No. 915-687-7375

(This space for State Use)

APPROVED

CONDITIONS OF APPROVAL, IF ANY:

TITLE

OC FIELD REPRESENTATIVE / MANAGER
DATE

DeSola 12-93 v. 1.0 JUL 2 2002

WELL DATA SHEET

FIELD: Eumont

WELL NAME: W. A. Ramsey NCT-A # 44

FORMATION: Yates/7 Rivers/Queen

LOC: 660' FNL & 660' FWL
TOWNSHIP: 21S
RANGE: 36E

SEC: 27
COUNTY: Lea
STATE: NM

GL: 3555'
KB: 3564'
DF: 3563'

CURRENT STATUS: PR
API NO: 30-025-04801
CHEVNO: FA5940

CURRENT

Date Completed: 11/8/58

Initial Production: 32 BOPD, 29 BWPD, 1364 MCFPD, GOR 42,625

8 5/8", 24# Csg

Set @ 387' w/300 sx cmt.
Circulated to surface.
11" Hole

Tbg Detail:


BP @ 3665'
1 jt. 2 3/8" tbg
2 3/8" x 4' perf sub
SN @ 3629'
1 jt. 2 3/8" EUE 8R J-55 IPC tbg
117 jts. 2 3/8" EUE 8R J-55 tbg

CIBP @ 3700'
(no cmt on top)

COTD: 3700'
PBSD: 3700'
TD: 3900'

Updated: 6/24/2002

5 1/2", 14# & 15.5# J-55 Csg
Set @ 3899' w/1000' sx cmt.
TOC @ surface by circulation.



WELL DATA SHEET

FIELD: Eumont

WELL NAME: W. A. Ramsey NCT-A # 44

FORMATION: Yates/7 Rivers/Queen

LOC: 660' FNL & 660' FWL
TOWNSHIP: 21S
RANGE: 36E

SEC: 27
COUNTY: Lea
STATE: NM

GL: 3555'
KB: 3564'
DF: 3563'

CURRENT STATUS: PR
API NO: 30-025-04801
CHEVNO: FA5940

PROPOSED

Date Completed: 11/8/58


Initial Production: 32 BOPD, 29 BWPD, 1364 MCFPD, GOR 42,625

8 5/8", 24# Csg

Set @ 387' w/300 sx cmt.
Circulated to surface.
11" Hole

Tbg Detail:

BP @ 3865'
1 jt. 2 3/8" tbg
2 3/8" x 4' perf sub
SN @ 3829'
1 jt. 2 3/8" EUE 8R J-55 IPC tbg
123 jts. 2 3/8" EUE 8R J-55 tbg



3018-22'	Eumont - Open
3048-50'	Eumont - Open
3070-74'	Eumont - Open
3081-83'	Eumont - Open
3088-90'	Eumont - Open
3105-07'	Eumont - Open
3112-16'	Eumont - Open
3130-34'	Eumont - Open
3140-42'	Eumont - Open
3174-78'	Eumont - Open
3186-88'	Eumont - Open
3204-08'	Eumont - Open
3219-23'	Eumont - Open
3268-70'	Eumont - Open
3318-20'	Eumont - Open
3366-68'	Eumont - Open
3375-77'	Eumont - Open
3421-23'	Eumont - Open
3432-34'	Eumont - Open
3458-60'	Eumont - Open
3469-71'	Eumont - Open
3532-36'	Eumont - Open
3592-94'	Eumont - Open
3620-24'	Eumont - Open
3630-32'	Eumont - Open
3637-39'	Eumont - Open
3652-56'	Eumont - Open
3670-72'	Eumont - Open
3690-92'	Eumont - Open
3707'	Eumont - Cmt Sqzd
3750'	Eumont - Cmt Sqzd
3764-66'	Eumont - Open
3775-85'	Eumont - Open
3790-96'	Eumont - Open
3799-3809'	Eumont - Open
3813-15'	Eumont - Open
3818-20'	Eumont - Open
3822-26'	Eumont - Open
3835-37'	Eumont - Open
3840-44'	Eumont - Open
3856-60'	Eumont - Open
3867-73'	Eumont - Open
3879-81'	Eumont - Open
3885-88'	Eumont - Open

COTD: 3896'
PBTD: 3896'
TD: 3900'

Updated: 6/24/2002

5 1/2", 14# & 15.5# J-55 Csg
Set @ 3899' w/1000' sx cmt.
TOC @ surface by circulation.