

APPROVED

SUBJECT TO * (Reverse side)

Form 9-381a
(Feb. 1951)

NOV 14 1962

(SUBMIT IN TRIPLICATE)

COPY 5 O. C.

Budget Bureau No. 42-R358.4.
Form Approved.

HOBBS Land Office New Mexico

E. W. STANDLEY
DISTRICT ENGINEER

UNITED STATES

Lease No.

LC 032099(B)

DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

Unit

NOV 14 1962

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	X	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Leckhart

November 9

19 62

Well No. 1 is located 1980 ft. from N line and 838 ft. from E line of sec. 31
NW/4 SW/4 31 21 S 36 E NMP
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Jaimes Leo New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 3625 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

This well is now producing less than 1 barrel oil per day. We propose to plug and abandon as follows:

30 sacks neat cement total depth of 3874' to casing seat of 3620'.

20 sacks neat cement in and out cut-off of 5 1/2" casing string.

(If 5 1/2" casing cut off is below 7 5/8" casing a 20 sack plug in and out of the 7 5/8" will also be set.)

10 sacks neat cement at surface with marker.

The following casing will be left in the well:

10 3/4" 40# casing set at 210'

7 5/8" 26# casing set at 1720'

5 1/2" 14# casing set at 3620' (will pull approximately 1700')

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Carper-HansenAddress 200 Carper BuildingArtesia, New Mexico

Carper Drilling Company, Inc.

By Marshall LawTitle Exec. Vice-President

- * 1. Loading all unplugged portions of hole with rotary mud and cleanup of the location.
- 2. Notification of this office when the work will commence.