

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

5. Lease Designation and Serial No.

NM-0626650

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

CONOCO INC.

3. Address and Telephone No.

10 DESTA DRIVE, STE 100 W, MIDLAND, TX 79705 (915) 686-5494

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1980 FSL & 660 FEL

8. Well Name and No.

Lockhart B-31 No. 8

9. API Well No.

30-025-04856

10. Field and Pool, or Exploratory Area

Unice 7 Rvrs Queen So.

11. County or Parish, State

Lea, NM

Unit letter I, Sect. 31, T21S, R36E

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐ Notice of Intent

☒ Subsequent Report

☐ Final Abandonment Notice

TYPE OF ACTION

☐ Abandonment

☐ Recompletion

☐ Plugging Back

☐ Casing Repair

☐ Altering Casing

☒ Other

Squeeze csg leak

☐ Change of Plans

☐ New Construction

☐ Non-Routine Fracturing

☐ Water Shut-Off

☐ Conversion to Injection

☐ Dispose Water

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent data, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

4-18-91 MIRU. RD wellhead. RU BOP. Single in 1000' 2 7/8 tbg-W.S. Circ hole w/25 BBLs FW - est rate 1.5 Bpm at 1500 psi. RIH w/cmt ret. Set ret at 1032 KB est rate 2 bpm at 1500 psi - start cmt 250 sks Class "C" w/2% CaCl₂. Follow w/230 sks Class C neat - 5 min squeeze disp in 1/2 BBL at 12000 psi - hold 2000 psi for 10 min - sting out of ret. Pull up hole 1 ft reverse out 20 sks cmt & 20 BBLs F.W. Press csg to 500 psi for 25 min. RD.

14. I hereby certify that the foregoing is true and correct

Signed Christine T. Neff

Title ADMIN. ASSISTANT

Date 7-17-91

(This space for Federal or State office use)

Approved by

Conditions of approval, if any:

Title

Date

SEP 24 1971
FOLIO

4-18-91

Conrad in


Lockhart "B-31" #8

Cainy test

Bill Turner

715

Pauland



131