


N

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

RECEIVED
DEC 22 1944
HOBBS OFFICE



AREA 640 ACRES
LOCATE WELL CORRECTLY

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

Gulf Oil Corporation P. O. Box #661, Tulsa 2, Oklahoma
Company or Operator Address
W. A. Ramsey Well No. **13** in **NE/4** of Sec. **35**, T. **21S**
Lease
R. **36E**, N. M. P. M., **Eunice** Field, **Lea** County.
Well is **660** feet south of the North line and **1960** feet west of the East line of **NE/4**.
If State land the oil and gas lease is No. **B-1732** Assignment No. _____
If patented land the owner is _____ Address _____
If Government land the permittee is _____ Address _____
The Lessee is **Gulf Oil Corporation** Address **P. O. Box #661, Tulsa 2, Okla**
Drilling commenced **7-2-** 19 **44** Drilling was completed **July 27** 19 **44**
Name of drilling contractor **Gulf's own tools** Address **Tulsa 2, Oklahoma**
Elevation above sea level at top of casing **3555' DF** feet.
The information given is to be kept confidential until _____ 19 _____

OIL SANDS OR ZONES

No. 1, from **3735** to **3845** No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet.
No. 2, from _____ to _____ feet.
No. 3, from _____ to _____ feet.
No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
9-5/8"	25.7	SJ	Armco	293'					
5-1/2"	14	8	Smls. St	3741'					

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
13"	9-5/8	293'	240	Halliburton		
7-7/8"	5-1/2	3741'	150	"		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____
Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
3"	Plain shell	Nitro-Gly.	150	8-24-44	3845'	3845

Results of shooting or chemical treatment _____
Well flowed 115 barrels oil and no water in 24 hours through casing.

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from **0** feet to **3845** feet, and from _____ feet to _____ feet
Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing **8-27-44** 19 _____
The production of the first 24 hours was **115** barrels of fluid of which **100** % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, Be **Corrected 38**
If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
Rock pressure, lbs. per sq. in. _____

EMPLOYEES

_____, Driller _____, Driller
_____, Driller _____, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this **15th**
day of **December** 19 **44**
H. W. Evans
Notary Public
My Commission expires **March 16, 1948**

Tulsa 2, Oklahoma **12-15-44**
Date
Name **[Signature]**
Position **Assistant General Superintendent**
Representing **Gulf Oil Corporation**
Company or Operator
Address **P. O. Box #661, Tulsa 2, Oklahoma**

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0'	22'		Surface and sand
	540		Red bed
	1260		Shale
	1405		Shale and shells
	1469		Anhydrite
	1570		Salt and shells
	1835		Sand and anhydrite
	2120		Salt and shells
	2400		Salt and anhydrite
	2685		Anhydrite with salt breaks
	2855		Anhydrite
	3110		Anhydrite and lime
	3735		Lime
	3845		Eunice Dolomite

arrow

A 10x10 grid with thick vertical lines at columns 3 and 7, and thick horizontal lines at rows 3 and 7. The grid is labeled N, S, E, and W on the outside edges.

Well No. 13

Sec. 35 Twp. 21 Range 36 County Lea

Feet from Line: 660 N. S. 1980 E. W.

Method

Scout

Spudded 7. 2. 44 Completed 9-18-44 Initial Production

Bond Status

ACID RECORD

[illegible]

Gals.

Top Pay 3768

TD

SHOOTING RECORD

No. of Quarts

From

To

~~No. of Quarts~~

From

To

S/

8/

3/

\$/

S/

5/

PADDER

DATE	
6-27-44	Loo.
7-3	T.D. 300 RB WOC
7-11	φ 3020 A
7-18	T.D. 3460 L SOK
7-25	TD 3745 L WOC
8-1	TD 3845 L SOD
9-19	TD 3845 L IPF 59 BOPD then 2" Tbg 3810

[illegible]