

Submit 3 Copies
to Appropriate
District Office

2

State of New Mexico
Energy, Minerals and Natural Resources Department
OIL CONSERVATION DIVISION

P.O. Box 2088
Santa Fe, New Mexico 87504-2088

Form C-103
Revised 1-1-89

DISTRICT I

P.O. Box 1980, Hobbs, NM 88240

DISTRICT II

P.O. Drawer Dd, Artesia, NM 88210

DISTRICT III

1000 Rio Brazos Rd., Aztec, Nm 87410

API NO. (assigned by OCD on New Wells)	30-025-04921
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>	
6. State Oil & Gas Lease No.	N/A
7. Lease Name or Unit Agreement Name	ARROWHEAD GRAYBURG UNIT
8. Well No.	140
9. Pool name or Wildcat	ARROWHEAD/GB
10. Elevation(Show whether DF, RKB, RT, GR, etc.)	3560' GL

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. Name of Operator
CHEVRON U.S.A. INC.

3. Address of Operator
P.O. BOX 1150 MIDLAND, TX 79702 ATTN: NITA RICE

4. Well Location
Unit Letter P : 660 Feet From The SOUTH Line and 660 Feet From The EAST Line
Section 35 Township 21S Range 36E NMPM LEA County

10. Elevation(Show whether DF, RKB, RT, GR, etc.)
3560' GL

11 Check Appropriate Box to indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	CASING TEST AND CMT JOB <input type="checkbox"/>
OTHER: <input type="checkbox"/>	OTHER: <input checked="" type="checkbox"/>
	DEEPEN RUN LOGS, ACDZ, <input checked="" type="checkbox"/>
	ADD PERFS

12. Describe Proposed or Completed Operations(Clearly state all pertinent details, and give pertinent dates, including
estimated date of starting any proposed work) SEE RULE 1103.

WORK PERFORMED 3-24 THRU 4-1-93
ND WH, NU BOP, SET RBP @ 3702, CIRC CLEAN.TST 6" CSG TO 500 PSI, NO BLEED OFF.
C/O TO 3860' TD, DRL NEW HOLE TO 3940', CIRC. RUN GR-CCL-COMP, NEUTRON SPECTRSL
LITHODENSITY-CALIPER LOG. SPOT 150 GALS 15% ACID, ACDZ OH W/1500 GAL 15% NEFE HCL.
SWAB. RU & PERF 3720-3732, 14 HOLES. ACDZ W/210 GALS NEFE HCL. SWAB.
ND BOP & NU WH. RUN PMP & RODS. SPACE OUT & HANG ON. TST TBG TO 500 PSI.
TURN OVER TO PRODUCTION.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Nita Rice TITLE TECHNICAL ASSISTANT DATE: 4/5/93

TYPE OR PRINT NAME NITA RICE TELEPHONE NO. (915)687-7436

APPROVED BY Paul Kautz Geologist TITLE Geologist DATE APR 08 1993

CONDITIONS OF APPROVAL, IF ANY:

RECEIVED

APR 07 1993

AND HOBBS OFFICE