



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office **Las Cruces**
Lease No. **065525**
Unit **RECEIVED**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

November 15, 19 **54**

Well No. **4** is located **3630** ft. from **N** line and **330** ft. from **E** line of sec. **1**

Lot 12 **1** **218** **37E** **MPM**
(Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Terry Blinshry **Lea** **New Mexico**
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We propose to drill this test to a depth of 5000' drilling an 11" hole and cement 8 5/8" O.D. 24# casing at approximately 3100' with sufficient cement to circulate. We will cement 5 1/2" O.D. 14# casing at 5850' with 350 sac. Cement will be allowed to set 36 hours on 8 5/8 and 48 hours on oil string. All cement jobs will be tested according to regulations.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **L. E. Elliott**

Address **Box 703**

Roswell, N. M.

By **E. M. Elliott**

Title **Agent**