## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL  NOTICE OF INTENTION TO CHANGE PLANS  NOTICE OF INTENTION TO TEST WATER SHUT-OFF  NOTICE OF INTENTION TO TEST WATER SHUT-OFF  NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL  NOTICE OF INTENTION TO SHOOT OR ACIDIZE  NOTICE OF INTENTION TO PULL OR ALTER CASING  NOTICE OF INTENTION TO ABANDON WELL  SUBSEQUENT REPORT OF WATER SHUT-OFF  SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR  SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR  SUBSEQUENT REPORT OF MATER SHUT-OFF  SUBSEQUENT REPORT OF ALTERING CASING  SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR  SUBSEQUENT REPORT OF MATER SHUT-OFF  SUBSEQUENT REPORT OF ALTERING CASING  SUBSEQUENT REPORT OF MATER SHUT-OFF  SUBSEQUENT REPORT OF ALTERING CASING  SUBSEQUENT REPORT OF MATER SHUT-OFF  SUBSEQUENT REPORT OF ALTERING CASING  SUBSEQUENT REPORT OF MATER SHUT-OFF  SUBSEQUENT REPORT OF ALTERING CASING  SUBSEQUENT REPORT OF MATER SHUT-OFF  SUBSEQUENT REPORT OF ALTERING CASING  SUBSEQUENT REPORT OF MATER SHUT-OFF  SUBSEQUENT REPORT OF ALTERING CASING  SUBSEQUENT REPORT OF MATER SHUT-OFF  SUBSEQUENT REPORT OF MATER SHUT-OFF  SUBSEQUENT REPORT OF MATERING CASING  SUBSEQUENT REPORT OF MATERING CASING
--

NOTICE OF INTENTION TO TELEVISION	Í		
(INDICATE	ABOVE BY CHECK MARK NATU	RE OF REPORT, NOTICE, OR OTHER DATA)	
		January 10	, 19 <u>55</u>
Well No is located	5 4620 ft. from.	$\begin{cases} \begin{cases} 1650 & \text{ft. from } \begin{cases} W \\ W \end{cases} \end{cases} \end{cases}$	line of sec. 1
Lot 11 Sec. 1	215 378	и.и.р.н.	
(½ Sec. and Sec. No.)	(Twp.) (Rang	ge) (Meridian)	eo
(Field)	(County or Sub	division) (State or T	erritory)
The elevation of the derrick f	loor above sea level	is ft.	
. 1	DETAILS	OF WORK	
State names of and expected depths to o	bjective sands; show sizes, w	eights, and lengths of proposed casings; indic important proposed work)	cate mudding jobs, cement
· r	ting position, and		

We propose to drill this test to a depth of 6000' drilling as 11" hole and cement 8 5/8" 0.D. 24# casing at approximately 3100' with sufficient cement to circulate. We will cement  $5\frac{1}{2}$ " 0.D. 14# casing at 5850' with 350 sax. Cement will be allowed to set 36 hours on 8 5/8 and 48 hours on oil string. All cement jobs will be tested according to regulations.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company

Address

Box 703

Rossell, N. M.

Title

Agent