

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

# NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO RE-ENTER OR RE-LOCATE TO A DIFFERENT RESERVOIR. USE APPLICATION FOR PERMIT - C-101, FOR SUCH PROPOSALS.)

1. ☒ OIL WELL ☐ GAS WELL ☐ OTHER

2. Name of Operator  
**Gulf Oil Corporation**

3. Address of Operator  
**Box 670, Hobbs, New Mexico 88240**

4. Location of Well  
UNIT LETTER **B** **990** FEET FROM THE **North** LINE AND **2310** FEET FROM  
THE **East** LINE, SECTION **2** TOWNSHIP **21-S** RANGE **37-E** N.M.P.M.

5a. Indicate Type of Lease  
State ☒ Fee ☐

5. State Oil & Gas Lease No.  
**B-1732**

7. Unit Agreement Name

8. Form or Lease Name  
**Harry Leonard (NCT-F)**

9. Well No.  
**13**

10. Field and Pool, or Wildcat  
**Paddock**

12. County  
**Lea**

15. Elevation (Show whether BF, RT, CR, etc.)  
**3511' GL**

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	
		OTHER <input type="checkbox"/>	

**Plugged and abandoned.**

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

**5995' TD, 5808' PB.**

Set CI BP at 5570' and capped with 10 sacks, 35' cement plug to 5535', abandoning Paddock perforations 5620' to 5786'. Loaded hole with abandonment mud. Located leak in 5-1/2" casing between 414' and 445'. Spotted 25 sack cement plug from 1650' to 1400, across top of salt at 1560'. Squeezed leak in 5-1/2" casing at 414' to 445' with 125 sacks of cement. Cement circulated outside 5-1/2" casing. Found top of cement inside 5-1/2" casing at 32'. Spotted cement plug from 32' to surface inside 5-1/2" casing. Installed dry hole marker and cleaned location.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

WITNESSED BY **D. F. Berlin** TITLE **Area Engineer** DATE **October 11, 1976**

WITNESSED BY **J. Berlin** TITLE  DATE

COPIES OF APPROVAL, IF ANY: