

Santa Fe, New Mexico

NOV 27 1950

NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Hebbes, New MexicoNovember 27, 1950

Place

Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico,

Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as _____


Axtex Oil and Gas Co.F. Dauronwell No. 2 in NE/4 NE/4

Company or Operator

Lease

of Sec. 10, T. 21S, R. 37E, N. M. P. M., E. Drinkard Field, Lee County.

N

The well is 660 feet (N) (S.) of the N line and 525 feet (E) (W.) of the E line of Sec 10-21S-37E

AREA 640 ACRES

LOCATE WELL CORRECTLY

Rotary equipment to TD

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. _____ Assignment No. _____

If patented land the owner is F. DauronAddress Carlsbad, New Mexico

If government land the permittee is _____

Address _____

The lessee is Axtex Oil and Gas Co.Address Dallas Texas

We propose to drill well with drilling equipment as follows: _____

The status of a bond for this well in conformance with Rule 89 of the General Rules and Regulations of the Commission is as follows: Operator Maintains blanket bond

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Seals Cement
17"	13-5/8"	40	New	175	Cemented	175
11"	8-5/8"	28	New	2950	Cemented	1500
7-7/8"	5-1/2"	15.5	New	7400	Cemented	500

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 6600 feet.

Additional information: We propose to drill this well to a TD of 7400' and cement 5 1/2" casing at that point. However, the well will be completed by perforating in the Drinkard pay zone.

NOV 28 1950

Approved _____, 19____

except as follows:

Sincerely yours,

Axtex Oil and Gas Co.

Company or Operator

By _____

Position Petroleum Engineer

Send communications regarding well to:

Name Axtex Oil and Gas Co.1104 Burt BldgAddress Dallas, Texas

OIL CONSERVATION COMMISSION,

By _____

Title _____