OIL CONSERVATION COMMISSION P. O. BOX 871 SANTA FE, NEW MEXICO

HOBBS OFFICE OCC

1962 APR 9 AN 7:41

April 5, 1962

Humble Oil & Refining Company Box 2347 Hobbs, New Mexico

Attention: Mr. R. R. Alworth

Gentlemen:

Reference is made to your letter of April 3, 1962, requesting administrative approval to drill and complete your N. M. State "V" Well No. 12 as a tubingless completion utilizing a 2 7/8-inch casing string.

Inasmuch as no particular problems causing waste or the violation of correlative rights should occur as the result of this proposed 6000 foot tubingless completion, and also since you propose to cement the 2 7/8-inch casing back into the intermediate string, this office has no objection to your proposal.

Administrative approval of the proposed tubingless completion is therefore hereby given.

Very truly yours,

A. L. PORTER, Jr., Secretary-Director

ALP/DSN/ig cc: Mr. J. D. Ramey Oil Conservation Commission Hobbs, New Mexico



OIL CONSERVATION COMMISSION P. O. BOX 871 SANTA FE, NEW MEXICO

HOBBS OFFICE OCC

14:5 HA E ARA SOEL

ALL A LANGE

Aunole Good & Refining Concerv Box 2347 30 Day Rev Reviso

IT OWER IN THE THE DREEDER

an⊲as lan∹3

Leference is made to your letter of April 3 15 2. representing and mistrative inproval to drill and don, the your M. S. Stat. -V" Well Lo. 11 as a thinging constant of collocity - 2 7/8-inch caping string.

Inservin at he particular problems causing Masses in the violation of correlative of hte should octor at alresult of thes proposed 6000 foot tubingless completion and also the propose to conclut the 2 by 8-inter dath back into the intermediate classing, this office has he cliection so your crocossi.

Administrative Specoval of EDI Freques rected best completion is a serefore hereig Freque.

LUDY YIN VIAV

al de **CORE**LA de S**ec**ificaente da Conten

ALP USP 1

co: Mr. J. D. Lukey off Congeration Completer Hobps, New Nextro HUMBLE OIL & REFINING COMPANY HOBBS OFFICE OCC HOUSTON 1, TEXAS

1962 APR 5 AM 10: 49bbs, New Mexico April 3, 1962

> Re: Request to Drill and Complete Humble's New Mexico State "V"-12 Utilizing 2-7/8-inch Oil String Casing (Slim-Hole Completion)

入し

jet 1

New Mexico Oil Conservation Commission Box 871. Santa Fe, New Mexico

Attention: Mr. A. L. Porter, Secretary-Director

Dear Mr. Porter:

Humble Oil and Refining Company requests Administrative approval to drill and complete its New Mexico State "V"-12 as a "slim-hole" completion utilizing 2-7/8-inch oil string casing.

This proposed well is located in Unit L, Section 10, T-21-S, R-37-E, Lea County, New Mexico. It will be completed in the Elinebry Oil Pool. Other Elinebry Oil wells on this lease and the immediate vicinity indicate no particular problem to this type completion.

It is proposed to set 10-3/4-inch surface casing at approximately 300 feet, cement it to the surface; 7-5/8-inch casing at approximately 3000 feet, cement it back into salt section at approximately 2500 feet, fulfilling all requirements outlined in Rule 107. The hole will be drilled and cored to approximately 6000 feet in the Elinebry 011 zone and completed through 2-7/8-inch oil string casing cemented back to the intermediate string.

Exception to Hule 107-E is respectfully requested.

Yours very truly,

HUMBLE OIL & REFINING COMPANY

By_____R. R. Alworth

BKB/mcb 1 cc: N. F. G. C. C., Hobbs, New Mexico N. M. State Land Commission, Janta Fe, New Mexico File

CU/YZ

HUMBLE OIL & REFINING COMPANY HOUBS OFFICE OCHOUSTON LIEXAS

1962 APR S All IO: 19 by Man back on

> and Brail Co. Alla Correction and Constant La La Rail Constant Angel State March 19

രിയുമായുള്ളതും ഉപംഗേഗത്തുള്ംഗം ∙ംല് നിര്യുമുമും.

- ad 1900 - 188 - 1944

الا المان الم المحمد المعدد الذار أو عالم المان الذار المحملة (عالم المحملة (عالم المحلة المحلة المحلة المحلة ا المان المانية في المحمد المحمد المان المحمد الذار الذار المحملة المحملة المحمد المحمد المحملة المحلة المحلة الم المحمد المان المحمد ا المحمد المحم

Lo as a reaction of an and the offer and antifactor and an antifactor of an reaction and a 1990 feeds, constructed for the side of the Reaction and the state of the reaction of the reactor of the test are state which the state of the state reaction of the reaction of the test are stated which the state of the reaction of the reaction of the test are stated and the state of the reaction of the reaction of the test are stated and the state of the reaction of the reaction of the test are stated and the state of the reaction of the reaction of the test are stated and the state of the reaction of the reaction of the test are stated and the state of the reaction of the reaction of the test are stated.

ALL AND AND AND A

Sec. Sec. An

Bruyene) Σ αστο βουλουνοι το Ουχουνου χατουλουται Α.Ε.Γ.Γ.Γ.Γ.Σ.Σ.Σ.Σ.Σ.ΣΟΛΑΝΝΑ ΠΟΥΤΑ ΠΟΙΣΕΙΝΟ, Έξου ΕΓΝΑΣΤΟ Π.Ε.Γ.Ε.Σ.Σ.

COUNTY	LEA	FIELD B	linebry	STA	TE N.M. U	1.10
OPR HUMBLE OIL & REFG, COMPANY				МАР		
12		xico-State		,,,,,,,,,,,,,,,,,,,,,,,,,,,,_,,_,,,_,,,_,,,,		<u></u>
Sec. 10, T-21-S, R-37-E					CO-ORD	
19	80' fr S	Line & 330	fr W Line	of Sec.		
Re	-Spud 5-	18-64		CLASS	_owdf	<u>54709</u>
Re	-Comp 6-	18-64	FORMATION	DATUM	FORMATION	DATUM
CSG & SX	TUBING					
2 7/8"	5989	600				
					·····	
LOGS EL	GR RA	IND HC A				
			<u>TD 5990', P</u>	'BD 5860'		

IP Blinebry Perfs 5793-5844' Flwd 48 BOPD. Pot. Based on 24 hr test thru ? chk., GOR 1896.

	Distribution limited and publication prohibited by subscribers' agreement. Reproduction rights reserved by Williams & Lee Scouting Service, Inc.	
CONT.	PROP DEPTH	TYPE
DATE		

F.R.C. 8-6-64; OWWO, OTD 5990'. Elev. 3470' Df, Orig. 8-3-64 TD 5990', PBD 5860', COMPLETED. Set BP @ 5860' Perf @ 5793', 5795', 5797', 5799', 5810', 5814', 5835', 5844', W/1 SPF Ac. 250 gals. Re-Ac. 1000 gals. 5793-5844' Re-Ac. 3000 gals. 5793-5844' Frac 10,000 gals oil + 7900# sd.

a second constraints