

COUNTY: Lea FIELD Terry-Blinebry STATE N.M. NO. OWWO

OPR. Continental Oil Company

NO. 4 LSE. Lockhart B-11

SEC. 11 T. 21S BLK. 37E SUR. CO-ORD.

LOC. 330' fr N Line & 1650' fr W Line of Sec.

Re- MI. FROM Re- CLASS. OWWO 3462

SPUD. 10-28-63 COMP. 11-4-63 FORMATION DATUM FORMATION DATUM

TBT.

CSG. & SX.

5 1/2" 7805' 835

TBG. DEPTH SIZE

LOGS EL GR RA IND HC A TD 7811' PB 7500' HRS. TEST

PROD INT. (DAILY RATE) BS&W GH GOR GTY C. P. T. P. HRS. TEST

5943-6077' Flwd 178 BO 22/64" 1107 40. 400# 200# 24

(Blinebry)

NOW DUAL COMPLETE WITH ABO

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. DATE PROP DEPTH TYPE

12-16-63 F.R.C. 12-19-63; OWWO, OTD 7811'
Oper's Elev. 3463' Df. Formerly #2-A.
TD 7811', PB 7500', COMPLETED.
Perf (Blinebry) @ 5943', 5945', 5962', 5977',
5988', 5995', 6003', 6050', 6052', 6056', 6058',
6064', 6071', 6075', 6077' W/1 SPI
Ac. 1000 gals., Frac 11,700 gals + 5880# sd.
(Perfs 6050-77')
Ac. 1000 gals., Frac 17,040 gals + 16,000# sd.
(Perfs 5943-6003')

COUNTY LEA FIELD Drickard/Terry-Eli. STATE NM OWWO

PR CONTINENTAL OIL CO.

4 Footprint E-11

Re-Set 12-30-67

CO-ORD

200' EWL, 2550' EWL of Sec.

Re-Set 12-30-67

CLASS

OWWO

Re-Set 1-26-68

FORMATION

DATUM

FORMATION

DATUM

CSG & SX - TUBING

1" 3/4" 250
7 5/8" 31-9' 1200
5 1/2" 7800' 830

LOGS EL GR RA IND HC A

TO 7811', PRD 6830'

Blaineby Perfs 6948-6077' - NO CHANGE

IF Drickard Perfs 6536-6730' Fmpt 10 BOPD + 5 EW. Per. Fmpt
on 2- hr test, GR 1200.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

PROP DEPTH 6830' TYPE WO

CONT.
DATE

D.R.C. 4-25-68; OWWO

EL 6830' - WO Drickard

(OWWO. Cmp 1-11-51 thru Perfs 7674-7776', OWD
7811', OPR 7804'; OWWO & Re-Cmp Temp Aband

9-17-60 thru Connell Perfs 7550-80', OWD

7811', OPR 7628'; OWWO & Re-Cmp 1-16-61 thru

Abo Perfs 6960-7140', OWD 7811', OPR 7500';

OWWO & Re-Cmp Dual 11-4-63 thru Blaineby

Perfs 6948-6077' & Abo Perfs 6960-7140',

OWD 7811', OPR 7500')

OWD 7811', PRD 6830', COMPLETE

PR to 6830'

Perf (Drickard) @ 6536', 6556', 6568', 6580',
6611', 6620', 6630', 6640', 6650', 6660', 6670', 6680', 6690', 6700',

LEA Drinkard/Terry-Bli. NM Sec. 11-21S-37E
CONTINENTAL OIL CO., #4 Lockhart B-11 Page #2

4-22-68

Cont.

6730' W/1 SPF

Acid (6536-6730') 1500 gals (15%)

Frac (6536-6730') 20,000 gals wtr + 20,000# sd.