Santa Fe, New Mexico

HOLE'S CYPICE OCC

MISCELLANEOUS NOTICES


Submit this notice in TRIPLICATE to the District Office, Oil Conservation Commission, before the work specified is to begin A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Notice of Intention Pluc Wall. Notice of Intention Pluc Back Notice of Intention Pluc Back Notice of Intention Pluc Back Notice of Intention Post Intent			Indicate Nature of Notice by	Checking Below		
To PLUG BACK TO PLUG BACK NOTICE OF INTENTION SORGELEAR NOTICE OF INTENTION SORGELEAR NOTICE OF INTENTION OF SHORT (NITEN) NOTICE OF INTENTIO	NOTICE OF INTENTION O CHANGE PLANS	V				
Decretable in the propose to drill out sement and Baker bridging plug and clean hole to TD 5954 and squeeze present perforations at 5848' - 5878' and 5908' - 5932' with general and reperforate. Shell Oil Company Following is a Notice of Intention to do certain work as described below at the shell oil company State (See 2) Well No. 18 in WN (Chair) When the propose to drill out sement and Baker bridging plug and clean hole to TD 5954 and squeeze present perforations at 5848' - 5878' and 5908' - 5932' with general and reperforate. Shell Oil Company Following is a Notice of Intention to do certain work as described below at the shell of the same in the shell of the same in the	OTICE OF INTENTION O PLUG WELL	\$				
MIL CONSERVATION COMMISSION MOTA FE, NEW MEXICO Mobbs, New Mexico Pebruary 21, 1955 (Chate) Pebruary 21, 1955 (Chate) Relicion: Fellowing is a Notice of Intention to do certain work as described below at the shell Oll Company Unit Ne (Company or operator) Unit Ne (Company or operator) (Control No Sec. 2 T. 21-8 NAPM, Terry Blinebry (Control No Sec. 2 T. 21-8 NAPM, T	Notice of Intention to Squeeze	z z				
ANTA FE, NEW MEXICO Robbs, New Mexice February 21, 1955 (Date) Following is a Notice of Intention to do certain work as described below at the Shell Oil Company State (See 2) Well No. 18 in MN (Company or Operator) Unit NN (Company or Operator) (Cont) FULL DETAILS OF PROPOSED PLAN OF WORK (FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS) We propose to drill out sement and Baker bridging plug and clean hole to TD 5956 and squeeze present perforations at 5848' - 5878' and 5908' - 5932' with genent and reperforate. Shell Oil Company Position. Division Mechanical Engineer Send Communications regarding well to: Shell Oil Company Position. Shell Oil Company Send Communications regarding well to:	Jotice of Intention o Gun Perforate	ī				
Fellowing is a Notice of Intention to do certain work as described below at the Shell Oil Company Unit *N** (Company or Operator) 4 of Sec. 2, T. 21-8, R. 37-B, NMPM, Terry Blinebry County. FULL DETAILS OF PROPOSED PLAN OF WORK (FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS) We propose to drill out essent and Baker bridging plug and clean hole to TD 5956 and squeeze present perforations at 5848' - 5878' and 5908' - 5932' with cement and reperforate. Shell Oil Company Company or Operator Original signed by F. D. Leigh Position. Position Mechanical Engineer Send Communications regarding well to: Shell Oil Company Shell Oil Company Foundations regarding well to:			Hobbs, New Me:	rice	February 2	1, 1955
Shell Oil Company Unit **** Unit **** Unit **** Unit **** Unit **** Unit **** Unit **** Unit **** Unit **** Unit **** Unit **** Unit **** Unit **** Unit **** Unit **** Unit *** Unit **** FULL DETAILS OF PROPOSED PLAN OF WORK (FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS) We propose to drill out ement and Baker bridging plug and clean hole to TD 5956 and squeeze present perforations at 5848' - 5878' and 5908' - 5932' with cement and reperforate. Shell Oil Company Position. Shell Oil Company Position Mechanical Engineer Send Communications regarding well to: Shell Oil Company	Gentlemen:		(4.12.67)		(2	vale)
Unit *** (Company or Operator) 4 of Sec. 2, T. 21-8, NMPM, Terry Blinebry FULL DETAILS OF PROPOSED PLAN OF WORK (FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS) We propose to drill out sement and Baker bridging plug and clean hole to TD 5956 and squeeze present perforations at 5848' - 5878' and 5908' - 5932' with gement and reperforate. Shell Oil Company Company or Operator F. D. Leigh Position. Division Mechanical Engineer Send Communications regarding well to: Shell Oil Company	Following is a N	otice of Intention to d	o certain work as described below	/ at the	·····	
Unit 18 (Go-nere Subdivision) 4 of Sec, T_21-S, 37-E	Shell (Oil Company	State	(See 2) We	1 No. 18	in "Nu
FULL DETAILS OF PROPOSED PLAN OF WORK (FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS) We propose to drill out sement and Baker bridging plug and clean hole to TD 5956 and squeeze present perforations at 5848' - 5878' and 5908' - 5932' with genent and reperforate. Shell Cil Company Company or Operator F. D. Leigh Position. Position. Shell Cil Company Original signed by F. D. Leigh Position. Send Communications regarding well to: Shell Cil Company Shell Cil Company F. D. Leigh Position. Shell Cil Company Send Communications regarding well to:				,NMPM.,	Terry Bline	(Unit)
we propose to drill out ement and Baker bridging plug and clean hole to TD 5956 and squeeze present perforations at 5848' - 5878' and 5908' - 5932' with genent and reperforate. Shell Oil Company Company or Operator By Position Position Send Communications regarding well to: Shell Oil Company Figure 1 Company Shell Oil Company Send Communications regarding well to:	Lea	Co	unty.			
pproved Division Hechanical Engineer Send Communications regarding well to: Shell Oil Company Company or Operator Original signed by F. D. Leigh Position. Shell Oil Company						
Position Send Communications regarding well to: Company or Operator Original signed by F. D. Leigh Position Mechanical Engineer Send Communications regarding well to: Shell Oil Company	and sq	(FOLLOW pose to drill of the present p	out sement and Baker 1	ULES AND REGU	ulations) and clean ho	
pproved Send Communications regarding well to: Shell Oil Company Shell Oil Company	and sq	pose to drill duesze present perforate.	out sement and Baker in the Report of the Re	ules and regu oridging plug - 5878' and	oil Company	
OIL CONSERVATION COMMISSION Shell Oil Company	and sq	pose to drill duesze present perforate.	out sement and Baker to perforations at 5848.	oridging plug - 5878' and Shell	Oll Company Company or Operator	with genent Original signed by
" (Shell Oll Company	and squand repairs and repairs	pose to drill duesze present perforate.	out sement and Baker in the Report of the Re	Shell F. D. Divis	Oil Company Company or Operator Leigh ion Mechanica	Original signed by F. D. Leigh
Name Shell Cli Company	and sq	pose to drill duesze present perforate.	out sement and Baker in the Report of the Re	Shell F. D. Divis	Oil Company Company or Operator Leigh ion Mechanica	Original signed by F. D. Leigh

Box 1957,

Address.....

Hobbs, New Mexico



MISCELLANEOUS REPORTS ON WELLS

Submit this report in TRIPLICATE to the District Office, Oil Conservation Commission, within 10 days after the work specified is completed. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing shut-off, result of plugging of well, result of well repair, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

result of well repair, and other important instructions in the Rules and Regulations		nessed by an agent of the Commission. See additional
REPORT ON BEGINNING DRILLING OPERATIONS	REPORT ON RESULT OF TEST OF CASING SHUT-OFF	REPORT ON REPAIRING WELL
REPORT ON RESULT OF PLUGGING WELL	REPORT ON RECOMPLETION OPERATION	REPORT ON (Other) PLUG BACK
	February 10, 1955	Hobbs, New Mexico
Following is a report on the work of	done and the results obtained under the head	ding noted above at the
Shell Oil Company (Company or Oper	o ton)	
J. P. "Bum" Gibbins	Well No. 18	in the
(Contractor)		Les , County.
•		
and approval of the proposed plan ACCOMPLETAIL To Complete Well:	C(was not) obtained. ED ACCOUNT OF WORK DONE AND H	(Cross out incorrect words) RESULTS OBTAINED ry Blinebry Pay Zone by setting
a Baker east iron b		ped with 1 1/2 sacks cement. 9'
Witnessed by H. B. Leach (Name)	Shell Oil Company)	mpany Production Foreman (Title)
Approved: OIL CONSERVATION O		tify that the information given above is true and complete from knowledge. Original signed by F. D. Leigh F. D. Leigh
(Name)	/ Name Position Representing	Division Kechanical Engineer
(Title)	(Date) Address	Box 1957, Hobbs, New Mexico

Santa Fe, New Mexico

HOSBS OFFICE OCC

MISCELLANEOUS REPORTS ON WELFES 10

Submit this report in TRIPLICATE to the District Office, Oil Conservation Commission, within 10 days after the work specified is completed. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing shut-off, result of plugging of well, iı

result of well repair, and other import instructions in the Rules and Regulatio		the work was witnessed	by an agent of the Commi	ssion. See additional
	Indicate Nature of	Report by Checking Belo	0W	
REPORT ON BEGINNING DRILLING OPERATIONS	REPORT ON R OF CASING SE	ESULT OF TEST IUT-OFF	REPORT ON REPAIRING WELL	
REPORT ON RESULT OF PLUGGING WELL	REPORT ON R OPERATION	ECOMPLETION	REPORT ON PERFO	
	Febr	uary 9, 1955	Hobbs , Nav	Mexico (Place)
Following is a report on the world	k done and the results obta	ained under the heading no	oted above at the	
Shell Oil Company			State .	
(Company or O	perator) Atlas Corp.		Unit HNH	½ of Sec. 2 ,
г. 21-8 , к 37-8 , ммрм.,	_	Pool,	Lea	County.
The Dates of this work were as folows:		ebruary 8, 1955		
Notice of intention to do the work	(was not) submitted on l	Form C-102 on	(Cross out incorrect words)	, 19,
and approval of the proposed plan 🙀			,,	
	ILED ACCOUNT OF WO	RK DONE AND RESUI	LTS OBTAINED	
Te Complete Well:				
Perforated 5-1/2"	casing opposite t	the Terry Blinebry	y Pay Zone from 584	181 –
5878' with 4 PGAC	7/16" bullets per	feet.		
Witnessed by H. B. Leach (Name)	She	(Company)	Production (Title)	oreman
Approved: OHL CONSERVATION	COMMISSION	I hereby certify that to the best of my k		o is true and complete Original signed by F. D. Leigh
Tanley	•••••••••••••••••••••••••••••••••••••••	Name	P. D. Leigh	
AVEING	,	Position	••••	hanical Engin
<i>//</i>		Representing	Shell Oil Co	

Representing...

(Date)

(Title)

Box 1957, Hobbs, New Mexico

Santa Fe, New Mexico

HOBES OFFICE OCC

Address Bex 1957, Hobbs, New Mexico

MISCELLANEOUS REPORTS ON INVELLED. AN 10: 29

Submit this report in TRIPLICATE to the District Office, Oil Conservation Commission, within 10 days after the work specified is completed. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing shut-off, result of plugging of well, result of well repair, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

instructions in the Rules and Regulatio			by an agent of the Commission. See a	idditional
REPORT ON BEGINNING DRILLING OPERATIONS	REPORT ON RES		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF PLUGGING WELL	REPORT ON REC	OMPLETION	REPORT ON PERFORATING (Other) 5-1/2" CASING	×
	Jamua (Date	ry 21, 1955	Hobbs, New Mexic	I.
Following is a report on the worl	k done and the results obtaine	d under the heading no	oted above at the	
Shell Oil Company				
(Company or O)		Wall No. 18	(Lease) Unit **N**in the	
(Contracto	or)	•	,	,
T. 21-S , R. 37-E , NMPM.,	Terry Blinebry	Pool,	Lea	County.
The Dates of this work were as follows:	J	amuary 20, 1955	5	***************************************
Notice of intention to do the work ((was not) submitted on Form	n C-102 on		19
			(Cross out incorrect words)	, 10
and approval of the proposed plan		DANE AND DESIGN	THE ADMATRITO	
DETA	ILED ACCOUNT OF WORK	. DONE AND RESUI	ATS OBTAINED	
To Complete Well:				
Perforated 5-1/2"	casing opposite the	Terry Blinebry	y Pay Zone from 5908; -	
59321 with 1 Du Pe	ent 26A jet shots pe	e foot		
)7772 H140 4 24 1	otto wow hee stores be	. 1000.		
Witnesseller H. B. Leach	Shall	Oil Company	Dundricks on Bonomer	
Witnessed by(Name)	OHELL	(Company)	Production Forener (Title)	
Approved: OIL CONSERVATION	COMMISSION	I hereby certify that to the best of my k	t the information given above is true and nowledge. Original signed by	-
J. Y Stanly		Name	P. D. Leigh F. D. Leigh	-
(Name)			Mivision Mechanical Engine	
//		Representing	Shell Oil Company	

(Date)

(Title)

Santa Fe, New Mexico

HOBBS OFFICE OCC

MISCELLANEOUS REPORTS ON WELLS
Submit this report in TRIPLICATE to the District Office, Oil Conservation Commission, within 10 days after the work specified is completed. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing shut-off, result of plugging of well, ir

	Indicate Nature of R	eport by Checking	Below		
REPORT ON BEGINNING DRILLING OPERATIONS	REPORT ON RES		X F	REPORT ON REPAIRING WELL	
REPORT ON RESULT OF PLUGGING WELL	REPORT ON RECOPERATION	COMPLETION		REPORT ON Other)	
	Jan (Da	mary 18, 195	5	Hobbs, New	Mexico (Place)
Following is a report on the work	done and the results obtain	ned under the head	ng noted a	bove at the	
Shell Oil Company				State (Lease)	
(Company or Ope Velma Petroleum C	ompany	, Well No. 18	in 1		½ of Sec 2 ,
21-S , R 37-E , NMPM, Te	rry Blinebry	Pool,		Lea	County.
The Dates of this work were as folows:					
The Dates of this work were as folows:	Valuat J +	l.ş±.Z.Z			
Notice of intention to do the work	(was not) submitted on Fo	orm C-102 on	(Cross	out incorrect words)	, 19
			,		
and approval of the proposed plans	(was not) obtained.				
• •	m(was not) obtained. LED ACCOUNT OF WOR	k done and r	esults (BTAINED	
		K DONE AND R	esults (DBTAINED	
DETAL					gel and
DETAI Ran 5943 of 5-1/	LED ACCOUNT OF WOR	ented at 5955	i' with	100 sacks 4%	
Ran 5943° of 5-1/	2" casing and ceme	ented at 5955 roulate cemen	i' with nt. Afi	100 sacks 4% ; ter WOC 48 hou	rs tested
Ran 5943° of 5-1/ 100 sacks neat ce 5-1/2" casing with	/2" casing and cene ment. Did not cir th 1100 psi fer 30	ented at 5955 roulate cemen minutes. To	i' with at. Aft	100 sacks 4% per WOC 48 how Drilled plug	rs tested
Ran 5943° of 5-1/ 100 sacks neat ce 5-1/2" casing with	2" casing and ceme	ented at 5955 roulate cemen minutes. To	i' with at. Aft	100 sacks 4% per WOC 48 how Drilled plug	rs tested
Ran 5943° of 5-1/ 100 sacks neat ce 5-1/2" casing with	/2" casing and cene ment. Did not cir th 1100 psi fer 30	ented at 5955 roulate cemen minutes. To	i' with at. Aft	100 sacks 4% per WOC 48 how Drilled plug	rs tested
Ran 5943° of 5-1/ 100 sacks neat ce 5-1/2" casing with	/2" casing and cene ment. Did not cir th 1100 psi fer 30	ented at 5955 roulate cemen minutes. To	i' with at. Aft	100 sacks 4% per WOC 48 how Drilled plug	rs tested
Ran 5943° of 5-1/ 100 sacks neat ce 5-1/2" casing with	/2" casing and cene ment. Did not cir th 1100 psi fer 30	ented at 5955 roulate cemen minutes. To	i' with at. Aft	100 sacks 4% per WOC 48 how Drilled plug	rs tested
Ran 5943° of 5-1/ 100 sacks neat ce 5-1/2" casing with	/2" casing and cemesment. Did not circle 1100 psi fer 30 g with 1100 psi fer	ented at 5955 roulate cemen minutes. To r 30 minutes	i' with nt. Aff est OK. . Test	100 sacks 4% ger WOC 48 hour Drilled plug	rs tested te 5950†
Ran 5943° of 5-1/ 100 sacks neat ce 5-1/2" casing with	/2" casing and cemesment. Did not circle 1100 psi fer 30 g with 1100 psi fer	ented at 5955 roulate cemen minutes. To	i' with nt. Aff est OK. . Test	100 sacks 4% ger WOC 48 hour Drilled plug	rs tested te 5950†
Ran 5943' of 5-1/ 100 sacks neat ce 5-1/2" casing with and tested casing Witnessed by B. L. Simme (Name)	/2" casing and cemesment. Did not circh 1100 psi fer 30 with 1100 psi fer	ented at 5955 reulate cemen minutes. To r 30 minutes. Shell Oil Co (Company)	it. After ok. Test	100 sacks 4% gener WOC 48 hour Drilled plug OK. Drillin (Title information given abo	to 5950† g Foreman ve is true and complete
Ran 5943' of 5-1/ 100 sacks neat ce 5-1/2" casing with and tested casing Witnessed by B. L. Simme (Name)	/2" casing and cemesment. Did not circle 1100 psi fer 30 g with 1100 psi fer	minutes. To minutes. Shell Oil Con (Company) I hereby cert to the best of	it. After ok. Test	Drilled plug OK. Drillin (Title	to 5950† g Foreman ve is true and complete
Ran 5943' of 5-1/ 100 sacks neat ce 5-1/2" casing with and tested casing Witnessed by B. L. Simme (Name)	/2" casing and cemesment. Did not circh 1100 psi fer 30 with 1100 psi fer	minutes. To a some state comments and minutes. To a minutes. Shell Oil Company) I hereby certito the best of Name	est OK. Test	Drilled plug OK. Drillin OTILIE OK. Drillin OK.	g Foreman ve is true and complet Original signed by F. D. Leigh
Ran 5943' of 5-1/ 100 sacks neat ce 5-1/2" casing with and tested casing Witnessed by B. L. Simme (Name) Approved: Oil Conservation (Name)	/2" casing and cemesment. Did not circh 1100 psi fer 30 with 1100 psi fer	minutes. To minutes. Shell Oil Con (Company) I hereby cert to the best of	nt. After OK. Test fy that the my knowle	Drillin Drillin OK. Drillin OK. Drillin OK. Drillin OK.	g Foreman ve is true and complet Original signed by F. D. Leigh