NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in TRIPLICATE to the District Office, Oil Conservation Commission, within 10 days after the work specified is completed. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing shut-off, result of plugging of well, ir

esult of well repair, and other important open enstructions in the Rules and Regulations of the	he Commission.			ommission. See additional
	Indicate Nature of Report by	CHECKING Delo	w 	
EPORT ON BEGINNING BRILLING OPERATIONS	REPORT ON RESULT OF OF CASING SHUT-OFF	TEST	REPORT ON REPAIRING WE	LL
REPORT ON RESULT OF PLUGGING WELL	REPORT ON RECOMPLE OPERATION	TION	REPORT ON (Other)	
	January 3.	1955	Hebbs, l	ew Mexico (Place)
Following is a report on the work done				
Shell Oil Company			State	••••
			11877	, 267 ga
Velma Petroleum Company	, Well	No. 18	in the	
(Contractor)	y Elinebry	Pool,	Les	County
•	D1 00 100			
The Dates of this work were as folows:	December 40, 17	M&		***************************************
Notice of intention to do the work (wa	s not) submitted on Form C-102	on	Cross out incorrect words	, 19
and approval of the proposed plan (wa				
	ACCOUNT OF WORK DONE	AND DESIL	TS ORTAINED	i.
÷				
Ran 30961 of 8 5/64	casing and cemented	at 3108' v	rith 14 0 0 sack	ı 4% gel
	•			
and 200 sacks regul	ar cement. Circulate	out an	estimated 30 8	icks coment.
After WOC 60 hours	tested casing with 1	.00 rai fer	30 minutes.	Test OK.
	_			
Drilled out plug an	d tested comment with	1100 psi 1	for 30 minutes.	. Test OK.
		_		19
Witnessed by B. L. Simmers	Shell O	11 Company		ing Foreman
(Name)	(Com)	sany)		,
Approved: /	I h	ereby certify tha	t the information giver	above is true and complete
OIL CONSERVATION COM	IMISSION to 1	the best of my k	nowledge.	Original signed by
J. J. Stankey	Na	me	P. D. Loigh	F. D. Leigh
(Name)	Pos	sition	••••	anical Engineer
(/	Re	presenting	Shell Oil Com	pany
(7441a)	(Date)	Address	Box 1957, Ho	bbs, New Mexico

(Date)

(Title)

Box 1957, Hobbs, New Mexice

NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in TRIPLICATE to the District Office, Oil Conservation Commission, within 10 days after the work specified is completed. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing shut-off, result of plugging of well, result of well repair, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

esult of well repair, and other import nstructions in the Rules and Regulatio	ns of the Commission.	gh the work was witnessed of Report by Checking Be	-	ion. See additional
REPORT ON BEGINNING DRILLING OPERATIONS	REPORT ON OF CASING	RESULT OF TEST SHUT-OFF	REPORT ON REPAIRING WELL	
REPORT ON RESULT OF PLUGGING WELL	REPORT ON OPERATION	RECOMPLETION	REPORT ON (Other)	
			954 Hob	baNewHexi(Place)
Following is a report on the work Shell Cil Company			noted above at the	
(Company or O	perator)		(Lease)	
Velma Petroleum Com	pany	, Well No 15	Unit NNW	¼ of Sec 2 ,
21-S R 37-E NMPM	_	Pool	Lea	County
,	-			
The Dates of this work were as folows:.	Decemb	er 19, 1954		
		E C 100		10
Notice of intention to do the work	(was not) submitted or	1 Form G-102 on	(Cross out incorrect words)	, 19,
and approval of the proposed plan	(was not) obtained.			
DETA	ILED ACCOUNT OF W	ORK DONE AND RESU	ULTS OBTAINED	
Ran 241' of 13-3/8	" casing and com	mted at 256' with	h 250 sacks neat cem	ent.
Cimenlated and an	notimeted 25 and	ra samant Astan	W/M 21. house docted	
orcarated out an e	stimated 2) saci	IS COMBINE. AITER	WOC 24 hours tested	CRSING
with 800 psi for 30	minutes. Test	OK.		
•				
Witnessed by B. L. Sim	nors	Shell Oil Compa	ny Drilling	Foreman
(Name)		(Company)	(21117)	
Approved: OIL CONSERVATION	COMMISSION	I hereby certify the	hat the information given above knowledge. Original	is true and complete
X	- 13			Leigh
N. C. TW	marie—	Name	F. D. Leigh Division Mechanica	l Engineer
,,,,,,,,,,		Position		r weightingel.
		Representing	Shell Oil Company	

Address.....

(Date)

(Title)

NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in TRIPLICATE to the District Office, Oil Conservation Commission, within 10 days after the work specified is completed. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing shut-off, result of plugging of well, result of well repair, and other important operations, even though the work was witnessed by an agent of the Commission. See additional

	Indicat	e Nature of Report by Checking B	elow
REPORT ON BEGINNING DRILLING OPERATIONS		PORT ON RESULT OF TEST CASING SHUT-OFF	REPORT ON REPAIRING WELL
REPORT ON RESULT OF PLUGGING WELL		PORT ON RECOMPLETION ERATION	REPORT ON (Other)
		December 20, 1954	Hobbs, New Mexico
Following is a report on the	work done and the	e results obtained under the heading	noted above at the
Shell Oil Company	7		State
(Company Velma Petroleum C	or Operator)		(Lease) Unit **N** In the
(nebry Pool,	Lea
•	Dogg		
The Dates of this work were as fold	UW3	101	
Notice of intention to do the work	k (was)	ubmitted on Form Care on	December 13, 1954
		btained. UNT OF WORK DONE AND RES	ULTS OBTAINED
	DETAILED ACCOU		•
B I St	Spudded 9:1	INT OF WORK DONE AND RES	954
	Spudded 9:1	INT OF WORK DONE AND RES	•
Witnessed by B. L. Si	Spudded 9:1	Shell Oil Company (Company) I hereby certify	Drilling Foreman (Title) that the information given above is true and completely knowledge.
Witnessed by B. L. Si	Spudded 9:1	Shell Oil Company (Company) I hereby certify	Drilling Foreman (Title) that the information given above is true and complet by knowledge. Original signed by F. D. Leigh F. D. Leigh
Witnessed by	Spudded 9:1	Shell Oil Company (Company) I hereby certify to the best of m	Drilling Foreman (Title) that the information given above is true and completely knowledge. Original signed by F. D. Leigh F. D. Leigh Division Mechanical Engineer
Witnessed by B. L. Si	Spudded 9:1 Spudded 9:1 Immers Name)	Shell Oil Company (Company) I hereby certify to the best of m	Drilling Foreman (Title) that the information given above is true and completely knowledge. Original signed by F. D. Leigh F. D. Leigh Division Mechanical Engineer

NEWXICO OIL CONSERVATION COMM....SION Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL OR RECOMPLETE

CONSERVATION COMMISSION FA FE, NEW MEXICO			iobbs.	New Maria			cenber 13, 19	54
The status of plugging bond is.	CONS	ERVATIO	ON COM					
Company or Operators (Company or Operators) (Company or Operators) (Lease) (Leas	lemen:							
Cleases Well No. 16 in The well	You ar	e hereby:	notified t	hat it is our in	tention to commence the	(Drilling) (Recompletion	s) of a well to be kno	own as
d. 3550 feet from the line of Section 2 T 21-8 R 37-5 NMPM. E LOCATION FROM SECTION LINE) THE LOCATION FROM SECTION LINE) If State Land the Oil and Gas Lease is No				te				
Line of Section 2				(Lease)			*	
If State Land the Oil and Gas Lease is No	:d	J22M	tee ♣	t from the	line of Section	9 т 2 1. :	R 37.3	NMPM.
If State Land the Oil and Gas Lease is No								
If patented land the owner is				SECTION LIN				
Address	<u> </u>	1 - 37	- *					
We propose to drill well with drilling equipment as follows: The status of plugging bond is. Drilling Contractor. We intend to complete this well in the. Filinabry formation at an approximate depth of. CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 17" 13-3/8" 488 Tow 250 250 250 1700 7-7/8" 5-1/2" 15-57 New 3130 1700			J	1	Address	2101 10		
The status of plugging bond is The status of plugging bond is The status of plugging bond is Drilling Contractor We intend to complete this well in the formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 17" 13-3/8" 48" 325 New 3130 1700 7-7/£" 5-1/2" 15-5# Here 5950 200 If changes in the above plans become advisable we will notify you immediately.	-		-	70				
The status of plugging bond is. Drilling Contractor We intend to complete this well in the flinebry formation at an approximate depth of Sy50 fe CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 17" 13-3/6" Security Sy50 250 11" 8-5/8" 325 New 3130 1700 7-7/8" 5-1/2" 15-55 New 5950 200		162	6	5				
Drilling Contractor We intend to complete this well in the formation at an approximate depth of Sp50. CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 17" 13-3/8" 188 250 250 11" 8-5/8" 325 New 3130 1700 7-7/8" 5-1/2" 1895 1990 200 If changes in the above plans become advisable we will notify you immediately.		Ŷx	Š	* 7	The status of plugging	bond is	Bond	
We intend to complete this well in the 511nebry formation at an approximate depth of 5950 fe CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 17" 13-3/8" 485	7	9	Я	21				
We intend to complete this well in the formation at an approximate depth of 5950 fermation at an approximate at a second at a	E	*	25	_	-			
We intend to complete this well in the formation at an approximate depth of 5950 fe CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 17" 13-3/8" 18" 250 250 11" 8-5/8" 325 New 3130 1700 7-7/8" 5-1/2" 18.55 New 5950 200	H	٧	W	1				
formation at an approximate depth of	M		1	2				
CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 17" 13-3/8" 48% Second Hand 1700 1700 7-7/8" 5-1/2" 15.5% New 5950' 200 If changes in the above plans become advisable we will notify you immediately.			İ					
We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 17" 13-3/8" 16" 18" 250' 250 1700 7-7/6" 5-1/2" 15.55 Hew 5950' 200 If changes in the above plans become advisable we will notify you immediately.	544	stion ?						
17" 13-3/8" 46% New 250° 250 11" 8-5/8" 32% New 3130° 1700 7-7/6" 5-1/2" 15.5% New 5950° 200 If changes in the above plans become advisable we will notify you immediately.	We pr	opose to u	se the fol	lowing strings o	f Casing and to cement t	hem as indicated:		
11" 8-5/8" 329 New 3130' 1700 7-7/8" 5-1/2" 15.55 New 5950' 200 If changes in the above plans become advisable we will notify you immediately.	Size	of Hole		Size of Casing	Weight per Foot	New or Second Hand	Depth	Sacks Cement
11" 8-5/8" 329 New 3130 1700 7-7/8" 5-1/2" 15.55 New 5950 200 If changes in the above plans become advisable we will notify you immediately.	15	7#	-	13-3/8"	468	Xev	2501	250
7-7/8" 5-1/2" 15.55 New 5950 200 If changes in the above plans become advisable we will notify you immediately.					_ 			T
If changes in the above plans become advisable we will notify you immediately.							59501	
ADDITACE AND COMMERCE OF A COM	If cha	anges in th			dvisable we will notify yo	u immediately.	work.)	1
						Sincerely yours.		
Sincerely yours.	roved.	fallows.			19		3 DAS Pamakan	
roved, 19, 19	ept as	follows:				22.61		
roved						Ву		P. Nevill
roved		1		1			elan Smilaite	Man Thelman
roved		OIL	ONSER	ATION COM	MISSION	Position Max X Send C	lommunications regar	ding well to
roved								
ept as follows: Shell Oil Company or Operator) By		A , \subseteq	h Si	L		Name	1 911 Company	• • • • • • • • • • • • • • • • • • • •

Title