

UNITED STATES DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY P. C. Box April 26, 1956

Continental Oil Company Box 68 Eunice, New Mexico

Re: Lease Las Cruces 032096(b)

Gentlemen:

Receipt is acknowledged of "Notice of Intention to Drill" dated April 25, 1946, covering your well No. 12 Luckhart B-11 on the subject leasehold in the NW NE sec. 11, T. 21 S., R. 37 B., N. M. P. M., Terry-Blinebry Pool, Les County, New Mexico.

Your proposed work is approved subject to compliance with the provisions of the "Oil and Gas Operating Regulations" revised May 25, 1942, copy of which will be furnished you on request, and subject to the following condition:

1. Orilling operations so authorized are subject to the attached sheet (revised March 1954) for general conditions of approval.

Very truly yours,

T. E. Godfrey Acting District Engineer IN REPLY REFER TO:

UNITED STATES DEPARTMENT OF THE INTERIOR



The state of the s

12 12

GECCOGICAL SURVEY

•

Form	9-881 a
(Feb	. 1951)

(SUBMIT IN TRIPLICATE)

Land Office 485 Cruce	S
Lease No. LG 032096	b
Unit Heller F. U	. .

UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

TO AND DEDODTE ON WELLS

SUNDRY NOTICES A	AND REPORTS ON WELLS
NOTICE OF INTENTION TO DRILL	X SUBSEQUENT REPORT OF WATER SHUT-OFF.
NOTICE OF INTENTION TO CHANGE PLANS	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING.	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL.	
(INDICATE ABOVE BY CHECK MARK	K NATURE OF REPORT, NOTICE, OR OTHER DATA)
	<u> </u>
Lockhart 8-11	
Well No. 12 is located 500 ft. from	N line and 1980 ft. from \mathbb{R} line of sec. 11
Hr. /4 Sec. and Sec. No.) (14p)	(Maridian)
Terry-Blinebry	LES REVIEW or Subdivision) (State or Territory)
(Field) (County	or Subdivision) (clade of 1411102)
The elevation of the derrick floor above sea le	
	ILS OF WORK
	izes, weights, and lengths of proposed casings; indicate mudding jobs, cement- other important proposed work)
to an approximate TP of 5950. with E.S.G.S. standards and of plied with.	ell with rotary tools at above location casing will be cemented in accordance to special requirements will be com-
700 sacks cenent. Commit to D	s planned: 8 5/8" Of set at 1400' wire circulated to surface; 5 1/2" Of calks cement. Depths and number of sack fact amount of cement will be determined.
I understand that this plan of work must receive approval i	in writing by the Geological Survey before operations may be commenced.
Address 63	By CCECC
	By CCCCC
hem arxico	Title District ouserintenvent

U. S. GOVERNMENT PRINTING OFFICE 16--8487-5