



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Las Cruces  
Lease No. LC 032096 (b)  
Unit N.M.F.U.

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

A. M. Lockhart 9-13 "A" No. 6 Hobbs, New Mexico April 23, 1955

Well No. 6 is located 1930 ft. from N line and 1930 ft. from E line of sec. 13NE 1/4 Section 13

(1/4 Sec. and Sec. No.)

Terry-Minsky

(Field)

21S

(Twp.)

37E

(Range)

Lea

(County or Subdivision)

N.M.F.U.

(Meridian)

New Mexico

(State or Territory)

The elevation of the derrick floor above sea level is \_\_\_\_\_ ft.

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is intended to drill a well with rotary tools at the above location to a total depth of approximately 6100'. All casing will be cemented in accordance with approved methods of the U. S. Geological Survey and any other special requirements will be complied with.

It is planned to use the following casing patterns: 10 3/4" casing to be set at approximately 250' and cemented with approximately 250 sacks cement, cement to be circulated to surface; 7 5/8" casing to be set at approximately 3150' and cemented with approximately 1,045 sacks cement; 5 1/2" casing to be set at approximately 6100' and cemented with approximately 625 sacks cement, exact amount to be determined by caliper survey. Casing to be perforated opposite the pay zone.

Approval to produce this well upon completion is also requested.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Continental Oil CompanyAddress Box 427Hobbs, New Mexico

By \_\_\_\_\_

Title District Superintendent

1. The first part of the report is a general  
 introduction to the subject of the study.  
 2. The second part is a description of the  
 methods used in the study.  
 3. The third part is a description of the  
 results of the study.  
 4. The fourth part is a discussion of the  
 results of the study.

The first part of the report is a general  
 introduction to the subject of the study.  
 The second part is a description of the  
 methods used in the study.  
 The third part is a description of the  
 results of the study.  
 The fourth part is a discussion of the  
 results of the study.

The first part of the report is a general

introduction to the subject of the study.

The second part is a description of the

methods used in the study.