

NEW MEXICO OIL CONSERVATION COMMISSION  
Santa Fe, New Mexico

MISCELLANEOUS NOTICES

Submit this notice in TRIPLICATE to the District Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL		NOTICE OF INTENTION TO PLUG BACK	<input checked="" type="checkbox"/>	NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE		NOTICE OF INTENTION TO ACIDIZE	<input checked="" type="checkbox"/>	NOTICE OF INTENTION TO SHOOT (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE		NOTICE OF INTENTION (OTHER)		NOTICE OF INTENTION (OTHER)	

OIL CONSERVATION COMMISSION  
SANTA FE, NEW MEXICO

Hobbs, New Mexico  
(Place)

December 19, 1952  
(Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the Markham, Cone & Redfern

Eubanks  
(Company or Operator) Well No. 2 in K (Unit)  
NE 1/4 SW 1/4 of Sec. 14, T. -21-S, R. -31E, NMPM, Drinkard Pool  
(40-acre Subdivision)  
Lea County.

FULL DETAILS OF PROPOSED PLAN OF WORK  
(FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

Total depth 7525 granite. As the Abo formation (6927 to 7315 feet) gave up only oil and gas-cut mud on drill stem tests, it is proposed to complete Eubanks # 3 as follows: (1) Plug back with cement 7500 to 7340 feet; (2) Cement 5 1/2 inch casing with 600 sacks at approximately 6850 feet; (3) Drill plug from casing, wash open hole 6850 to 7340 feet with 2000 gallons 15% acid, swab out acid and set bridge plug in 5 1/2" casing at approximately 6800 feet, thus leaving Abo covered with oil; (4) Perforate casing opposite Drinkard from approximately 6540 to 6635 feet, acidize Drinkard with 8000 gallons in two stages and complete well.

Approved....., 19.....  
Except as follows:

Approved  
OIL CONSERVATION COMMISSION

By Roy Yarkrough  
Title

MARKHAM, CONE & REDFERN

Company or Operator  
By L. O. Storm

Position Engineer  
Send Communications regarding well to:

Name Markham, Cone & Redfern  
Address First Nat'l Bldg.--Lubbock, Texas