


OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS



Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF	X	REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL			

February 8, 1951
DateHobbs, New Mexico
Place

OIL CONSERVATION COMMISSION,
SANTA FE, NEW MEXICO
Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the
Cities Service Oil Company State "S" Well No. 3 in the

Company or Operator Lease
SE NW of Sec. 15, T. 21S, R. 37E, N. M. P. M.,
Brunson Field, Lea County.

The dates of this work were as follows: February 5, 1951 and February 7, 1951
Notice of intention to do the work was (was/not) submitted on Form C-102 on February 6 19 51
and approval of the proposed plan was (was/not) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

This well was drilled to a total depth of 8034' line. Ran 238-1/3 jts of 5 1/2" OD casing, 8018.71' set at 8032.41' and cemented with 350 sacks of cement. P.D. 5:25 P.M. February 5, 1951. Cement was allowed to set for 48 hours, 1000# pressure applied with all valves closed with no drop in pressure.

Witnessed by R. W. Ely Cities Service Oil Company Dist. Supt.
Name Company Title

Subscribed and sworn before me this

8 th day of February 19 51

Fred Lawson

Notary Public

I hereby swear or affirm that the information given above is true and correct.

Name *[Signature]*

Position District Superintendent

Representing Cities Service Oil Company
Company or Operator

My commission expires February 8, 1954

Address Drawer C., Hobbs, New Mexico

Remarks:

APPROVED
FEB - 9 1951
Date

[Signature]
Name
Oil & Gas Inspector
Title

NEW MEXICO OIL CONSERVATION COMMISSION

SANTA FE, NEW MEXICO

MISCELLANEOUS NOTICES

FEB - 9 1951

OIL CONSERVATION COMMISSION
HOBBS OFFICE

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified begins. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF	<input checked="" type="checkbox"/>	NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL	
NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL		NOTICE OF INTENTION TO PLUG WELL	
NOTICE OF INTENTION TO DEEPEN WELL			

Hobbs, New Mexico

February 6, 1951

Place

Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico.

Gentlemen:

Following is a notice of intention to do certain work as described below at the

Cities Service Oil Company State "S"

Well No. 3 in SE NW

Company or Operator

Lease

of Sec. 15, T. 21S, R. 37E, N. M. P. M., Brunson Field.
Lea County.

FULL DETAILS OF PROPOSED PLAN OF WORK

FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

This well was drilled to a total depth of 8034' lime. Ran 238-1/3 jts of 5 1/2" OD casing 8018.71' set at 8032.41' and cemented with 350 sacks of cement. P.D. 5:25 P.M. february 5, 1951. Cement will be allowed to set for 48 hours before testing for shut-off.

Approved _____, 19____
except as follows:

FEB - 9 1951

Cities Service Oil Company

Company or Operator

By _____

Position District Supt.

Send communications regarding well to

Name R. W. Ely

Address Drawer G., Hobbs, New Mexico

OIL CONSERVATION COMMISSION
By Roy Garbrough
Title Oil & Gas Inspector

