

DUPLICATE

NEW MEXICO OIL CONSERVATION COMMISSION

MISCELLANEOUS REPORTS ON WELLS

RECEIVED

SEP 4 - 1951

OIL CONSERVATION COMMISSION

Submit this report in triplicate to the Oil Conservation Commission District Office within ten days after the work specified is completed. It should be signed and filed as a report on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF	X	REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL			

August 31, 1951

Hobbs, New Mexico

Date

Place

Following is a report on the work done and the results obtained under the heading noted above at the

Cities Service Oil Company State-S Well No. 6 in the  
Company or Operator Lease

of Sec. 15, T. 21-S, R. 37-E, N. M. P. M.,

Johnson Pool Lea County.

The dates of this work were as follows: August 29 & 30, 1951

Notice of intention to do the work was (~~was not~~) submitted on Form C-102 on August 30, 1951, and approval of the proposed plan was (~~was not~~) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

This well was drilled to a total depth of 336' Red bed. Ran 10 joints of 13-3/8" OD casing, 315.04' set at 334.04' and cemented with 350 sacks of cement. Cement circulated. Plug down at 3:40 P. M. 8-29-51. The cement was allowed to set 24 hours 1000# pressure applied with all valves closed with no drop in pressure during a 30 minute period. Test was made prior to and after drilling plug. Drilling was then resumed.

Witnessed by L. A. Massey Cities Service Oil Company District Engineer  
Name Company Title

APPROVED: OIL CONSERVATION COMMISSION

Ray Gankrolych  
Oil & Gas Inspector  
Name Title

SEP 4 - 1951

Date

I hereby swear or affirm that the information given above is true and correct.

Name H. E. Massey

Position District Engineer

Representing Cities Service Oil Company  
Company or Operator

Address Drawer G, Hobbs, New Mexico

## NEW MEXICO OIL CONSERVATION COMMISSION

## MISCELLANEOUS REPORTS ON WELLS

RECEIVED

SEP 4 - 1951

Submit this report in triplicate to the Oil Conservation Commission District Office within ten days after the work specified is completed. It should be signed and filed as a report on beginning drilling operations, or on the completion of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING OPERATIONS	<input checked="" type="checkbox"/>	REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL			

August 30, 1951

Hobbs, New Mexico

Date

Place

Following is a report on the work done and the results obtained under the heading noted above at the.....

Cities Service Oil Company

State "S"

6

Well No. .... in the

SW NW

Company or Operator

15

Lease

218

37E

of Sec.

T.

R.

N. M. P. M.,

Brunson

Pool

Lea

County.

August 28, 1951

The dates of this work were as follows:.....

101

August 7

51

Notice of intention to do the work was (was not) submitted on Form C-102 on....., 19....., and approval of the proposed plan was (was not) obtained. (Cross out incorrect words.)

## DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

This well was spudded at 3:10 PM August 28, 1951.

Witnessed by..... **H. E. Massey** ..... **Cities Service Oil Company** ..... **Dist. Engr.**  
 Name Company Title

APPROVED: OIL CONSERVATION COMMISSION

*H. E. Massey*  
 Oil & Gas Inspector  
 Name Title

Date

I hereby swear or affirm that the information given above is true and correct.

Name..... **H. E. Massey** .....Position..... **District Engineer** .....Representing..... **Cities Service Oil Company** .....  
 Company or OperatorAddress..... **Drawer G., Hobbs, New Mexico** .....



NEW MEXICO OIL CONSERVATION COM.  
SANTA FE, NEW MEXICO  
**MISCELLANEOUS NOTICES**

ON

RECEIVED

SEP 4 - 1951

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before any work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF	<input checked="" type="checkbox"/>	NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL	
NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL		NOTICE OF INTENTION TO PLUG WELL	
NOTICE OF INTENTION TO DEEPEN WELL			

Hobbs, New Mexico

August 30, 1951

Place

Date

OIL CONSERVATION COMMISSION,  
Santa Fe, New Mexico

Gentlemen:

Following is a notice of intention to do certain work as described below at the  
**Cities Service Oil Company** State "3" Well No. **6** in **SW NW**  
 Company or Operator  
 of Sec. **15**, T. **21S**, R. **37E**, N. M. P. M. **Brunson** Field.  
 Lea County.

## FULL DETAILS OF PROPOSED PLAN OF WORK

FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

This well was drilled to a total depth of 336' in red bed. Ran 10 jts. of 13-3/8" OD 48# casing, 315.04' at 334.04', and cemented with 350 sax. Cement will be allowed to set 24 hours before testing for shut-off. Cement circulated. Plug down 3:40 PM August 29, 1951.

Approved \_\_\_\_\_ SEP 4 - 1951 19 \_\_\_\_\_  
 except at follows:

OIL CONSERVATION COMMISSION,  
 By *Roy Yankraugh*  
 Title *Oil & Gas Inspector*

**Cities Service Oil Company**  
 Company or Operator

By *H. E. Massey*  
 Position **District Engineer**  
 Send communications regarding well to  
 Name **H. E. Massey**  
 Address **Drawer G., Hobbs, New Mexico**