			81
OIL CONSERV	'ATIO	ON COMMISSION	V. H
		W MEXICO	1950
Miscellaneous	Re	ports on Wielingervation	COMMI
Submit this report in triplicate to the Oil Conservatio specified is completed. It should be signed and sworn	on Comm	hobbs-OF ission or its proper agent within ten days dril	ling o
tions, results of shooting well, results of test of casin tions, even though the work was witnessed by an age	ig shut d	off, result of plugging of well, and other impor	tant o
signed and sworn to before a notary public. See addit	tional ins	tructions in the Rules and Regulations of the C	
Indicate nature	of repor	t by checking below.	
REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR		REPORT ON PULLING OR OTHERWISE	
CHEMICAL TREATMENT OF WELL REPORT ON RESULT OF TEST OF CASING	*	ALTERING CASING REPORT ON DEEPENING WELL	-
SHUT-OFF	X		_
REPORT ON RESULT OF PLUGGING OF WELL			
	<u> </u>		
Ne	ovembe	r 8, 1950 Hobbs, New Mexil	60
OIL CONSERVATION COMMISSION, SANTA FE, NEW MEXICO. Gentlemen:			
Following is a report on the work done and the result			
The Ohio Oil Company L. G.		7	
	, T	21S , R. 37E , N	. м. ғ
The dates of this work were as follows:			
Notice of intention to do the work was (version) sub			
	omitted (n Form C-102 on	15
and approval of the proposed plan was (was her) of		-	15
	btained.	-	15
	btained.	(Cross out incorrect words.)	15
DETAILED ACCOUNT OF Y Total Depth 2803' Anhydrite.	btained. WORK 1 R a n 7	(Cross out incorrect words.) DONE AND RESULTS OBTAINED 0 joints of 8-5/8" OD 32# casing	Ē
DETAILED ACCOUNT OF Total Depth 2803' Anhydrite. set @ 2797'. Cemented %/1200	btained. WORK 1 Ran 7 sacks	(Cross out incorrect words.) DONE AND RESULTS OBTAINED 0 joints of 8-5/8" OD 32# casing regular cement, (1000 sacks mixed	Ē
DETAILED ACCOUNT OF T Total Depth 2803' Anhydrite. set @ 2797'. Cemented W/1200 W/4% HOWCO gel and 200 sacks b	btained. WORK 1 Ran 7 Sacks Neat).	(Cross out incorrect words.) DONE AND RESULTS OBTAINED 0 joints of 8-5/8" OD 32# casing regular cement, (1000 sacks mixed Cement set 48 hrs. Cement came	Ē
DETAILED ACCOUNT OF Y Total Depth 2803' Anhydrite. set @ 2797'. Cemented W/1200 W/4% HOWCO gel and 200 sacks H up to 275' of surface. Drille	btained. WORK I Ran 7 sacks Neat). ed cem	(Cross out incorrect words.) DONE AND RESULTS OBTAINED 0 joints of 8-5/8" OD 32# casing regular cement, (1000 sacks mixed Cement set 48 hrs. Cement came ent plug and tested with 1000#	Ē
DETAILED ACCOUNT OF T Total Depth 2803' Anhydrite. set @ 2797'. Cemented W/1200 W/4% HOWCO gel and 200 sacks b	btained. WORK I Ran 7 sacks Neat). ed cem	(Cross out incorrect words.) DONE AND RESULTS OBTAINED 0 joints of 8-5/8" OD 32# casing regular cement, (1000 sacks mixed Cement set 48 hrs. Cement came ent plug and tested with 1000#	Ē
DETAILED ACCOUNT OF T Total Depth 2803' Anhydrite. set @ 2797'. Cemented W/1200 W/4% HOWCO gel and 200 sacks i up to 275' of surface. Drille pressure for 30 minutes. Test	btained. WORK I Ran 7 sacks Neat). ed cen t oke.	(Cross out incorrect words.) DONE AND RESULTS OBTAINED 0 joints of 8-5/8" OD 32# casing regular cement, (1000 sacks mixed Cement set 48 hrs. Cement came ent plug and tested with 1000# Now drilling ahead.	Ē
DETAILED ACCOUNT OF Y Total Depth 2803' Anhydrite. set @ 2797'. Cemented W/1200 W/4% HOWCO gel and 200 sacks H up to 275' of surface. Drille	btained. WORK I Ran 7 sacks Neat). ed cen t oke.	(Cross out incorrect words.) DONE AND RESULTS OBTAINED 0 joints of 8-5/8" OD 32# casing regular cement, (1000 sacks mixed Cement set 48 hrs. Cement came ent plug and tested with 1000# Now drilling ahead.	rema
DETAILED ACCOUNT OF T Total Depth 2803' Anhydrite. set @ 2797'. Cemented W/1200 W/4% HOWCO gel and 200 sacks H up to 275' of surface. Drille pressure for 30 minutes. Test Witnessed by J. b. Reese Name	btained. WORK I Ran 7 sacks Neat). ed cen t oke.	(Cross out incorrect words.) DONE AND RESULTS OBTAINED 0 joints of 8-5/8" OD 32# casing regular cement, (1000 sacks mixed Cement set 48 hrs. Cement came ent plug and tested with 1000# Now drilling ahead. The Ohio Cil Company Company Tit I hereby swear or affirm that the information	rema le
DETAILED ACCOUNT OF T Total Depth 2803' Anhydrite. set @ 2797'. Cemented %/1200 %/4% HOWCO gel and 200 sacks is up to 275' of surface. Drille pressure for 30 minutes. Test Witnessed by	btained. WORK 1 Ran 7 sacks Neat). ed cen t oke.	(Cross out incorrect words.) DONE AND RESULTS OBTAINED 0 joints of 8-5/8" OD 32# casing regular cement, (1000 sacks mixed Cement set 48 hrs. Cement came ent plug and tested with 1000# Now drilling ahead. The Ohio Gil Company Fo Company Tit	rema le
DETAILED ACCOUNT OF T Total Depth 2803' Anhydrite. set @ 2797'. Cemented W/1200 W/4% HOWCO gel and 200 sacks H up to 275' of surface. Drille pressure for 30 minutes. Test Witnessed by J. b. Reese Name	btained. WORK 1 Ran 7 sacks Neat). ed cen t oke.	(Cross out incorrect words.) DONE AND RESULTS OBTAINED 0 joints of 8-5/8" OD 32# casing regular cement, (1000 sacks mixed Cement set 48 hrs. Cement came ent plug and tested with 1000# Now drilling ahead. The Ohio Cil Company Company Tit I hereby swear or affirm that the information	rema le
DETAILED ACCOUNT OF T Total Depth 2803' Anhydrite. set @ 2797'. Cemented %/1200 %/4% HOWCO gel and 200 sacks is up to 275' of surface. Drille pressure for 30 minutes. Test Witnessed by	btained. WORK 1 Ran 7 sacks Neat). ed cen t oke.	(Cross out incorrect words.) DONE AND RESULTS OBTAINED 0 joints of 8-5/8" OD 32# casing regular cement, (1000 sacks mixed Cement set 48 hrs. Cement came ent plug and tested with 1000# Now drilling ahead. The Ohio Cil Company Company Tit I hereby swear or affirm that the information is true and correct.	rema le given a
DETAILED ACCOUNT OF T Total Depth 2803' Anhydrite. set @ 2797'. Cemented #/1200 #/4% HOWCO gel and 200 sacks is up to 275' of surface. Drille pressure for 30 minutes. Test Witnessed by	btained. WORK 1 Ran 7 sacks Neat). ed cen t oke.	(Cross out incorrect words.) DONE AND RESULTS OBTAINED 0 joints of 8-5/8" OD 32# casing regular cement, (1000 sacks mixed Cement set 48 hrs. Cement came ent plug and tested with 1000# Now drilling ahead. The Ohio Oil Company Fo Company Tit I hereby swear or affirm that the information is true and correct. Name Marine Augustation Position Superintendent Representing The Ohio Oil Company	rema le given
DETAILED ACCOUNT OF T Total Depth 2803' Anhydrite. set @ 2797'. Cemented W/1200 W/4% HOWCO gel and 200 sacks H up to 275' of surface. Drille pressure for 30 minutes. Test Witnessed by J. b. Reese Name Subscribed and sworn before me this 8 day of November 1950 Market 1950 Market 1950 Market 1950 November 1950 Market	btained. WORK 1 Ran 7 sacks Neat). ed cen t oke.	(Cross out incorrect words.) DONE AND RESULTS OBTAINED 0 joints of 8-5/8" OD 32# casing regular cement, (1000 sacks mixed Cement set 48 hrs. Cement came ent plug and tested with 1000# Now drilling ahead. The Ohio Cil Company Fo Company Tit I hereby swear or affirm that the information is true and correct. Name Manual Formation Position Superintendent Representing The Ohio Oil Company Company or Operator	rema le given a
DETAILED ACCOUNT OF T Total Depth 2803' Anhydrite. set @ 2797'. Cemented #/1200 #/4% HOWCO gel and 200 sacks is up to 275' of surface. Drille pressure for 30 minutes. Test Witnessed by	btained. WORK 1 Ran 7 sacks Neat). ed cen t oke.	(Cross out incorrect words.) DONE AND RESULTS OBTAINED 0 joints of 8-5/8" OD 32# casing regular cement, (1000 sacks mixed Cement set 48 hrs. Cement came ent plug and tested with 1000# Now drilling ahead. The Ohio Oil Company Fo Company Tit I hereby swear or affirm that the information is true and correct. Name Marine Augustation Position Superintendent Representing The Ohio Oil Company	rema le given a
DETAILED ACCOUNT OF T Total Depth 2803' Anhydrite. set @ 2797'. Cemented #/1200 #/4% HOWCO gel and 200 sacks is up to 275' of surface. Drille pressure for 30 minutes. Test Witnessed by J. b. Reese Name Subscribed and sworn before me this day of November 1951 Notary Public My Commission Expires August 19, 1951	btained. WORK 1 Ran 7 sacks Neat). ed cen t oke.	(Cross out incorrect words.) DONE AND RESULTS OBTAINED 0 joints of 8-5/8" OD 32# casing regular cement, (1000 sacks mixed Cement set 48 hrs. Cement came ent plug and tested with 1000# Now drilling ahead. The Ohio Cil Company Fo Company Tit I hereby swear or affirm that the information is true and correct. Name Manual Formation Position Superintendent Representing The Ohio Oil Company Company or Operator	rema le given a
DETAILED ACCOUNT OF T Total Depth 2803' Anhydrite. set @ 2797'. Cemented #/1200 #/4% HOWCO gel and 200 sacks is up to 275' of surface. Drillo pressure for 30 minutes. Test Witnessed by	btained. WORK 1 Ran 7 sacks Neat). ed cen t oke.	(Cross out incorrect words.) DONE AND RESULTS OBTAINED 0 joints of 8-5/8" OD 32# casing regular cement, (1000 sacks mixed Cement set 48 hrs. Cement came ent plug and tested with 1000# Now drilling ahead. The Ohio Cil Company Fo Company Tit I hereby swear or affirm that the information is true and correct. Name Manual Formation Position Superintendent Representing The Ohio Oil Company Company or Operator	rema le given a

Title

For	m C	-102			
		1		;	•
\cup			-		

NEW MEXICO OIL CONSERVATION COMMISSION

SANTA FE, NEW MEXICO

MISCELLANEOUS NOTICES

HOB88-OFFICE

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF	x	NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL	
NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL		NOTICE OF INTENTION TO PLUG WELL	
NOTICE OF INTENTION TO DEEPEN WELL			

Nobbs. New Mexico

Place

Date

OIL CONSERVATION COMMISSION, Santa Fe, New Mexico

Gentlemen:

Following is a notice o The Ohio Oil	f intention to de Company	o certain work	as described below a L. G. Warlick	*C* Well No. 6	_{in} NW/4, SE/4
Company or Operator of Sec.	_{т.} 21S		N. M. P. M.,	Brunson	Field.
Lea		County.			

FULL DETAILS OF PROPOSED PLAN OF WORK

FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

Total Depth 2803' Anhydrite. Ran 70 joints of 8-5/8" OD, 32# casing set @ 2797'. Cemented with 1200 sacks regular cement, 1000 sacks mixed with 4% HOWCO gel and 200 sacks Neat. Plug pumped down at 10:20 A.M. 11-5-50. Will test and drill cement plug at approximately 10:20 A.M. 11-7-50.

MCV 6 1950	The Ohio Oil Company
Approved, 19 except at follows:	By
	Position Send communications regarding well to
OIL CONSERVATION COMMISSION,	Name
By Chin harle rallist	Address Box 1607
Title Cil & Gas Inspector	Hobbs, New Mexico
,	

MECENVE!! NOV 6 - TOKO



(1, 3)

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING		REPORT ON	REPAIRING	WELL	1
OPERATIONS		_			
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL			PULLING O	R OTHERWISE	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF	X	REPORT ON	DEEPENIN	G WELL	
REPORT ON RESULT OF PLUGGING OF WEI	LL				
N	lov ember	1, 1950 Date	Hobbs,	New Mexico Place	
OIL CONSERVATION COMMISSION, SANTA FE, NEW MEXICO. Gentlemen:					
Following is a report on the work done and the r	esults obtai	ned under the hea	ding noted ab	bove at the \mathbf{L}	
The Ohio Oil Company L. Company or Operator		Lease			
NW//I. SE//I of Sec. 1	5 ,	т. 215	, R	37E 1	N. M. P . M .,
Brunson Field		Le	38.		County.
The dates of this work were as follows:					
Notice of intention to do the work was more than					
and approval of the proposed plan was were to DETAILED ACCOUNT Total Depth 306' Red Beds.	OF WORK Ran 7	DONE AND RES	SULTS OBTA -3/8" OD o irculated.	casing set @ . Cement set	c zy nra.
and approval of the proposed plan was <u>werened</u> DETAILED ACCOUNT Total Depth 306' Red Beds. Cemented W/300 sacks regula Drilled cement plug and tea	of work Ran 7 ar cemen sted W/5	DONE AND RE: joints of 13 t. Cement c: 00# pressure	SULTS OBTA -3/8" OD o irculated. for 30 mi	casing set @ . Cement set Inutes. Test	t oke.
and approval of the proposed plan was were to DETAILED ACCOUNT Total Depth 306' Red Beds.	of work Ran 7 ar cemen sted W/5	DONE AND RE: joints of 13 t. Cement c: 00# pressure	SULTS OBTA -3/8" OD c irculated. for 30 mi	casing set @ . Cement set inutes. Test Forem	t oke.
and approval of the proposed plan was Weekee DETAILED ACCOUNT Total Depth 306' Red Beds. Cemented W/300 sacks regul Drilled cement plug and tes Witnessed by J. B. Rease Name	OF WORK Ran 7 ar cemen sted W/5	DONE AND RE: joints of 1.3 t. Cement c: 00# pressure Ohio Oil Com Comp	SULTS OBTA -3/8" OD o irculated. for 30 mi pany any or affirm that	casing set @ . Cement set inutes. Test Forem	an Itie
and approval of the proposed plan was WERNER DETAILED ACCOUNT Total Depth 306' Red Beds. Cemented W/300 sacks regula Drilled cement plug and ter Witnessed by	OF WORK Ran 7 ar cemen sted W/5	DONE AND RES joints of 1.3 t. Cement c: 00# pressure Ohio Oil Com Comp I hereby swear is true and cor	SULTS OBTA -3/8" OD o irculated. for 30 mi pany any or affirm that	casing set @ . Cement set inutes. Test Forem	an Itie
and approval of the proposed plan was Weekee DETAILED ACCOUNT Total Depth 306' Red Beds. Cemented W/300 sacks regul Drilled cement plug and tes Witnessed by J. B. Rease Name	OF WORK Ran 7 ar cemen sted W/5	DONE AND RES joints of 1.3 t. Cement c: 00# pressure Ohio Oil Com Comp I hereby swear is true and cor	SULTS OBTA -3/8" OD c irculated. for 30 md pany or affirm that rect.	casing set @ . Cement set inutes. Test Forem	an Itie
and approval of the proposed plan was WERNER DETAILED ACCOUNT Total Depth 306' Red Beds. Cemented W/300 sacks regula Drilled cement plug and ter Witnessed by	OF WORK Ran 7 ar cemen sted W/5 	DONE AND RES joints of 13 t. Cement c: 00# pressure Ohio Oil Com Comp I hereby swear is true and cor Name Position	SULTS OBTA -3/8" OD c irculated. for 30 ml pany or affirm that rect. The Ohio	casing set @ Cement set Inutes. Test Forem T at the information Oil Company	an Itie
and approval of the proposed plan was Weekee DETAILED ACCOUNT Total Depth 306' Red Beds. Cemented W/300 sacks regul Drilled cement plug and test Witnessed by	OF WORK Ran 7 ar cemen sted W/5 	DONE AND RES joints of 13 t. Cement c: 00# pressure Ohio Oil Com Comp I hereby swear is true and cor Name Position Representing	SULTS OBTA -3/8" OD o irculated. for 30 mi pany any or affirm that rect. The Ohio of Comparison	casing set @ Cement set Inutes. Test Forem T at the information Oil Company any or Operator	an title given above
and approval of the proposed plan was WERNER DETAILED ACCOUNT Total Depth 306' Red Beds. Cemented W/300 sacks regula Drilled cement plug and ter Witnessed by J. B. Rease Name Subscribed and sworn before me this 1 day November Mathematica	OF WORK Ran 7 ar cemen sted W/5 	DONE AND RES joints of 13 t. Cement c: 00# pressure Ohio Oil Com Comp I hereby swear is true and cor Name Position Representing	SULTS OBTA -3/8" OD o irculated. for 30 mi pany any or affirm that rect. The Ohio of Comparison	casing set @ Cement set Inutes. Test Forem T at the information Oil Company	an title given above
and approval of the proposed plan was Weekee DETAILED ACCOUNT Total Depth 306' Red Beds. Cemented W/300 sacks regul Drilled cement plug and test Witnessed by	OF WORK Ran 7 ar cemen sted W/5 	DONE AND RES joints of 13 t. Cement c: 00# pressure Ohio Oil Com Comp I hereby swear is true and cor Name Position Representing	SULTS OBTA -3/8" OD o irculated. for 30 mi pany any or affirm that rect. The Ohio of Comparison	casing set @ Cement set Inutes. Test Forem T at the information Oil Company any or Operator	an title given above
and approval of the proposed plan was <u>weekee</u> DETAILED ACCOUNT Total Depth 306' Red Beds. Cemented W/300 sacks regula Drilled cement plug and ter Witnessed by <u>J. B. Reese</u> Name Subscribed and sworn before me this <u>1</u> day November Movember Notary P My Conscision Explose August 19, 1951 My commission expires.	OF WORK Ran 7 ar cemen sted W/5 	DONE AND RES joints of 13 t. Cement c: 00# pressure Ohio Oil Com Comp I hereby swear is true and cor Name Position Representing	SULTS OBTA -3/8" OD o irculated. for 30 mi pany any or affirm that rect. The Ohio of Comparison	Cement set Cement set Inutes. Test Forem T at the information Oil Company any or Operator	an title given above

Form	C-102
------	-------

2

NEW MEXICO OIL CONSERVATION COMMISSION

SANTA FE, NEW MEXICO

MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF	X NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL
NOTICE OF INTENTION TO CHANGE PLANS	NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING
NOTICE OF INTENTION TO REPAIR WELL	NOTICE OF INTENTION TO PLUG WELL
NOTICE OF INTENTION TO DEEPEN WELL	
Hobbs, Ne	w Mexico October 31, 1950
	Place Date
OIL CONSERVATION COMMISSION, Santa Fe, New Mexico	
Gentlemen:	
Following is a notice of intention to do certain work The Ohio Oil Company L. G. W	as described below at the
Company or Operator Lease	e Brunson Field.
LeaCounty.	
FULL DETAILS OF	F PROPOSED PLAN OF WORK
FOLLOW INSTRUCTIONS IN THE R	RULES AND REGULATIONS OF THE COMMISSION
Total Depth 306' Red Beds. Ran	7 joints of 13-3/6" OD casing set @ 303'.
Will test and drill cement plug	at approximately 2:30 P 10-31-50.

to

asida

OIL CONS

}