


Form C-101  
**NEW MEXICO OIL CONSERVATION COMMISSION**  
Santa Fe, New Mexico  
**NOTICE OF INTENTION TO DRILL**



Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing changes must be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Hobbs, New Mexico

June 7, 1951

OIL CONSERVATION COMMISSION,  
Santa Fe, New Mexico,

Date

Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as

The Ohio Oil Company L. G. Warlick "C" well No. 9 in SE/4, SE/4  
Company or Operator Lease

of Sec. 15, T. 21S, R. 37E, N. M., P. M., Brunson Field, Lea County.

N

The well is 990 feet (N.) (S.) of the South line and 990 feet  
(E.) (W.) of the East line of Sec. 15, T 21S, R 37E

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. \_\_\_\_\_ Assignment No. \_\_\_\_\_

If patented land the owner is L. G. Warlick

Address Eunice, New Mexico

If government land the permittee is \_\_\_\_\_

Address \_\_\_\_\_

The lessee is The Ohio Oil Company

Address P. O. Box 1607, Hobbs, New Mexico

We propose to drill well with drilling equipment as follows: \_\_\_\_\_

with rotary drilling tools - Two States Drilling Company

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: \_\_\_\_\_

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
17"	13-3/8"	48#	New	350'	Cemented	250
11"	8-5/8"	32#	New	2900'	Cemented	1500
8"	5-1/2"	17#	New	7570'	Cemented	1100

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 7570 feet.

Additional information:

Approved \_\_\_\_\_, 19\_\_\_\_  
except as follows JUN - 8 1951

Sincerely yours,

The Ohio Oil Company  
Company or Operator

By O. B. Stewart


Position Superintendent

Send communications regarding well to:

Name The Ohio Oil Company

Address Box 1607, Hobbs, New Mexico

OIL CONSERVATION COMMISSION,  
By Roy Zuercher  
Title Oil & Gas Inspector



NEW MEXICO OIL CONSERVATION COMMISSION

SANTA FE, NEW MEXICO

## MISCELLANEOUS NOTICES

RECEIVED

JUN 21 1951

OIL CONSERVATION COMMISSION  
HOBBS OFFICE

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF	<input checked="" type="checkbox"/>	NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL	
NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL		NOTICE OF INTENTION TO PLUG WELL	
NOTICE OF INTENTION TO DEEPEN WELL			

Hobbs, New Mexico

June 20, 1951

Place

Date

OIL CONSERVATION COMMISSION,  
Santa Fe, New Mexico

Gentlemen:

Following is a notice of intention to do certain work as described below at the

The Ohio Oil Company L. G. Warlick "C" Well No. 9 in SE/4, SE/4  
Company or Operator Lease  
of Sec. 15, T. 21S, R. 37E, N. M. P. M. Brunson Field.  
Lea County.

## FULL DETAILS OF PROPOSED PLAN OF WORK

FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

Spudded in @ 9:30 P.M. 6-18-51.

Total Depth 375' Red Beds. Ran 13 joints of 13-3/8" OD 48# casing set @ 371'. Cemented w/350 sacks regular cement mixed w/4% HOWCO gel. Plug pumped down @ 9:40 P.M. 6-19-51. Will drill cement plug and test at approximately 9:40 P.M. 6-20-51.

Approved JUN 21 1951, 19\_\_\_\_  
except at follows:

The Ohio Oil Company  
Company or Operator

By P. B. StewartPosition Superintendent

Send communications regarding well to

Name The Ohio Oil CompanyAddress P. O. Box 1607Hobbs, New Mexico

OIL CONSERVATION COMMISSION

By Ray G. Krawinkel

Oil &amp; Gas Inspector

Title