

Submit 3 Copies to Appropriate District
Office

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240

DISTRICT II

811 South First, Artesia, NM 88210

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT IV

1220 South St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION

1220 South St. Francis Drive
Santa Fe, NM 87505

FORM C-103
Revised March 25, 1999

WELL API NO.	30-025-06607
5. Indicate Type of Lease	<input type="checkbox"/> STATE <input checked="" type="checkbox"/> FEE
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name	Argo
8. Well No.	11
9. Pool name or Wildcat	Penrose Skelly; Grayburg

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

☒ OIL WELL ☐ GAS WELL ☐ OTHER

2. Name of Operator

Apache Corporation

3. Address of Operator

2000 Post Oak Blvd., Ste. 100, Houston, Texas 77056-4400

4. Well Location

Unit Letter K : 2080 Feet From The South Line and 1650 Feet From The West Line
Section 15 Township 21S Range 37E NMPM Lea County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

3437' GR

11.

Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

- ☐ Perform Remedial Work ☐ Plug and Abandon
☐ Temporarily Abandon ☐ Change Plans
☐ Pull or Alter Casing
☐ Other

- ☒ Remedial Work ☐ Altering Casing
☐ Commence Drilling Operations ☐ Plug and Abandonment
☐ Casing Test and Cement Job
☒ Other Add Perforations to Existing Grayburg

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 4/27/2001 MIRU. Pull out of hole w/ production equipment. Run in hole w/ 4-3/4" bit and clean out to 4050'.
- 4/30/2001 Run in hole w/ RBP & set @ 3750'. Run CBL from 3750' to liner top @ 2680'. Top of cement @ 3025'. Pull out of hole w/ RBP.
- 5/1/2001 Perforate additional Grayburg 3853-3856, 3860-3866, 3874-3886, 3892-3914, 3922-3926, 3940-3974 Acidize Grayburg 3850 - 3974 w/ 4000 gals 15% HCL.
- 5/3/2001 Frac Grayburg 3850 - 3974 w/ 23184 gals gel & 40010# 16/30 sand.
- 5/4/2001 Run in hole & tag sand. Clean out to PBTB @ 4075'.
- 5/5/2001 Run in hole w/ production tubing & set @ 4029'. Return to production.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Debra J. Anderson

TITLE

Sr. Engineering Technician

DATE

6/15/2001

TYPE OR PRINT NAME

Debra J. Anderson

TELEPHONE NO.

713-296-6338

(This space for State Use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY: