

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240

DISTRICT II

811 South First, Artesia, NM 88210

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT IV

2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Bureau of Minerals and Natural Resources

Form C-105

Revised March 25, 1999

OIL CONSERVATION DIVISION
2040 South Pacheco
Santa Fe, NM 87505

WELL API NO.

30-025-06610

5. Indicate Type of Lease

☒ STATE☐ FEE

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

Northeast Drinkard Unit

8. Well No.

609

WFX-759

9. Pool name or Wildcat

Eunice N., Blinbry-Tubb-Drinkard

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:

☐ OIL WELL☐ GAS WELL☐ DRY☒ OTHER

Injection

b. Type of Completion:

☐ New Well☐ Workover☐ Deepen☐ Plug Back☐ Diff. Resvr.☒ Other

2. Name of Operator

Apache Corporation

3. Address of Operator

2000 Post Oak Blvd., Ste. 100, Houston, Texas 77056-4400 / 713-296-6000

4. Well Location

Unit Letter B : 660 Feet From The North Line and 1980 Feet From The East Line
Section 15 Township 21S Range 37E NMPM Lea County

10. Date Spudded

11. Date T.D. Reached

12. Date Compl. (Ready to Prod.)

6/16/00

13. Elevations (DF & RKB, RT, GR, etc.)

3447'

GR

14. Elev. Casinghead

15. Total Depth

7631

16. Plug Back T.D.

6959

17. If Multiple Compl. How

Many Zones?

18. Intervals

Drilled By

Rotary Tools

Cable Tools

19. Producing Interval(s), of this completion - Top, Bottom, Name

Blinbry 5763 - 6104

Tubb 6120 - 28

Injection Interval

Drinkard 6512 - 6696

20. Was Directional Survey Made

21. Type Electric and Other Logs Run

22. Was Well Cored

23.

CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13-3/8	36#	294	17-1/2	300 sx / TOC @ Surface (Calc)	
8-5/8	24#	3004	11	2000 sx / TOC @ Surface (Calc)	
5-1/2	17#	7631	6-3/4	500 sx / TOC @ 3610' (TS)	

24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN

25. TUBING RECORD

SIZE	DEPTH SET	PACKER SET
2-3/8		5704

26. Perforation record (interval, size, and number)

Blinbry 5763-66, 69-72, 92-94, 99-5802, 14-18, 22-24, 32-34, 38-43,
49-54, 70-77, 5902-07, 21-29, 34-38, 45-50, 75-84, 95-98, 6090-6104

4" - 148 Holes

Tubb 6120 - 28 4" - 36 Holes

Drinkard 6512-37, 52-70, 74-6641, 63-72, 77-81, 85-96

4" - 557 Holes

Ellenburger 7550-7612 - Abandoned

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
5763 - 6128	Acidize w/ 2000 gals 15% HCL
6512 - 6696	Acidize w/ 2000 gals 15% HCL
	CIBP @ 6959'
	CIBP @ 7475' w/ 11' cement on top

28. PRODUCTION

Date First Production 6/16/00	Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in) Injecting	
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl.	Gas - MCF	Water - Bbl.
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

Test Witnessed By

30. List Attachments

C-103 Sundry Notice / MIT Chart

31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature

Printed
Name

Debra J. Anderson

Title

Sr. Engineering Technician

Date

7/28/00

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division Office not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"
B. Salt	T. Atoka	T. Pictured Cliffs	T. Penn. "D"
T. Yates	T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers	T. Devonian	T. Menefee	T. Madison
T. Queen	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	T. Montoya	T. Mancos	T. McCracken
T. San Andres	T. Simpson	T. Gallup	T. Ignacio Otzte
T. Glorieta	T. McKee	Base Greenhorn	T. Granite
T. Paddock	T. Ellenburger	T. Dakota	T.
T. Blinberry	T. Gr. Wash	T. Morrison	T.
T. Tubb	T. Delaware Sand	T. Todilto	T.
T. Drinkard	T. Bone Springs	T. Entrada	T.
T. Abo	T. Rustler	T. Wingate	T.
T. Wolfcamp	T.	T. Chinle	T.
T. Penn	T.	T. Permian	T.
T. Cisco (Bough C)	T.	T. Penn "A"	T.

OIL OR GAS SANDS OR ZONES

No. 1, from to No. 3, from to
No. 2, from to No. 4, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet

No. 2, from to feet

No. 3, from to feet

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology

13413