


OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS



Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF	9-5/8"	REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL			

September 25, 1947

Date

Hobbs, New Mexico

Place

OIL CONSERVATION COMMISSION,
SANTA FE, NEW MEXICO.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the _____

Gulf Oil Corporation

H. Leonard "K"

Well No. 1

in the

Company or Operator

Lease

NE SE

of Sec.

16

T.

21S

R.

37E

N. M. P. M.,

Brunson

Field,

Lee

County.

The dates of this work were as follows: Cemented September 22, 1947; tested September 24, 1947.

Notice of intention to do the work was ~~submitted~~ submitted on Form C-102 on September 23, 1947

and approval of the proposed plan was ~~obtained~~ obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

The hole was washed down and the casing tested with 1200# pressure applied for 30 minutes. The plug was drilled and the casing tested with 1200# pressure applied for 30 minutes. Both tests were OK, and after approval of Mr. Yarbrough, State Oil and Gas Inspector, preparations were made to drill ahead.

Top of cement behind 9-5/8" casing is 1345' per temperature survey.

Witnessed by G. C. Baysinger Gulf Oil Corporation Foreman
Name Company Title

Subscribed and sworn before me this _____

I hereby swear or affirm that the information given above is true and correct.

25th day of September, 19 47

Name Paul L. Evans

Position Act'g. District Sup't.

Representing Gulf Oil Corporation
Company or Operator

My commission expires 10-24-49

Address Box 1607, Hobbs, New Mexico

Remarks:

APPROVED

SEP 26 1947

Date _____

Roy Yarbrough
Name
OIL & GAS INSPECTOR
Title