
## OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

# MISCELLANEOUS REPORTS ON WELLS



Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

REPORT ON BEGINNING						
TIONS	DRILLING OPE	RA-	REPORT ON	REPAIRING	G WELL	
REPORT ON RESULT OF S		EM-		PULLING RING CASIN	OR OTHERWIS	E
REPORT ON RESULT O		NG 7#	REPORT ON		<del> </del>	
REPORT ON RESULT OF	PLUGGING OF WE			· · · · · · · · · · · · · · · · · · ·		
		No.	vember 9 1	OF &	Hobbs, New A	devi ec
OIL CONSERVATION CO SANTA FE, NEW MEXICO Gentlemen:			Date		Plac	e
Following is a report on the	work done and the	results obtain	ed under the he	ading noted a	above at the	
Gulf Oil Corpora						
Company	or Operator	•	Lease		•	
NE NE	of Sec	_16, '	T21S	, R	37E	N. M. P. M.,
Drinkard	Field,		Lea			County.
The dates of this work were						
Notice of intention to do the						
and approval of the propose					•	
After waiting f	orty-eight hou	ers, the c	easing was t	ested wit	h 1200# pres	sure appl
	orty-eight hou plug was dril ed for 30 mim	irs, the d Lled and t i <b>tes.</b> Bot	casing was to the casing a th tests were	ested wit. nd cement e OK. and	h 1200# pres were tested after appro	with of
After waiting f for 30 minutes. The 1200# pressure appli fr. Yarbrough, State	orty-eight how plug was dril ed for 30 mins Oil & Gas Ins	irs, the clled and tites. Botspector, p	casing was to the casing a th tests were preparations	ested wit. nd cement e OK, and are bein	h 1200# pres were tested after appro g made to co	with of
After waiting for 30 minutes. The 1200# pressure appliant. Yarbrough, State the well.	forty-eight house plug was drilled for 30 minus oil & Gas Instant	irs, the cled and to tes. Bot spector, p	casing was to he casing a chi tests were parations our temperations	ested wit nd coment e OK, and are bein ure surve	h 1200# pres were tested after appro g made to co	with val of emplete.
After waiting for 30 minutes. The 1200# pressure appliant. Yarbrough, State the well.  Top of cement b	forty-eight hou plug was dril ed for 30 mim Oil & Gas Instack of 7" csg	ers, the colled and to the spector, possible 2550'	casing was to the casing a chitests were preparations cer temperation Components of the casing was to case the casing was to case the case of the ca	ested wit. nd coment e OK, and are bein ure surve	h 1200# pres were tested after appro g made to co y.  Drilling Fo the information	with val of mplete.  reman Title given above
After waiting for 30 minutes. The 1200# pressure appliant. Yarbrough, State the well.  Top of cement be Witnessed by Glenn St	Forty-eight house plug was drilled for 30 mins oil & Gas Instack of 7" csg ach Gulf Name	ars, the colled and to the spector, possible 2550' p	casing was to the casing as the tests were preparations or temperation Composition Composition can be strue and correct true	ested with and coment of the ok, and are being ure survey	h 1200# pres were tested after appro g made to co y.  Drilling Fo the information	with val of mplete.  reman Title given above
After waiting for 30 minutes. The 1200# pressure appliant. Yarbrough, State the well.  Top of cement by Glenn St.  Subscribed and sworn before the day of Nove	Forty-eight house plug was drilled for 30 mins oil & Gas Instack of 7" csg ach Gulf Name	2550' p	casing was to the casing as the tests were preparations or temperation Composition composition composition composition correction co	ested with and coment of the ok, and are being are survey any	h 1200# pres were tested after appro g made to co y.  Drilling Fo the information	with val of mplete.  Feman Title given above
After waiting for 30 minutes. The 1200# pressure appliant. Yarbrough, State the well.  Top of cement by Glenn St.  Subscribed and sworn before the day of Nove	Corty-eight house plug was drilled for 30 mins oil & Gas Instack of 7" csg ach Gulf Name fore me this	2550' p	casing was to the casing as the casing was the casing as the casing was the casing was the case of the casing was the	ested with and coment so OK, and are being ure survey any affirm that	h 1200# pres were tested after appro g made to co y.  Drilling Fo the information allayle t Sup!	with val of mplete.
After waiting for 30 minutes. The 1200# pressure appliant. Yarbrough, State the well.  Top of cement by Glenn St.  Subscribed and sworn before the day of Nove	forty-eight house plug was drilled for 30 mins oil & Gas Instack of 7" csg ach Gulf Name fore me this mber	ars, the colled and to the spector, possible construction of the collection of the c	casing was to the casing as the case of the case o	are being affirm that District Company or	h 1200# pres were tested after appro g made to co y.  Drilling Fo the information allayle t Sup!	with val of mplete.
After waiting for 30 minutes. The 1200# pressure appliant. Yarbrough, State the well.  Top of cement be witnessed by Glenn St.  Subscribed and sworn before the day of Nove	forty-eight hou plug was dril ed for 30 mim oil & Gas Instack of 7" csg ach Gulf Name ore me this Notary Pu	2550' p	casing was to the casing as the case of the case o	are being affirm that District Company or	h 1200# pres were tested after appro g made to co  y.  Drilling Fo  the information  Lagle Corporation Operator  ba, New Mexi	with val of mplete.  Peman Title given above
After waiting for 30 minutes. The 1200# pressure appliant. Yarbrough, State the well.  Top of cement be witnessed by Glenn State Subscribed and sworn before the day of Nove My commission expires.	Forty-eight house plug was drilled for 30 mins oil & Gas Instack of 7" csg ach Gulf Name fore me this Notary Pu	2550' p	casing was to the casing as the case of the case o	are being affirm that District Company or	h 1200# pres were tested after appro g made to co  y.  Drilling Fo  the information  Llayle Corporation of Operator	with val of mplete.  Title given above

## 

en de la composition La composition de la La composition de la

### NEW MEXICO OIL CONSERVATION COMMISSION

### SANTA FE, NEW MEXICO

## **MISCELLANEOUS NOTICES**

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

	Indicate r	ature of not	ice by checking be	low:	
NOTICE OF INTENTION SHUT-OFF	N TO TEST CASING	G 7#		TENTION TO SHOOT LY TREAT WELL	OR
NOTICE OF INTENTION	I TO CHANGE PLAN	NS		TENTION TO PULL OF ALTER CASING	R
NOTICE OF INTENTION	N TO REPAIR WEL	L	NOTICE OF IN	TENTION TO PLUG V	VELL
NOTICE OF INTENTION	TO DEEPEN WEL	L			
		l .	II.		
		Но	bbs, New Maxi	ce November	8, 1948.
OIL CONSERVATION C Santa Fe, New Mexico.	OMMISSION,				
Gentlemen:					
Following is a notice of i	ntention to do certai	n work as de	scribed below at	the	
Gulf Oil Corpora Company or Operato	tion Ha	rry Leonar Lease	4 nEu	Well No4_	in NE NE
of Sec. 16 , T.		37E N	. M. P. M.,	Drinkard	Field.
	Cou		•		
SS csg (23jts A. () H-11', set @ 6645' 6506', 6413', 6326 6250' (7 on bottom 2% and 125 sacks in completed 7:50 p. in Propose to di	. Installed 6 O', and 6250' as n jt and 3 on e neat bulk cemen n.	Weatherfo nd 28 Weat ach jt abo t. Plug @	ord cag central herford acrains. Cement 6595'. Job	alizers spaced @ tchers spaced fro ed by Halliburton	6440', 6593', m 6640' to w/575 sacks .m. and
Approvedexcept as follows:	NOV 1 0 SAF	, 19 N,	BySend o	Oil Corporation Company or Operato Company or Operation Company or Operato Com	fur
By Cold Mile.	ngas Jumen	, x <sup>34</sup> 1	Address _Bo	x 1667, Hobbs, 1	lew Mexico

## OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

# niscellaneous reports on wells



Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of re	port by enecking below.
REPORT ON BEGINNING DRILLING OPERA-	REPORT ON REPAIRING WELL
REPORT ON RESULT OF SHOOTING OR CHEM- ICAL TREATMENT OF WELL	REPORT ON PULLING OR OTHERWISE ALTERING CASING
REPORT ON RESULT OF TEST OF CASING 9-5/	8 REPORT ON DEEPENING WELL
REPORT ON RESULT OF PLUGGING OF WELL	
October	Date Hobbs, New Mexico
OIL CONSERVATION COMMISSION, SANTA FE, NEW MEXICO Gentlemen:	
Following is a report on the work done and the results obtain	ained under the heading noted above at the
Chilf (ii) Corporation Harry I	eonard "E" Well No. 4 in the
Company or Operator	Lease
	, T. 21 S , R 37 E , N. M. P. M.,
	County.
The dates of this work were as follows: Comented on	Oct. 1, 1948. Tested on Oct. 3, 1948.
Notice of intention to do the work was (was not) subm	nitted on Form C-102 on October 2, 1948.
and approval of the proposed plan was (weeket) obtain	ned. (Cross out incorrect words.)
	C DONE AND RESULTS OBTAINED
with 1200# pressure applied for 30 minute tested with 1200# pressure applied for 30	e hole was washed down and the casing tested es. The plug was drilled and the casing minutes. Both tests were OK, and after Gas Inspector, preparations were made to
Top of sement back of 9-5/8" csg @ !	540° per temperature survey.
Witnessed by Glenn Stach Gulf Oil	Corporation Drilling Foreman
Name	Company Title
Subscribed and sworn before me this	I hereby swear or affirm that the information given above is true and correct.  Name
th_day of October 1948	Name _ G. J. Hallagher
11777	Position District Sun't
Notary Public	0.2001.0
Notary Fubile	Representing Company or Operator
My commission expires 10-24-49	Address Bex 1667, Hobbs, New Mexico
Remarks:	Roy Muchrofilet
	Name Name
ROVED	OL & GAS INSPERMENT

recording to the second of the

engan e Pengan engan e


# NEW MEXICO OIL CONSERVATION COMMISSION SANTA FE NEW ....

SANTA FE, NEW MEXICO

## **MISCELLANEOUS NOTICES**

I		additional instr		
		e by checking b		
NOTICE OF INTENTION TO TEST CASING SHUT-OFF	9-5/8	NOTICE OF II CHEMICAL	NTENTION TO SHOOT LLY TREAT WELL	OR
NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF IN OTHERWI	TENTION TO PULL OF SE ALTER CASING	R
NOTICE OF INTENTION TO REPAIR WELL		NOTICE OF IN	TENTION TO PLUG W	ELL
NOTICE OF INTENTION TO DEEPEN WELL				
He	hhe N	w Marias	Ontohom 9 10	
	MODE IN	Pla	October 2 19	148
OIL CONSERVATION COMMISSION,				
Santa Fe, New Mexico. Gentlemen:				
Following is a notice of intention to do certain wor	k og doser	mihad halam at	41	
Gulf Oil Corporation Harry				
Company or Operator Les	ase			
f Sec. 16 , T. 21 S , R 37 E	, N. 1	М. Р. М.,	Drinkard	Field.
Lea County.				
FULL DETAILS OF	PROPO	SED PLAN (	F WORK	
FOLLOW INSTRUCTIONS IN THE RU	ILES ANI	D REGILATIO	NS OF THE COMMIS	CION
2% and 100 sacks neat bulk cement. P	28001	Cemented b	v Halliburton w/l:	200 seeks
Scsg. Tallies 2787, H-13, set @ 2% and 100 sacks neat bulk cement. P. 3 p.m.  Propose to drill plug and test at \$100.00 \$1948	2800'. 'lug @ 2	Cemented b	y Halliburton w/1: started 2 p.m. and October 3, 1948.	200 seeks
Scsg. Tallies 2787, H-13, set @ 2% and 100 sacks neat bulk cement. Page p.m.  Propose to drill plug and test since the set of the se	2800'. 'lug @ 2	Cemented b	y Halliburton w/1: started 2 p.m. and	200 seeks
Scag. Tallies 2787', H-13', set @ 2% and 100 sacks neat bulk cement. P. B p.m.  Propose to drill plug and test significant	2800'. 'lug @ 2 hut-off	Cemented b	y Halliburton w/1: started 2 p.m. and October 3, 1948.	200 seeks
Scag. Tallies 2787', H-13', set @ % and 100 sacks neat bulk cement. P. B p.m.  Propose to drill plug and test significant for the second secon	2800'. 'lug @ 2 hut-off	Cemented be 2756'. Job  Reg 8 p.m.,  Gulf  By  Position	October 3, 1948.  October 3, 1948.  Oil Corporation Company or Operator  Allagher  District Sun't	200 sacks d completed
Scsg. Tallies 2787, H-13, set @ 2% and 100 sacks neat bulk cement. Page p.m.  Propose to drill plug and test since the set of the se	2800'. 'lug @ 2 hut-off	Cemented be 2756'. Job  Reg 8 p.m.,  Gulf  By  Position	October 3, 1948.  October 3, 1948.  Oil Corporation Company or Operator  Company or Operator  District Sun't.  District Sun't.	200 sacks d completed
Scag. Tallies 2787, H-13, set @ 2% and 100 sacks neat bulk coment. Pap.m.  Propose to drill plug and test since the set of the set o	2800'. Tug @ 2 hut-off	Cemented be 2756'. Job  Report Send control of the	October 3, 1948.  October 3, 1948.  October 3, 1948.  District Supit.  District Supit.  District Supit.	200 sacks d completed well to
Scag. Tallies 2787, H-13, set @ 2% and 100 sacks neat bulk coment. Pap.m.  Propose to drill plug and test since the set of the set o	2800'. Tug @ 2	Cemented be 2756'. Job  Report Send control of the	October 3, 1948.  October 3, 1948.  Oil Corporation Company or Operator  Company or Operator  District Sun't.  District Sun't.	200 sacks d completed well to

# OIL CONSERVATION COMMISSION Santa Fe, New Mexico



Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the wor specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission. Indicate nature of report by checking below.

REPORT ON B	EGINNING DRILL	TATC ODEDA.	1	11	ACER TO	IDIAIC 337	TIF T	11
	22024	ING OFERA-		REPORT				
$egin{array}{c}  ext{REPORT ON RE} \  ext{ICAL TREAT} \end{array}$	SULT OF SHOOTIN	NG OR CHEM-	11	A	ON PULL	CASING		SE
	RESULT OF TEST	OF CASING	13-3,	/8" REPORT	ON DEE	PENING	WELL	
REPORT ON RI	ESULT OF PLUGGI	NG OF WELL						
		Q.	mt emb	er 28, 194	a i	iobbs l	New Mexic	0
			Th oeimo	Date	<u> </u>			ace
SANTA FE, NE								
Following is a re	eport on the work do	one and the res	ults obta	ined under the conard "E"	e heading r • V	oted abov Vell No	re at the	in the
CALL OIL	Company or Ope			Lease				
NE <b>NE</b>	Company of Ope	of Sec. 1	6	, T. 21	<u>s</u> ,	R	37 E	_, N. M. P. M.,
Drinkar	d	Field			Lea			County.
		Coment	ed on	Sept. 25.	1948.	rested	on Sept.	27, 1948.
The dates of th	is work were as foll tion to do the work	OWS			- C 102 on	Septe	mber 26.	19 48
Notice of inten	tion to do the work	Was (Was )	t) subm	itted on roin	1 0-102 012			
and annroval a	f the proposed plan	was (vertical)	) obtain	ed. (Cross ou	it incorrect	words.)		
Rud abbioser of	t the proposed plans		·	- DANTE 437D	DESCRIPTION	ODTAIN	TET)	
	DETAILED	ACCOUNT OF	WORK	DONE AND	RESULTS	OPIAIN	ED	ř
				<b>1</b>	4		ina snd	a ament
After	waiting thirt;	/-six hours	, the	ning was	arillea	and cas	TIIR ann	CEMBILL
عبدال المسلمة	anandanaa witi			bras une				-
reared In a		a remiletio	ns. N	lo leak wa	s observ	ed and	after ap	proval
	CCOLCENTOO HE OF	regulatio	ns. N	io leak wa	s observ	ed and	arter ap	brover
of Mr. Yark	orough, State	n regulatio Dil & Gas I	ns. N	io leak wa	s observ	ed and	arter ap	brovar
of Mr. Yark	prough, State	regulatio	ns. N	io leak wa	s observ	ed and	arter ap	brovar
of Mr. Yark	prough, State	n regulatio )il & Gas I	ns. N	io leak wa	s observ	ed and	arter ap	brover
of Mr. Yark	prough, State	n regulatio )il & Gas I	ns. N	io leak wa	s observ	ed and	arter ap	brovar
of Mr. Yar	prough, State	n regulatio )il & Gas I	ns. N	io leak wa	s observ	ed and	arter ap	brovar
of Mr. Yark	orough, State	n regulatio )il & Gas I	ns. N	io leak wa	s observ	ed and	arter ap	brovar
	Glenn Stack	)il & Gas I	ns. N	io leak wa	s observ rations	ed and we <b>re</b> ma	arter ap	ill ahead.
of Mr. Yark Witnessed by	Glenn Stack	)il & Gas I	ns. N	lo leak wa cor, prepa Corporati	s observ rations	ed and we <b>re</b> ma	arter ap	ill ahead.
	Glenn Stack	)il & Gas I Gul	ns. N	lo leak wa cor, prepa Corporati	on Company	ed and were ma	de to dr	eill ahead.
Witnessed by	Glenn Stach	Oil & Gas I  Gul  Name	ns. N	lo leak wa cor, prepa Corporati	on Company	ed and were ma	de to dr	eill ahead.
Witnessed by-	Glenn Stach	Gul Name	ns. N	Corporati  I hereby sw is true and	on Company	ed and were ma	de to dr	eill ahead.
Witnessed by	Glenn Stach  of September	Gul Name this	ns. N	Corporati  I hereby swis true and	on Company rear or affir	ed and were ma	de to dr	eill ahead.
Witnessed by-	Glenn Stach	Gul Name this1	f 011	Corporati  I hereby swistrue and Name	on Company rear or affir	Drilli	ing Foren	nan Title
Witnessed by-	Glenn Stach  of September	Gul Name this	f 011	Corporati  I hereby swis true and	on Company rear or affir	Drilli	ing Foren	nan Title
Witnessed by- Subscribed a 28th day	Glenn Stach  of September	Gul Name this Notary Pub	f 011	Corporati  I hereby swis true and Name Position Representin	on Company Tear or affir correct.  Gene  Gulf Com	Drilli rm that the cral For	ing Foren	nan Title ion given above
Witnessed by-	Glenn Stach  of September	Gul Name this1	f 011	Corporati  I hereby swistrue and Name	on Company Tear or affir correct.  Gene  Gulf Com	Drilli	ing Foren	nan Title
Subscribed a 28th day  My commissi	Glenn Stach  of September	Gul Name this Notary Pub	f 011	Corporati  I hereby swis true and Name Position Representin	on Company Tear or affir correct.  Gene  Gulf Com	Drilli rm that the cral For	ing Foren	nan Title ion given above
Witnessed by- Subscribed a 28th day	Glenn Stach  of September	Gul Name this Notary Pub	f 011	Corporati  I hereby swis true and Name Position Representin	on Company Tear or affir correct.  Gene  Gulf Com	Drilli rm that the cral For	ing Foren	nan Title ion given above
Subscribed a 28th day  My commissi	Glenn Stach  of September	Gul Name this Notary Pub	f 011	Corporati  I hereby swis true and Name Position Representin	on Company Tear or affir correct.  Gene  Gulf Com	Drilli rm that the cral For	ing Foren	nan Title ion given above

Date ....


# NEW MEXICO OIL CONSERVATION COMMISSION

SANTA FE, NEW MEXICO

MISCELI	LANEOUS NOTICES
Submit this notice in triplicate to the Oil Conservation begin. A copy will be returned to the sender on advisable, or the rejection by the Commission or agand work should not begin until approval is obtain the Commission.	tion Commission or its proper agent before the week specified is to which will be given the approval, with any modifications considered gent, of the plan submitted. The plan as approved should be followed, ined. See additional instructions in the Rules and Regulations of
Indicate natur	e of notice by checking below:
NOTICE OF INTENTION TO TEST CASING SHUT-OFF	NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL
NOTICE OF INTENTION TO CHANGE PLANS	NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING
NOTICE OF INTENTION TO REPAIR WELL	NOTICE OF INTENTION TO PLUG WELL
NOTICE OF INTENTION TO DEEPEN WELL	
Hobbs,	New Mexico September 26, 1948 Place Date
of Sec. 16 , T. 21 S , R. 37 E  Lea County.  FULL DETAILS OF  FOLLOW INSTRUCTIONS IN THE RI  On September 25, 1948, ran 9 jt  SS casing. Total tallies 282', H-15  sacks neat bulk cament. Plug & 276' and completed @ 5 a.m. on the 26th.	rk as described below at the  rry Leonard MEN Well No. 4 in NE NE ease  , N. M. P. M., Drinkard Field.  PROPOSED PLAN OF WORK  ULES AND REGULATIONS OF THE COMMISSION  s of new 13-3/8" OD 48#, 8 Rd Thd, H-40, R-2,  1, set & 2971. Comented by Halliburton w/300  . Cement circulated O.K. Job started & 2 a.m.  shut-off & 5 p.m., September 27, 1948.
Approved SEP 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Culf Oil Corporation Company or Operator  By Company or Operator  Position General Foreman Send communications regarding well to  Name Chas. F. Taylor  Address Box 1667, Hobbs, New Mexico
Title OR A GAS INSPECTOR	

## OIL CONSERVATION COMMISSION

Santa Fe, New Mexico



Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operati ti S

tions, results of shooting well, resultions, even though the work was wit signed and sworn to before a notary	nessed by an a	agent of	the Commission. R	eports on mi	nor operation	ns need not be
Signod and Silveria se section in the			eport by checking b			
REPORT ON BEGINNING DRILL	LING OPERA	A-  X	REPORT ON	REPAIRING	WELL	
REPORT ON RESULT OF SHOOTI	NG OR CHE	M-		PULLING C RING CASIN		ISE
REPORT ON RESULT OF TES SHUT-OFF	T OF CASIN	īG	REPORT ON	N DEEPENIN	G WELL	
REPORT ON RESULT OF PLUGG	ING OF WEL	LL				
			September 26.	1948	Hobbs No	ew Mexico
OIL CONSERVATION COMMISS SANTA FE, NEW MEXICO Gentlemen:			Date		P	lace
Following is a report on the work d						
Gulf Oil Corporation		ry Leo	nard "E"	Well No	4	in the
Company or Ope NE NE	erator of Sec	16	Lease	R	37 E	, N. M. P. M.,
			•			County.
The dates of this work were as follows:						
Notice of intention to do the work				_		
and approval of the proposed plan						
			K DONE AND RE			
Contractor moved in	and spudd	ed @ 1	p.m., Septemb	oer 25, 19	48 <b>.</b>	
Witnessed by Glenn Stach	Gul Name	f 011	Corporation Comp		lling For	eman Title
Subscribed and sworn before me	this		I hereby swear of is true and corre		the informat	ion given above
_27th_day_ofSeptember	er	1948	Name	100	Jay 5	$\gamma$
1111/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1	lan.		Position	General F	oreman	
- House	Notary Pul	blic	Representing		Corporatio	on
0			K	Company or		

Address Box 1667, My commission expires\_ Hobbs New Mexi

Remarks:

FPROVED

Date..... SEP 2 9 1948

Title

	•		JID COLORLIV			
MILO	HILLAT	NOTICE	Santa Fe, New	Mexico	Uhre	
The second	many or many or many	NOTICE	OF INTENTIO	N TO DRI		SEP 21 1948
Notice must	be given to	the Oil Conservation	n Commission or i	ts proper agent	and annound histori	ned hefere drilling
returned to	the sender. S	proposed plan are cubmit this notice in Regulations of the	triplicate. One co	opy will be retu	rned following appro	val. See adention
instructions	in renes sud					
			Robbs, New Ma		Septembe:	r 18, 1948 Date
OIL CONSE Santa Fe, No	RVATION CO	MMISSION,				
Gentlemen:	DW MONICO,					
	u are hereby n	otified that it is ou	r intention to com	mence the dril	ling of a well to be	known as
	-	n - GYPROD		*E*	Vell No. 4	
1.6	<u>.                                      </u>	y or Operator		Lease		
of Sec			· ·		Field, L9	
	N		the East		e North line a	nd gyw iest
					gal subdivision lines	Cross out many
	#4	directions.)	cation from secu	on or owner le	Sat amortanion miss	. Closs out wrong
		If state land	the oil and gas le	ase is No	Assignmen	No
		If patented	land the owner is	Jim Ow	<b>100.8</b>	
	.				New Mexico	
		<del>.</del>	nt land the permi	ttee is		
77777		Address	Gul+ 0	il Comore	tion - Gypsy D	i wi ai an
11/1///	1////////				Oklahoma	
	640 ACRES	***			nt as follows:	
	ell corrections - Olso	on Drilling Com		ming equipme	nt as lonows.	
The status	of a bond fo	r this well in conf	ormance with Ru	le 39 of the (	General Rules and	Regulations of the
	is as follows:					
		lowing strings of cas	ing and to land or	cement them	as indicated:	
Size of	Size of	Weight Per Foot	New or	Depth	Landed or	Sacks
Hole	Casing		Second Hand		Cemented	Cement
17-1/4*	15-3/8*	48#	New	500 °	Commuted	300
12-1/47	9-5/8*	<b>36#</b>	Now	2800 1	Comented	1300
8-3/4*	7"	25#	New	65501	Cemented	700
	<u> </u>					
-		an become advisable				. We estimate that
the first pro	oductive oil or	gas sand should oc	cur at a depth of	about 65	feet.	
Additional i	nformation:					
		SEP 2 1 1948	10 Si	1_		
Approved	as follows:	•		rely yours,		
except	as tonows.		<u></u>	TA OTT COR	PORATION - GYP Company or Operator	SI DIVISION
			•	J. J.	Halland.	
			Ву	6	Company of the	
		,	Positi	on Distr	iet Superinten	dent
OIL (	CONSERVATI	on commission,	Send	communication	s regarding well to	
_ ((A))	1 TAILA					

Address Box 1667, Hobbs, New Mexico