

NEW MEXICO OIL CONSERVATION COMMISSION
WELL LOCATION AND ACREAGE DEDICATION PLAT

FORM C-128
Revised 5/1/57

SEE INSTRUCTIONS FOR COMPLETING THIS FORM ON THE REVERSE SIDE


SECTION A

Operator Pan American Petroleum Corporation		Lease State C, Tract 12		Well No. 3
Unit Letter K	Section 16	Township 21-S	Range 37-E	County Lea
Actual Footage Location of Well: 1980 feet from the North line and 660 feet from the West line				
Ground Level Elev. 3481 DF	Producing Formation Yates-Seven Rivers		Pool Emont	Dedicated Acreage: 160 Acres

1. Is the Operator the only owner in the dedicated acreage outlined on the plat below? YES ☒ NO ____ . ("Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (e) NMSA 1935 Comp.)
2. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? YES ____ NO ____ . If answer is "yes," Type of Consolidation ____
3. If the answer to question two is "no," list all the owners and their respective interests below:

Owner	Land Description

SECTION B



CERTIFICATION

I hereby certify that the information in SECTION A above is true and complete to the best of my knowledge and belief.

Name Original Signed by:
Y. E. STALEY

Position

Area Superintendent

Company

Pan American Petroleum Corp.

Date

March 9, 1961

I hereby certify that the well location shown on the plat in SECTION B was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed

Registered Professional Engineer
and/or Land Surveyor

Certificate No.

INSTRUCTIONS FOR COMPLETION OF FORM C-128

1. Operator shall furnish and certify to the information called for in Section A.
2. Operator shall outline the dedicated acreage for *both* oil and gas wells on the plat in Section B.
3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
4. All distances shown on the plat must be from the outer boundaries of the Section.
5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.

OWW.

COUNTY	LEA	FIELD	Penrose Skelly	STATE	NM-MN	06625
OPR	AMOCO PRODUCTION CO.					MAP
	3 State "C" Tr. 12					
	Sec 16, T-21-S, R-37-E					CO-ORD
	1980' FNL, 660' FWL of Sec					
	Re-Spd 7-5-72					
	Re-Cmp 7-11-72		CLASS		EL	
		FORMATION	DATUM	FORMATION	DATUM	
CSG & SX - TUBING						
13 3/8" at 322' w/300 sx						
9 5/8" at 2900' w/1500 sx						
7" at 6660' w/775 sx						
LOGS EL GR RA IND HC A						
	TD 6660'; PBD 3880'					
IP (Grayburg) Perfs 3721-74' P 25 EOPD + 3 EW. Pot based on 24 hr test. GOR 2206; Grav NR						

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	PROP DEPTH	3880'	TYPE	WO
DATE				

F.R.C. 8-19-72; Opr's Elev. 3481' DF
 PD 3880' WO (Grayburg)
 (Orig. Pan American Pet. Corp, comp 9-15-47 thru
 (Drinkard) Perfs 6615-60', OTD 6660'; OWWO &
 Dually comp 3-6-61 thru (Queen) Perfs 3574-3620'
 & (Drinkard) Perfs 6615-60', OTD 6660'; OWWO &
 Re-Cmp 7-20-67 thru (Blincbry) Perfs 5835-5975',
 OTD 6660')

8-14-72 ID 6660'; PED 3880'; COMPLETE
 PB to 3880'
 Perf (Grayburg) 3721-24', 3734-44', 3755-63',
 3766-68', 3771-74' w/2 SPF
 Acid (3721-74') 2000 gals (15% NE)
 Frac (3721-74') 30,000 gals jelled wtr + 50,000#
 sd

8-19-72 COMPLETION REPORTED

COUNTY	LEA	FIELD	Blinebry	STATE	NM	OWWO
OPR	PAN AMERICAN PETROLEUM CORP.					MAP
	3 State "G" Tr. 12					
	Sec. 16, T-21-S, R-37-E					CO-ORD
	1980' FNL, 660' FWL of Sec.					

Re-Cmp 7-20-67	CLASS		EL	
	FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING				
13 3/8" 322' 300				
9 5/8" 2900' 1500				
7" 6660' 775				
LOGS EL GR RA IND HC A				
	TD 6660'			

IF Blinebry Perfs 5835-5975' Pmpd 26 BOPD + 28 BW. Pot. Based on 24 hr test.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	PROP DEPTH	TYPE WO
DATE		

F.R.C. 8-31-67; OWWO
(Orig. Cmp 9-13-47 from Drinkard perfs 6615-6660',
OID 6660'; Drinkard Allowable Canceled;
Re-Cmp 3-6-61 from Eumont Gas perfs 3574-3620',
OID 6660')
8-28-67 ID 6660', COMPLETE
Squeezed perfs 3574-3620' W/300 sx.
Set Pkr @ 6300'
Perf (Blinebry) 5835-45', 5860-65', 5880-
90', 5895-5905', 5920-30', 5938-45',
5965-75' W/2 SPE
Acid (5835-5975') 5500 gals.
Frac (5835-5975') 40,000 gals wtr + 60,000# sd.