


OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS



Submit this report in triplicate to the Oil Conservation Commission or its proper agent within 10 days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning operations, results of shooting well, results of test of casing shut-off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL		REPORT ON WELL ELEVATION	X

HOBBS, NEW MEXICO

NOVEMBER 10, 1947

Place

Date

OIL CONSERVATION COMMISSION,
SANTA FE, NEW MEXICO.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the
Stanolind Oil & Gas Co. State C Tr. 12 Well No. 4 in the

Company or Operator NW/4 of Sec. 16, T. 21-S, R. 37-E, N. M. P. M.,
Drinkard Field, Lea County.

The dates of this work were as follows:

Notice of intention to do the work was (was not) submitted on Form C-102 on _____ 19____

and approval of the proposed plan was (was not) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Derrick floor elevation above sea level of subject well is 3477'. L & S

Witnessed by _____ Name _____ Company _____ Title _____

Subscribed and sworn before me this _____

10 day of November, 19 47

[Signature]

Notary Public

My commission expires 2-23-50

I hereby swear or affirm that the information given above is true and correct.

Name Roy Yankrough

Position FIELD SUPT.

Representing STANOLIND OIL & GAS CO.

Company or Operator

Address BOX F: HOBBS, NEW MEXICO

Remarks:

APPROVED

Date NOV 12 1947

[Signature]
Name
OIL & GAS INSPECTOR

OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

DUPLICATE

MISCELLANEOUS REPORTS ON WELLS

RECEIVED
NOV 7 1947
HOBB'S OFFICE

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF	X	REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL			

NOVEMBER 4, 1947

HOBB'S, NEW MEXICO

Date

Place

OIL CONSERVATION COMMISSION,
SANTA FE, NEW MEXICO.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the _____

STANOLIND OIL & GAS CO.

STATE C TR. 12

Well No. 4 in the _____

Company or Operator

Lease

NW/4

of Sec. 16

T. 21-S

R. 37-E

N. M. P. M.,

Field,

County.

The dates of this work were as follows:

Notice of intention to do the work was (was not) submitted on Form C-102 on October 31 1947

and approval of the proposed plan was (was not) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

On October 31, 1947 at 8:00 AM, 30 hours had elapsed since running 6656' 7" OD, 20# and 23# new casing in subject well and cementing with 700 sacks, to be used as oil string. At this time casing shut off was tested as follows:

A Pressure of 1000# was built up and held for 30 minutes and test being OK, cement plug was drilled and a pressure of 1000# again built up and held for 30 minutes. This test being O.K., completion operations were resumed.

Witnessed by Leslie Martin STANOLIND OIL & GAS Hd. Rsbt.
Name Company Title

Subscribed and sworn before me this _____

I hereby swear or affirm that the information given above is true and correct.

4th day of November, 1947Name Joseph L. HendersonPosition FIELD SUPT.Representing STANOLIND OIL & GAS CO.
Company or OperatorMy commission expires 2-23-50Address BOX F: HOBB'S, NEW MEXICO

Remarks:

Rog. Garbrough
Name

APPROVED

Date NOV 7 1947

OIL & GAS INSPECTOR
Title