Form 9-331a (Feb. 1951) R-37-E				
	S	9C.	19	-

. 4 1

(SUBMIT IN TRIPLICATE)

Las Cruces Land Office 032591 (c)

## UNITED STATES

DEPARTMENT OF THE INTERIOR

## GEOLOGICAL SURVEY

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR. SUBSEQUENT REPORT OF ABANDONMENT. SUPPLEMENTARY WELL HISTORY.	*
------------------------------	--	---

(INDICA	IE ADO TO	Sej	ptember 11th	19. 58
Well No. 2 Herdy is loca	ted <b>43</b> 0 ft. fr	rom S line an		
SE/4 Section 19 (1/2 Sec. and Sec. No.)  Drinkard & Elimetry	21-5 (Twp.)	37-L (Range) Loa	(Meridism)  New Hexic  (State or Ter	0
Drinkard & Atlasta (Field)	(Co	unty or Subdivision)		

The elevation of the derrick floor above sea level is 3500 ft.

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Set Baker Hodel "D" Production Type Packer at 6534". Tested CSG and Packer w/1500# for 30 minutes. Tested 0. K. No pressure drop. Perforated intervals 5594-5600, 5651-5661, 5725-5731, 5755-5761, 5813-5829, 5848-5868, 5875-5891 and 5898-5918 w/2 shots per foot. Sand fractured w/20,000 sand and 20,000 gallons refined oil. Average rate 17 BPM. Maximum pressure 3900%. Elinebry produced 120 bhls. condensate (52.2 gravity A.P.I. 6 60%) with GOR of 8,900 in 12 hours on 22/64° choke. Tubing pressure 1075# and casing pressure 1320#.

Completed Operation Leptember 1, 1958 Commenced Operation August 13, 1958

1 understan	d that this plan of work must receive	e approval in writing by the Geological Survey before operations may be commenced.
	J. W. PEERI	
A Johnson	F.O. Box 655	
Address	(dessa, Texas	By Arb. Line
	*****	Owner-Operator Title
	and the second s	