

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
NM. Oil Cons. Division
1625 N. French Dr.
Albuquerque, NM 88240

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS
Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

5. Lease Designation and Serial No.

10-032591(C)

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

HARDY #3

9. API Well No.

30-025-06675

10. Field and Pool, or Exploratory Area

PENROSE-SKELLY GREY

11. County or Parish, State

LEA, NM

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

CAMPBELL & HEDRICK

3. Address and Telephone No.

P. O. BOX 401, MIDLAND, TEXAS 915-684-4393

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec. 19, Township 21S, Range 37E,
660' from South line and 1650' from East line

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☒ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☐ Other

☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

12/04/00 PULL RODS. RECOVERED ONLY TOP PART OF PUMP. PULL TBG AND RECOVER REST OF PUMP. RUN TBG TO TOP OF 4 1/2 OD CSG. LINER. WOULD NOT GO. PULL OUT OF HOLE. RIG UP REVERSE UNIT. RUN BIT, 6 DRILL COLLARS AND DRILL OUT SCALE TO LOWEST PERF AND WASH TO 3900'. HOLE CLEAN BELOW PERFS. TRIP OUT OF HOLE. REMOVE DRILL COLLARS AND BIT. RUN IN HOLE WITH SN AT 3769. ACIDIZE WITH 500 GAL REGULAR 15% ACID. SWAB TO REVERSE TANK. RUN RODS WITH PUMP. JOB COMPLETE. 12/07/00.

TEST WELL 12/12/00--1.72 BO, 87 BW, 87.0 MCF.

(BRIG. SGD.) DAVID R. GLASS

14. I hereby certify that the foregoing is true and correct

Signed

D. Hedrick

Title OPERATOR

Date 12/14/00

(This space for Federal or State office use)

Approved by

Conditions of approval, if any:

Title

Date

GWW