

OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL		Report on Setting Casing	X

March 18, 1948

Monument, New Mexico

Date

Place

OIL CONSERVATION COMMISSION,
SANTA FE, NEW MEXICO.
Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the _____
Amerada Petroleum Corporation J. G. Randle Well No. **1** in the _____
 Company or Operator Lease
SW $\frac{1}{4}$ NE $\frac{1}{4}$ of Sec. **20**, T. **21S**, R. **37E**, N. M. P. M.,
Brunson Field, **Lea** County.

The dates of this work were as follows: **March 18, 1948**

Notice of intention to do the work was ~~submitted~~ submitted on Form C-102 on **March 18,** 19**48**
 and approval of the proposed plan was ~~obtained~~ obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

8950' Total Depth, Lime. 7560' Plugged Back Depth. Ran total of 185 joints of 5 $\frac{1}{2}$ "OD, 17# J-55, R-3, 8-RT, SS Casing New and set at 7550' with 14 Weatherford Centralizers set at: 7535', 7505', 7475', 7445', 7415', 7385', 7355', 7325', 7295', 7265', 7235', 7205', 6725', 6695'; 6 Baker Centralizers at: 6665', 6635', 6605', 6575', 6545', 6515'; 12 Weatherford Scratchers at: 6 on the first joint, 3 on the second joint and 3 on the third joint. Cemented with 600 sacks of Trinity Regular Bulk Cement and 50 sacks of Incon Cement and plug pumped to 7462' at 2:30PM, 3-18-48. Final pressure 1800#.

Witnessed by K. V. Stephenson	Amerada Petroleum Corporation	Foreman
Name	Company	Title

Subscribed and sworn before me this _____ I hereby swear or affirm that the information given above is true and correct.

18th. day of **March**, 19**48** Name *Dr. J. P. ...*

Will Hail Taylor Position **Asst. Dist. Supt.**
 Notary Public

Representing **Amerada Petroleum Corporation**
 Company or Operator

My commission expires _____ Address **Drawer D, Monument, New Mexico**

Remarks:

APPROVED

Date

MAR 2 1948

Robt. ...
 Name
 OF GAS INSPECTOR
 Title