Submit 3 Copies to Appropriate District Office

State of New Mexico Energy, Minerals and Natural Resources Department


Form C-103 Revised 1-1-89

DISTRICT I

T. (1) (1.5)

OIL	COI	NSER '	VA'I	TON	DIV	ISIO	N
			-	2200			

TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT CASING TEST AND CEMENT JOB COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT CASING TEST AND CEMENT JOB COMMENCE DRILLING OPNS. CASING TEST AND CEMENT JOB COMMENCE DRILLING OPNS. CASING INTEGRITY TIEST FOR TA STATUS X 12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103. 12/16/93 1. TOH W/ RODS AND PUMP. 2. SET CIBP @ 3725', DUMPED 35' CMT ON TOP OF PLUG, PBTD @ 3690'. 3. LOADED AND TESTED CSG AS PER NMOCD GUIDLINES TO 580# FOR 30 MIN, HELD OK. 4. TOH W/ TBG. REQUEST TEMPORARILY ABANDON WELL STATUS TROUGH 12-1-98. (ORIGINAL CHART DELIVERED TO NMOCD, COPY OF CHART ON BACK) Thereby certify that the information above is true and complete to the best of my knowledge and belief. SKONATURE TILE ENGINEER'S ASSISTANT DATE 12-20-93 TYPE OR PRINT NAME MONTE C. DUNCAN TRESPICED BY JERRY SEXTON DISTRICT I SUPERVISOR ANTROYED BY THE ABONDOVAL OF TEMPORARY SEXTON DATE TO	P.O. Box 1980, Hobba, NM 88240 P.O. Box 208								
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS PORM FOR PROCORALS TO DRILL OR TO DESPEN OR PULIG BACK TO A DIFFERENT RESERVOR. USE APPLICATION FOR PERMIT (DO NOT USE THIS PORM FOR PROCORALS TO DRILL OR TO DESPEN OR PULIG BACK TO A DIFFERENT RESERVOR. USE APPLICATION FOR PERMIT (PON C-10) FOR SUCH PROPOSALS.) 1. Type of Well: ORD. 2. Name of Openior Texaco Exploration and Procluction Inc. 3. Address of Openior P. O. Box 730 Hobbs, NM 88240 2. Name of Openior P. O. Box 730 Hobbs, NM 88240 1. Line sud B60 Fed From The EAST Use the Found The EAST Use Socios 20 Township 21-3 Rengs 37-E NIFM LEA NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK PLUG AND ABANDON CHANGE PLANS CASING REMEDIAL WORK PULI OR ALTER CASING CHANGE PLANS COMMENCE DRILLING OPIS. 1. LINE AND CEMENT JOB OTHER: OTHER: OTHER CASING INTEGRITY TIEST FOR TA STATUS X 12/16/93 1. LOADED AND PUMP. 2. SET CIPP @ 3726', DUMPED 35' CMT ON TOP OF PLUG, PBTD @ 3690'. 3. LOADED AND TESTED CSG AS PER NMOOD GUIDLINES TO 5809' FOR 30 MIN, HELD OK. 4. TOH W/ RODS AND PUMP. 2. SET CIPP @ 3726', DUMPED 35' CMT ON TOP OF PLUG, PBTD @ 3690'. 3. LOADED AND TESTED CSG AS PER NMOOD GUIDLINES TO 5809' FOR 30 MIN, HELD OK. 4. TOH W/ TBG. REQUEST TEMPORARILY ABANDON WELL STATUS TROUGH 12-1-98. (ORIGINAL CHART DELIVERED TO NMOOD, COPY OF CHART ON BACK) ORIGINAL SIGNEE BY JERRY SEXTON OIS FIRST TREBUTION OF STREET ASSISTANT DATE 12-20-98 TYPICS RESTANDED TO STREET ASSISTANT DATE 12-20-98 TYPICS RESTANDED TO STREET ASSISTANT THE PROPRIEST ASSISTANT DATE 12-20-98 TYPICS RESTANDED TO STREET ASSISTANT THE PROPRIEST ASSISTANT DATE 12-20-98 TYPICS RESTANDED TO STREET ASSISTANT THE PROPRIEST ASSISTANT THE PROPRIEST ASSISTANT DATE 12-20-98 THE PROPRIEST ASSISTANT THE PROPRIEST ASSISTANT DATE 12-20-98 THE PROPRIEST ASSISTANT DATE 12-20-98 THE PROPRIEST ASSISTANT THE PROPRIEST ASSISTANT THE PROPRIEST ASSIST	DISTRICT II Santa Fe, New Mexico 9 P.O. Drawer DD, Artesia, NM 88210								
(DO NOT USE THIS FORM FOR PROPAGALS TO DRILLO TO DESPEN OR PLING BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM G-131) FOR BUCH PROPOCOSALS.) 1. Type of Well: WILL	DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410								
(DO NOT USE THIS FORM FOR PROPAGALS TO DRILLO TO DESPEN OR PLING BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM G-131) FOR BUCH PROPOCOSALS.) 1. Type of Well: WILL	SUNDRY NOTICES AND REPORTS ON WELL	LS							
Control Substitution Substitutio	(DO NOT USE THIS FORM FOR PROFOSALS TO DRILL OR TO DEEPEN (DIFFERENT RESERVOIR. USE "APPLICATION FOR PER	OR PLUG BACK TO A 7. Lease Name or Unit Agreement Name [MIT"							
Texaco Exploration and Production Inc. 9. Notines of Spentar P. O. Box 730 Hobbs, NM 88240 1. Will Lotter P : 510. Feet From The SOUTH Line and 660. Feet From The EAST Line South Section 20 Tomatic 21-S Range 37-E NMFM LEA Section 20 Tomatic 21-S Range 37-E NMFM LEA Courty 1. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: REMEDIAL WORK PLUG AND ABANDON CHANGE PLUG AND ABANDON CHANGE PLUNG ALTERING CASING COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT COMMENCE DRILLING OPNS. 12. Describe Proposed or Completed Operations (Clearly state all pertinent datalit, and give pertinent datas, including estimated data of starting any proposed world SEE RULE 1103. 12/16/93 1. TOH W/ RODS AND PUMP. 2. SET CIBP @ 3725', DUMPED 35' CMT ON TOP OF PLUG, PBTD @ 3690'. 3. LOADED AND TESTED CSG AS PER NMOCD GUIDLINES TO 580% FOR 30 MIN, HELD OK. 4. TOH W/ TBG. REQUEST TEMPORARILY ABANDON WELL STATUS TROUGH 12-1-98. (ORIGINAL CHART DELIVERED TO NMOCD, COPY OF CHART ON BACK) The BROWN THAN AND MONTE C. DUNCAN TRUSPROME NO 393-7191 THE ENGINEER'S ASSISTANT DATE 12-20-93 TYPIG OR PRINT NAME MONTE C. DUNCAN TRUSPROME NO 393-7191 THE ORDINAL SIGNED RY JERRY SEXTON DISTRICT I SUPERVISOR APPROVED BY APPROVED BY APPROVED BY THE BROWN THE BROWN THE C. DUNCAN THE BROWN TH									
3. Pool same or Wildott P. O. Box 730 Hobbs, NM 88240 4. Will Lossion Usik Letter P : 610 Red From The SOUTH Lise and 660 Red From The EAST Lise County Section 20 Township 21-S Ramps 37-E NMFM LEA 11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK P PLUG AND ABANDON CHANGE PLANS CASING TEST AND CEMENT JOB OTHER: OTHER: OTHER: CASING INTEGRITY TIEST FOR TA STATUS 12. Describe Proposed or Completed Operations (Clearly state all partitions details, and give pertinent date, including estimated date of starting any proposed work) SEE RULE 1103. 12/16/93 1. TOH W/ RODS AND PUMP. 2. SET CIBP @ 3725', DUMPED 35' CMT ON TOP OF PLUG, PBTD @ 3690'. 3. LOADED AND TESTED CSG AS PER NMOCD GUIDLINES TO 580# FOR 30 MIN, HELD OK. 4. TOH W/ TBG. REQUEST TEMPORARILLY ABANDON WELL STATUS TROUGH 12-1-98. (ORIGINAL CHART DELIVERED TO NMOCD, COPY OF CHART ON BACK) THE BROWNER'S ASSISTANT DATE 12-20-93 TYPE OR PRISTYALAGE MONTE C. DUNCAN TITLE ENGINEER'S ASSISTANT DATE 12-20-93 TYPE OR PRISTYALAGE MONTE C. DUNCAN TITLE ENGINEER'S ASSISTANT DISTRICT I SUPERVISOR APPROVED BY THE BROWNER'S ASSISTANT DISTRICT I SUPERVISOR APPROVED BY APPROVED BY THE BROWNER'S ASSISTANT DISTRICT I SUPERVISOR APPROVED BY THE BROWNER'S ASSISTANT DISTRICT I SUPERVISOR APPROVED BY APPROVED BY THE BROWNER'S ASSISTANT DISTRICT I SUPERVISOR APPROVED BY APPROVED BY APPROVED BY APPROVED BY APPROVED BY APPROVED BY THE BROWNER'S ASSISTANT DATE 12-20-93 THE BROWNER'S ASSISTANT DISTRICT I SUPERVISOR APPROVED BY APP	•	.							
P. O. BOX 730 HOBDS, NM 88240 Well Lotestion Unit Letter P : 510 Feet From The SOUTH Line and 660 Feet From The EAST Line Section 20 Township 21-S Runge 37-E NMFM LEA 10. Behavior (Shorw whether DF, RKB, KT, GR, etc.) 10. Behavior (Shorw whether DF, RKB, KT, GR, etc.) 11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK PLUG AND ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT TEMPORABILLY ABANDON CHANGE PLANS CASING INTEGRITY TISST FOR TA STATUS REPORT SEE RULE 1103. OTHER: CASING INTEGRITY TISST FOR TA STATUS REPORT SEE RULE 1103. 12/16/93 1. TOH W/ RODS AND PUMP. 2. SET CIBP @ 3725', DUMPED 35' CMT ON TOP OF PLUG, PBTD @ 3630'. 3. LOADED AND TESTED CSG AS PER NMOCD GUIDLINES TO 580# FOR 30 MIN, HELD OK. 4. TOH W/ TBG. REQUEST TEMPORABILLY ABANDON WELL STATUS TROUGH 12-1-98. (ORIGINAL CHART DELIVERED TO NMOCD, COPY OF CHART ON BACK) Therefore the post of the state of the beat of my incordedge and belief. BOUNDARY MAN MONTE C. DUNCAN THE ENGINEER'S ASSISTANT DATE 12-20-93 TYPS OR PRINTYAMB MONTE C. DUNCAN APPROVED BY THE BORDOYAL OF TEMPORATICS APPROVED BY APPROVED BY APPROVED BY APPROVED BY APPROVED BY The BORDOYAL OF TEMPORATICS APPROVED BY APPROVED BY APPROVED BY APPROVED BY ILDER TO THE LIDER SASISTANT DATE 12-20-93 TREPHONE BO 393-7191									
Unit Letter P: 510. Feet From The SOUTH Line and 660 Feet From The EAST Line Section 20 Township 21-S Range 37-E NMPM LEA	P. O. Box 730 Hobbs, NM 88240	PENROSE SKELLY GRAYBURG							
Section 20 Township 21-S Range 37-E NMPM LEA 10. Elevation (Show whether DP, RKB, RT, GR, etc.) 11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK									
10.	Section 20 Township 21-S Ran	·							
11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: REMEDIAL WORK ALTERING CASING TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT PULL OR ALTER CASING CASING TEST AND CEMENT JOB OTHER: CASING INTEGRITY TEST FOR TA STATUS CASING TEST AND CEMENT JOB 12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103. 12/16/93 1. TOH W/ RODS AND PUMP. 2. SET CIBP @ 3725', DUMPED 35' CMT ON TOP OF PLUG, PBTD @ 3690'. 3. LOADED AND TESTED CSG AS PER NMOCD GUIDLINES TO 580# FOR 30 MIN, HELD OK. 4. TOH W/ TBG. REQUEST TEMPORARILY ABANDON WELL STATUS TROUGH 12-1-98. (ORIGINAL CHART DELIVERED TO NMOCD, COPY OF CHART ON BACK) Therefore report NAME MONTE C. DUNCAN TILE ENGINEER'S ASSISTANT DATE 12-20-93 TITLE ENGINEER'S ASSISTANT DATE 12-20-93	//////////////////////////////////////								
PERFORM REMEDIAL WORK PLUG AND ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT CASING TEST AND CEMENT JOB OTHER: CASING TEST AND CEMENT JOB OTHER: CASING INTEGRITY TIEST FOR TA STATUS VILLE 103. 12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 103. 12/16/93 1. TOH W/ RODS AND PUMP. 2. SET CIBP @ 3725', DUMPED 35' CMT ON TOP OF PLUG, PBTD @ 3690'. 3. LOADED AND TESTED CSG AS PER NMOCD GUIDLINES TO 580# FOR 30 MIN, HELD OK. 4. TOH W/ TBG. REQUEST TEMPORARILY ABANDON WELL STATUS TROUGH 12-1-98. (ORIGINAL CHART DELIVERED TO NMOCD, COPY OF CHART ON BACK) TITLE ENGINEER'S ASSISTANT DATE 12-20-93 TYPE OR PRINTY NAME MONTE C. DUNCAN TELEPHONE NO.393-7191 (This space for State Use) ORIGINAL SIGNED BY JERRY SEXTON DISTRICT I SUPERVISOR ANTEOVED BY THE STATUS OF THE PROPORARY OF TEMPORARY SEXTON DATE.		Nature of Notice, Report, or Other Data							
TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT CASING TEST AND CEMENT JOB COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT CASING TEST AND CEMENT JOB COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT CASING TEST AND CEMENT JOB COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT CASING TEST AND CEMENT JOB COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT CASING TEST AND CEMENT JOB COMMENT OF THE PLUG AS INTEGRATED THE CASING INTEGRITY TIEST FOR TA STATUS TO THE CASING INTEGRATY TIEST FOR TA STATUS TO THE CASING TIEST TO THE CASING TIEST TO THE CASING TIEST TO THE CASING TIEST TO	• • • • • • • • • • • • • • • • • • •								
CASING TEST AND CEMENT JOB COTHER: CASING INTEGRITY TIEST FOR TA STATUS OTHER: CASING INTEGRITY TIEST FOR TA STATUS I2 Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103. 12/16/93 1. TOH W/ RODS AND PUMP. 2. SET CIBP @ 3725', DUMPED 35' CMT ON TOP OF PLUG, PBTD @ 3690'. 3. LOADED AND TESTED CSG AS PER NMOCD GUIDLINES TO 580# FOR 30 MIN, HELD OK. 4. TOH W/ TBG. REQUEST TEMPORARILY ABANDON WELL STATUS TROUGH 12-1-98. (ORIGINAL CHART DELIVERED TO NMOCD, COPY OF CHART ON BACK) I benefity cordify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TITLE ENGINEER'S ASSISTANT DATE 12-20-93 TYPE OR PROT NAME MONTE C. DUNCAN TREPHONE NO.393-7191 (This space for State Use) ORIGINAL SIGNED BY JERRY SEXTON DISTRICT I SUPERVISOR APPROVED BY This is approval of Temporary This is approval of Temporary	PERFORM REMEDIAL WORK PLUG AND ABANDON	REMEDIAL WORK ALTERING CASING							
OTHER:	TEMPORARILY ABANDON CHANGE PLANS	COMMENCE DRILLING OPNS. DLUG AND ABANDONMENT							
12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103. 12/16/93 1. TOH W/ RODS AND PUMP. 2. SET CIBP @ 3725', DUMPED 35' CMT ON TOP OF PLUG, PBTD @ 3690'. 3. LOADED AND TESTED CSG AS PER NMOCD GUIDLINES TO 580# FOR 30 MIN, HELD OK. 4. TOH W/ TBG. REQUEST TEMPORARILY ABANDON WELL STATUS TROUGH 12-1-98. (ORIGINAL CHART DELIVERED TO NMOCD, COPY OF CHART ON BACK) I hereby certify that the information above is true and complete to the best of my knowledge and belief. SKINATURE TITLE ENGINEER'S ASSISTANT DATE 12-20-93 TYPE OR PRINT NAME MONTE C. DUNCAN TELEPHONE NO.393-7191 (This space for State Use) ORIGINAL SIGNED BY JERRY SEXTON DISTRICT I SUPERVISOR	PULL OR ALTER CASING	CASING TEST AND CEMENT JOB							
1. TOH W/ RODS AND PUMP. 2. SET CIBP @ 3725', DUMPED 35' CMT ON TOP OF PLUG, PBTD @ 3690'. 3. LOADED AND TESTED CSG AS PER NMOCD GUIDLINES TO 580# FOR 30 MIN, HELD OK. 4. TOH W/ TBG. REQUEST TEMPORARILY ABANDON WELL STATUS TROUGH 12–1–98. (ORIGINAL CHART DELIVERED TO NMOCD, COPY OF CHART ON BACK) I hareby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TITLE ENGINEER'S ASSISTANT DATE 12–20–93 TYPE OR PRINT NAME MONTE C. DUNCAN ORIGINAL SIGNED BY JERRY SEXTON DISTRICT I SUPERVISOR ATTROVED BY This SUPERVISOR THE SUPERVISOR DATE	OTHER:	OTHER: CASING INTEGRITY TEST FOR TA STATUS							
1. TOH W/ RODS AND PUMP. 2. SET CIBP @ 3725', DUMPED 35' CMT ON TOP OF PLUG, PBTD @ 3690'. 3. LOADED AND TESTED CSG AS PER NMOCD GUIDLINES TO 580# FOR 30 MIN, HELD OK. 4. TOH W/ TBG. REQUEST TEMPORARILY ABANDON WELL STATUS TROUGH 12-1-98. (ORIGINAL CHART DELIVERED TO NMOCD, COPY OF CHART ON BACK) I bereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TITLE ENGINEER'S ASSISTANT DATE 12-20-93 TYPE OR FRINT NAME MONTE C. DUNCAN TRESPHONE NO.393-7191 (This space for State Use) ORIGINAL SIGNED BY JERRY SEXTON DISTRICT I SUPERVISOR ATTROVED BY DATE DATE DATE DATE DATE	•	digive pertinent dates, including estimated date of starting any proposed							
2. SET CIBP @ 3725', DUMPED 35' CMT ON TOP OF PLUG, PBTD @ 3690'. 3. LOADED AND TESTED CSG AS PER NMOCD GUIDLINES TO 580# FOR 30 MIN, HELD OK. 4. TOH W/ TBG. REQUEST TEMPORARILY ABANDON WELL STATUS TROUGH 12-1-98. (ORIGINAL CHART DELIVERED TO NMOCD, COPY OF CHART ON BACK) I bereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TITLE ENGINEER'S ASSISTANT DATE 12-20-93 TYPEOR FRINT NAME MONTE C. DUNCAN TELEPHONE NO.393-7191 (This space for State Use) ORIGINAL SIGNED BY JERRY SEXTON DISTRICT I SUPERVISOR TYPE ADDROYAL OF LEMPORATY DATE DATE	12/16/93								
3. LOADED AND TESTED CSG AS PER NMOCD GUIDLINES TO 580# FOR 30 MIN, HELD OK. 4. TOH W/ TBG. REQUEST TEMPORARILY ABANDON WELL STATUS TROUGH 12-1-98. (ORIGINAL CHART DELIVERED TO NMOCD, COPY OF CHART ON BACK) Thereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TITLE ENGINEER'S ASSISTANT DATE 12-20-93 TYPEOR PRINT NAME MONTE C. DUNCAN TRIBHONE NO.393-7191 (This space for State Use) ORIGINAL SIGNED BY JERRY SEXTON DISTRICT I SUPERVISOR THUE BODY ON TOWNS OF TEMPORARY THE BODY ON THE SUPERVISOR THE BODY ON THE SUPERVISOR DATE	1. TOH W/ RODS AND PUMP.								
4. TOH W/ TBG. REQUEST TEMPORARILY ABANDON WELL STATUS TROUGH 12-1-98. (ORIGINAL CHART DELIVERED TO NMOCD, COPY OF CHART ON BACK) I bereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TITLE ENGINEER'S ASSISTANT DATE 12-20-93 TYPEOR PRINT NAME MONTE C. DUNCAN TELEPHONE NO.393-7191 (This space for State Use) ORIGINAL SIGNED BY JERRY SEXTON DISTRICT I SUPERVISOR	2. SET CIBP @ 3725', DUMPED 35' CMT ON TOP OF PLUG, F	PBTD @ 3690'.							
(ORIGINAL CHART DELIVERED TO NMOCD, COPY OF CHART ON BACK) I hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TITLE ENGINEER'S ASSISTANT DATE 12-20-93 TYPEOR PRINT NAME MONTE C. DUNCAN TELEPHONE NO.393-7191 (This space for State Use) ORIGINAL SIGNED BY JERRY SEXTON DISTRICT I SUPERVISOR APPROVED BY This Supervisor	3. LOADED AND TESTED CSG AS PER NMOCD GUIDLINES TO 5	80# FOR 30 MIN, HELD OK.							
I hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TITLE ENGINEER'S ASSISTANT DATE 12-20-93 TYPEOR PRINT NAME MONTE C. DUNCAN TELEPHONE NO.393-7191 (This space for State Use) ORIGINAL SIGNED BY JERRY SEXTON DISTRICT I SUPERVISOR APPROVED BY This Supergyal of Temporary	4. TOH W/ TBG. REQUEST TEMPORARILY ABANDON WELL STATUS TROUGH 12-1-98.								
THE ENGINEER'S ASSISTANT DATE 12-20-93 TYPE OR PRINT NAME MONTE C. DUNCAN TELEPHONE NO.393-7191 (This space for State Use) ORIGINAL SIGNED BY JERRY SEXTON DISTRICT I SUPERVISOR THIS REDUCTOR OF TEMPORARY DATE THIS REPUTOR OF TEMPORARY DATE	(ORIGINAL CHART DELIVERED TO NMOCD, COPY OF CHART ON BACK)								
THE ENGINEER'S ASSISTANT DATE 12-20-93 TYPE OR PRINT NAME MONTE C. DUNCAN TELEPHONE NO.393-7191 (This space for State Use) ORIGINAL SIGNED BY JERRY SEXTON DISTRICT I SUPERVISOR This RODROY 2 Of TEMPOTARY DATE									
THE ENGINEER'S ASSISTANT DATE 12-20-93 TYPE OR PRINT NAME MONTE C. DUNCAN TELEPHONE NO.393-7191 (This space for State Use) ORIGINAL SIGNED BY JERRY SEXTON DISTRICT I SUPERVISOR THE ADDROVAL OF TEMPORALY									
TYPE OR PRINT NAME MONTE C. DUNCAN TELEPHONE NO.393-7191 (This space for State Use) ORIGINAL SIGNED BY JERRY SEXTON DISTRICT I SUPERVISOR This Endroyed of Temporary This Endroyed of Temporary									
(This space for State Use) ORIGINAL SIGNED BY JERRY SEXTON DISTRICT I SUPERVISOR This Engroyal of Temporary This Engroyal of Temporary									
APPROVED BY DATE THIS ENDROYA OF TEMPORARY DATE	TYPEOR PRINT NAME MONTE C. DUNCAN	ТЕГЕРНОМЕ NO.393-/191							
APPROVED BY DATE DOTTE & DATE DATE DATE									
ATTRIVED BY This Approval of Temporary		UEC 23 199							
Abandenment Expires	CONDITIONS OF APPROVAL, IF ANY: This Approval Abandonment	of Temporary 19-1-98-							



TEXAC	Date _	
To From		
Please Attend to Note and return Note and forward to files See (phone) me re attached	Prepare reply for my signature Send me information required to answer For your information As per conversation Telephone message	As requested For your comments and suggestions Does attached meet with your approval? For signature

Oil Commission

9-51

