

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT..." (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER- <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator <i>Continental oil Company</i>	8. Farm or Lease Name <i>Wantz</i>
3. Address of Operator <i>Box 460 Hobbs, N. Mexico</i>	9. Well No. <i>10</i>
4. Location of Well UNIT LETTER <i>K</i> <i>1980</i> FEET FROM THE <i>South</i> LINE AND <i>1980</i> FEET FROM THE <i>West</i> LINE, SECTION <i>21</i> TOWNSHIP <i>21S</i> RANGE <i>37E</i> NMPM.	10. Field and Pool, or Wildcat <i>Tubb Gas</i>
15. Elevation (Show whether DF, RT, GR, etc.) <i>3475' df</i>	12. County <i>Lea</i>

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <i>abandon Drinkard zone</i> <input checked="" type="checkbox"/>

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

It is proposed to abandon the Drinkard zone and produce the tubb gas thru tubing by the following procedures: Set cast iron bridge plug at 6400' w/ 10' cement cap. Run 2 1/16" tubing w/ seating nipple to 6275'. Place on Production.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED *Robert Paul III* TITLE *Admin. Supervisor* DATE *9-15-72*

APPROVED BY *Joe D. Ramey* TITLE *Dist. I, Supv.* DATE *SEP 18 1972*

CONDITIONS OF APPROVAL, IF ANY:

NMCCC (4) File

RECEIVED

SEP 11 1972

WILSON, R. M.
HOLDS, R. M.