



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Las Cruces
Lease No. 032591A
Unit A 000

JUN 26 1961

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	Subsequent Report of Frac	X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 26, 1961

Elliott #1
Well No. **1** is located **660** ft. from **N** line and **660** ft. from **E** line of sec. **2**
NE 1/4 of NE 1/4 Sec 21 **21S** **37E** **N 37° E**
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Drinkard **Lee** **New Mexico**
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **3441** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

1. Pulled 2" tubing.
2. Ran 3 1/2" tubing with packer set at 6498'.
3. Frac down 3 1/2" tubing with 20,000 gallons refined oil and 20,000 # sand in 4 stages, each stage spearheaded w/500 gallons LHM acid and 300# rock salt between stages. Frac at 6800 to 4500' @ 12 BPM.
4. Reversed 91' sand out of hole.
5. After recovering load oil flowed 230 BOPD and 15 BWPD, cum 1782. Production before was 16 BOPD.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Sunray Mid-Continent Oil Company

Address P. O. Box 128

Hobbs, New Mexico

By W. H. Statton
A. S. Statton
District Engineer