




UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

P.O. Box 1836
Hobbs, New Mexico



January 23, 1952

Sunray Oil Corporation
Box 128
Hobbs, New Mexico

Gentlemen:

Re: Las Cruces 032591 (a)


Receipt is acknowledged of "Notice of Intention to Drill" dated January 16, 1952 covering your well No. 3 Elliott "A" located on subject land in the SE NE $\frac{1}{4}$ NE $\frac{1}{4}$, section 21, T. 21S, R. 37E, Hare Pool, Lea County, New Mexico.

Your proposed work is approved subject to compliance with the provisions of the Oil and Gas Operating Regulations revised May 25, 1942, a copy of which will be sent you on request, and subject to the following conditions:

1. Drilling operations so authorized are subject to attached sheet for general conditions of approval.
2. Copies of sample log, electrical log, temperature and other surveys made are requested.

Very truly yours,

M. H. Soyster
M. H. SOYSTER
District Engineer



1. DATE OF SURVEY
2. NAME OF THE INTERVIEWER
3. FIELD STATION

1997

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Las Cruces

Lease No. 032391

Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Well No. 11141 is located 980 ft. from N line and 110 ft. from E line of sec. 21
11141 (1/4 Sec. and Sec. No.) 21 (Twp.) 37 (Range) 10M (Meridian)
Here (Field) Las (County or Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Expect to drill approx. 3000' to the below sand, and set the following amount of pipe:

approx. 120' of 13 3/8 and cement with 500 sacks, cemented to surface
 " 2900' of 9 5/8 and cement with 1000 sacks or sufficient to cover salt section as determined by temperature survey.
 " 3000' of 5 1/2 and cement with 500 sacks.

Will perforate 5 1/2 casing opposite below sand.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company AMERICAN OIL FIELD SERVICE

Address Las Cruces

By A. J. M. Rumbles

Title Field Capt.