


N



AREA 640 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). **SUBMIT IN TRIPPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.**

Trinity Drilling Company, Dallas 1, Texas
 Little Lathery, Company or Operator, Address
 Well No. 5 in 21 of Sec. 21, T. 21-
 Lease
 37, N. M. P. M., Field, East 21 County.
 Well is 600 feet south of the North line and 100 feet west of the East line of Section 21
 If State land the oil and gas lease is No. Assignment No.
 If patented land the owner is, Address, Dallas, Texas
 If Government land the permittee is, Address
 The Lessee is Trinity Drilling Co., Address Dallas, Texas
 Drilling commenced September 1945 Drilling was completed October 14 1947
 Name of drilling contractor Trinity Drilling Company, Address Dallas, Texas
 Elevation above sea level at top of casing 500 feet.
 The information given is to be kept confidential until 19

OIL SANDS OR ZONES

No. 1, from 550 to 564 No. 4, from to
No. 2, from to No. 5, from to
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from One to feet.

No. 2, from to feet.

No. 3, from to feet.

No. 4, from to feet.

CASING RECORD

[illegible]

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHODS USED	MUD GRAVITY	AMOUNT OF MUD USED
	1 1/2	2900	1200	WATER CEMENT		
11	2 5/8	2900	1200	WATER CEMENT		
7 1/2	5 1/2	2900	1200	WATER CEMENT		

PLUGS AND ADAPTERS

Heaving plug—Material.....Length.....Depth Set.....

Adapters — Material.....Size.....

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
60mm	Lane	ells from 6526-6550; 6570-6600				

Results of shooting or chemical treatment..... Tested 10 oils. per hour 7.5.4. 840 to 1

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from.....feet to.....feet, and from.....feet to.....feet

Cable tools were used from.....feet to.....feet, and from.....feet to.....feet

PRODUCTION

Put to producing....., 19.....
 The production of the first 24 hours was.....barrels of fluid of which.....% was oil;%
 emulsion;% water; and.....% sediment. Gravity, Be.....
 If gas well, cu. ft. per 24 hours.....Gallons gasoline per 1,000 cu. ft. of gas.....
 Rock pressure, lbs. per sq. in.....

EMPLOYEES

....., Driller , Driller
....., Driller , Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 16th
day of Oct, 1947
W. Vaughan
Notary Public

Filed 16 October 16, 1947
Name W. Vaughan
Position President
Representing _____

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	40	40	Sand
40	150	110	Caliche - water sand
150	290	140	Red Red
290	1200	910	Red beds: shells
1200	1340	140	Anhydrite
1340	2220	1480	Salt & anhydrite shells
2220	2950	130	Line
2940	2998	50	Line - anhydrite
2998	3160	162	Line
3160	3205	45	brown line
3205	3500	295	Line.
3500	6515	3015	Gray line
6500	6624	124	Sub. line.