


OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS



Submit this report in triplicate to the Oil Conservation Commission or its proper agent within _____ after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL		REPORT ON PLUGGING BACK WELL	X

8-2-49

Hobbs, New Mexico

Date

Place

OIL CONSERVATION COMMISSION,
SANTA FE, NEW MEXICO
Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the _____

Shell Oil Company, Inc. Turner Well No. 4 in the _____
Company or Operator Lease
SW/4 of SW/4 of Sec. 22, T. 21-S, R. 37-E, N. M. P. M.,
Hare Field, Lea County.

The dates of this work were as follows: 7-30-49 and 7-31-49

Notice of intention to do the work was (~~was not~~) submitted on Form C-102 on 8-2 1949
and approval of the proposed plan was (was not) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Plugging back from Brunson Pool to Hare Pool.

Ran 50 sac cement thru open-end tubing and placed cement plug over open Ellenburger formation from 7890' (TD) to 7790' (Casing seat) with top of cement @ 7670' in 5½" casing. Set Baker type E-3 drillable (cast iron) Wire line bridging plug @ 7565'. Jet perforated 5½" casing opposite McKee sand w/total of 408 holes (4 holes/foot) in the following intervals: 7383-7403', 7405'-7418', 7419-7432', 7438-7444', 7452-7478', 7481-7487', 7511-7517', 7523-7533'.

Witnessed by R. M. Hippard Shell Oil Co. Inc. Exploitation Engineer
Name Company Title

Subscribed and sworn before me this _____

I hereby swear or affirm that the information given above is true and correct. To Storm

2nd day of August 1949

Name Frank R. Levering

Position District Superintendent

Representing Shell Oil Company, Incorporated
Company or Operator

June R. Davis
Notary Public

My commission expires My Commission Expires Sept. 15, 1950

Address Box 1457, Hobbs, New Mexico

Remarks:

APPROVED
AUG 8 1949

H. H. Lawrence
Name
Engineer
Title

